






GLIDE PATH &
SHAPING & BURS
CAVITY ACCESS & IRRIGATION
& ACTIVATION
PINS & POSTS

+
**WE
KNOW
ENDO.**

Contents

MISSION/VISION	4
ENDO SOLUTION	6
 STEP 1 CAVITY ACCESS & BURS	9
 STEP 2 GLIDE PATH & SHAPING/MOTORS & APEX LOCATORS	27
 STEP 3 IRRIGATION & ACTIVATION	39
 STEP 4 OBTURATION	41
 STEP 5 PINS & POSTS/RETREATMENT & SPECIAL CASES	51
HAND INSTRUMENTS	59
ACCESSORIES	63
WARNINGS, SYMBOLS & REFERENCES	67



MISSION

AS A LEADER IN ENDODONTICS AND TRUSTED PARTNER IN DENTAL SURGERY, WE SHAPE THE FUTURE BY DELIVERING INNOVATIVE SOLUTIONS AND EDUCATION PROGRAMS THAT ARE BEST IN CLASS. WE PROVIDE PRACTITIONERS WITH MORE EFFECTIVE AND SIMPLER CLINICAL PROCEDURES THAT OFFER THE SAFEST TREATMENT OPTION FOR PATIENTS WORLDWIDE.

[BACK TO CONTENTS](#)



LEADING AND SHAPING THE FUTURE OF ENDODONTICS GLOBALLY IS OUR LIFE'S WORK.

[BACK TO CONTENTS](#)

STEP 1
CAVITY ACCESS
& BURS

To gain adequate and unobstructed access to all canals for shaping instruments



STEP 2
GLIDE PATH & SHAPING

Allows for efficient cleaning and disinfection as well as for optimal obturation



STEP 3
IRRIGATION & ACTIVATION

To lubricate and disinfect the root canal system and remove debris




STEP 4
OBTURATION

To prevent from any recontamination of the root canal system



STEP 5
PINS & POSTS

To complete sealing of the tooth to restore its original function



SOLUTION

CAVITY ACCESS SET

To shape the cavity access up to canals' entrance



START-X™ & PROULTRA

Ultrasonic insert to refine access cavity and canal orifice location



CAVITY BURS



CROWN REMOVER / METAL TRIMMING



TRIMMING & FINISHING



DIAMOND INSTRUMENTS



EQUIPMENT: Apex locators for accurate and reliable working length determination

PROPEX® II

Sharpen your root canal visibility



propex® pixi™

Small size. Big benefits



SOLUTION



A heritage of timeless precision and quality in steel



COLORINOX®

Stainless Steel files



READY•STEEL®

Ready to start when you are READYSTEEL® is a pre-sterilized files range, ready to use



PathFile®

Rotary NiTi endodontic glide path files



pro•glider™

Single file rotary NiTi endodontic glide path solution




PROTAPER•NEXT™

For very flexible performance



PROTAPER®

The global endo gold standard



wave•one®

Simplicity is the real innovation



SOLUTION



To lubricate and reduce risk of file breakage



ENDO ACTIVATOR®

To safely and vigorously energize intracanal irrigants during endodontic treatments



EQUIPMENT: Motors for precise and efficient shaping in continuous and/or reciprocating motion

x•smart

Continuous motion



x•smart plus

Continuous & Reciprocating motions



SOLUTION

TOPSEAL® & LENTULO®

Epoxy resin based root canal sealer



GUTTA-PERCHA & PAPER POINTS

For cold & warm obturation



THERMAFIL® & gutta•core™

For carrier based obturation



CALAMUS® DUAL

For mechanised vertical compaction



PROROOT.MTA & MAP SYSTEM

To repair root canal perforation



SOLUTION

RADIX-ANKER®

Biocompatible root canal post made of titanium and available with three different heads for increased clinical versatility



CYTCO®-K

Titanium root canal posts



UNIMETRIC

Isometric root canal post made of titanium



EASYPOST™

Root canal posts made of white glass fiber material, providing the ideal mechanical properties for a homogeneous reconstruction which minimises the risks of root fracture



RADIX® FIBER POST

Root canal posts made of translucent glass fiber material preserving the aesthetics of the tooth and providing a fast and efficient sealing



UNICLIP

Plastic burn-out root canal posts providing several user benefits



BACK TO CONTENTS

BACK TO CONTENTS

*This range is not available everywhere so please contact your local dealer to have more information.

STEP 1
CAVITY ACCESS
& BURS



[BACK TO CONTENTS](#)

[BACK TO CONTENTS](#)

Recommendations concerning the use of tungsten carbide burs

1. Recommended speed

The following speeds should not be exceeded for tungsten carbide burs :

ISO Sizes :	Rpm. :
N° ISO: 006-010	300 000
012-023	150 000 - 200 000

depending upon the size.

One should avoid sudden changes of the speed as well as any jamming of the bur.

2. Working pressure

Do not operate the bur with a pressure of more than 100 gr. Excessive pressure may jam the bur or be the cause of a sudden change of speed.

3. Cleaning and sterilization

Some liquids used for cleaning or disinfection may corrode the bur. Instruments can be disinfected by immersion in alcohol without damage. The safest method is cleaning with plain water followed by hot air sterilisation or auto-claving.

4. Handpiece

The concentricity of your handpiece or turbine should be checked periodically.

5. Packing (REF E 0123-E 0150C)





















FG 19 mm: blister 5 pces

RA: blister 5 pces

HP: blister 5 pces

6. We do not recommend the use of plasma sterilization.

























STEP 1 CAVITY ACCESS & BURS

CAVITY BURS	CODE	ISO SIZE	SYMBOL																																																																																																																
	E 0123	<table border="1"> <tr> <th>ISO 001 001</th> <th>Ø ISO</th> <th>004</th> <th>005</th> <th>006</th> <th>007</th> <th>008</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>021</th> <th>023</th> <th>027</th> </tr> <tr> <td>USA</td> <td>-</td> <td>1/4</td> <td>3/8</td> <td>1/2</td> <td>3/4</td> <td>1</td> <td>1 1/4</td> <td>1 1/2</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> </tr> <tr> <td>FG 16mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FG 19mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FG 25mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RA 225mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>HP 445mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	ISO 001 001	Ø ISO	004	005	006	007	008	009	010	012	014	016	018	021	023	027	USA	-	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	3	4	5	6	7	8	FG 16mm																FG 19mm																FG 25mm																RA 225mm																HP 445mm																
ISO 001 001	Ø ISO	004	005	006	007	008	009	010	012	014	016	018	021	023	027																																																																																																				
USA	-	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	3	4	5	6	7	8																																																																																																				
FG 16mm																																																																																																																			
FG 19mm																																																																																																																			
FG 25mm																																																																																																																			
RA 225mm																																																																																																																			
HP 445mm																																																																																																																			
	E 123A	<table border="1"> <tr> <th>Ø ISO</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>021</th> <th>023</th> <th>025</th> <th>027</th> </tr> <tr> <td>FG 19mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RA 225mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Ø ISO	010	012	014	016	018	021	023	025	027	FG 19mm										RA 225mm																																																																																												
Ø ISO	010	012	014	016	018	021	023	025	027																																																																																																										
FG 19mm																																																																																																																			
RA 225mm																																																																																																																			
Special blade geometry for higher cutting efficiency																																																																																																																			
	E 0124	<table border="1"> <tr> <th>ISO 010 001</th> <th>Ø ISO</th> <th>006</th> <th>007</th> <th>008</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> </tr> <tr> <td>USA</td> <td>33 1/2</td> <td>34</td> <td>35</td> <td>36</td> <td>37</td> <td>38</td> <td>39</td> <td></td> <td></td> <td></td> </tr> <tr> <td>FG 19mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RA 225mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>HP 445mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	ISO 010 001	Ø ISO	006	007	008	009	010	012	014	016	018	USA	33 1/2	34	35	36	37	38	39				FG 19mm											RA 225mm											HP 445mm																																																																				
ISO 010 001	Ø ISO	006	007	008	009	010	012	014	016	018																																																																																																									
USA	33 1/2	34	35	36	37	38	39																																																																																																												
FG 19mm																																																																																																																			
RA 225mm																																																																																																																			
HP 445mm																																																																																																																			
	E 0128	<table border="1"> <tr> <th>ISO 137 006</th> <th>Ø ISO</th> <th>008</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> </tr> <tr> <td>USA</td> <td>1156</td> <td>1157</td> <td>1158</td> <td>1159</td> <td></td> <td></td> </tr> <tr> <td>FG 19mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RA 225mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>HP 445mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	ISO 137 006	Ø ISO	008	009	010	012	014	USA	1156	1157	1158	1159			FG 19mm							RA 225mm							HP 445mm																																																																																				
ISO 137 006	Ø ISO	008	009	010	012	014																																																																																																													
USA	1156	1157	1158	1159																																																																																																															
FG 19mm																																																																																																																			
RA 225mm																																																																																																																			
HP 445mm																																																																																																																			
	E 0129 E 129X	<table border="1"> <tr> <th>ISO 107 006</th> <th>Ø ISO</th> <th>008</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>019</th> <th>010</th> <th>012</th> <th>014</th> </tr> <tr> <td>USA</td> <td>56</td> <td>57</td> <td>58</td> <td>59</td> <td>60</td> <td>57L</td> <td>58L</td> <td>59L</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FG 19mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FG 21mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FG 25mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RA 225mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RA 245mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>HP 445mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	ISO 107 006	Ø ISO	008	009	010	012	014	016	018	019	010	012	014	USA	56	57	58	59	60	57L	58L	59L					FG 19mm													FG 21mm													FG 25mm													RA 225mm													RA 245mm													HP 445mm																					
ISO 107 006	Ø ISO	008	009	010	012	014	016	018	019	010	012	014																																																																																																							
USA	56	57	58	59	60	57L	58L	59L																																																																																																											
FG 19mm																																																																																																																			
FG 21mm																																																																																																																			
FG 25mm																																																																																																																			
RA 225mm																																																																																																																			
RA 245mm																																																																																																																			
HP 445mm																																																																																																																			
	E 0130 E 130L E 130X	<table border="1"> <tr> <th>ISO 168 006</th> <th>Ø ISO</th> <th>008</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>009</th> <th>010</th> <th>010</th> <th>012</th> </tr> <tr> <td>USA</td> <td>168</td> <td>169</td> <td>170</td> <td>171</td> <td>172</td> <td></td> <td></td> <td></td> <td>169L</td> <td>170L</td> <td></td> <td></td> </tr> <tr> <td>FG 19mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FG 21mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FG 25mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RA 225mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>HP 445mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	ISO 168 006	Ø ISO	008	009	010	012	014	016	018	009	010	010	012	USA	168	169	170	171	172				169L	170L			FG 19mm													FG 21mm													FG 25mm													RA 225mm													HP 445mm																																		
ISO 168 006	Ø ISO	008	009	010	012	014	016	018	009	010	010	012																																																																																																							
USA	168	169	170	171	172				169L	170L																																																																																																									
FG 19mm																																																																																																																			
FG 21mm																																																																																																																			
FG 25mm																																																																																																																			
RA 225mm																																																																																																																			
HP 445mm																																																																																																																			
	E 0136	<table border="1"> <tr> <th>ISO 137 007</th> <th>Ø ISO</th> <th>008</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> </tr> <tr> <td>USA</td> <td>1556</td> <td>1557</td> <td>1558</td> <td>1559</td> <td></td> <td></td> </tr> <tr> <td>FG 19mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RA 225mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>HP 445mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	ISO 137 007	Ø ISO	008	009	010	012	014	USA	1556	1557	1558	1559			FG 19mm							RA 225mm							HP 445mm																																																																																				
ISO 137 007	Ø ISO	008	009	010	012	014																																																																																																													
USA	1556	1557	1558	1559																																																																																																															
FG 19mm																																																																																																																			
RA 225mm																																																																																																																			
HP 445mm																																																																																																																			
	E 0137 E 137X	<table border="1"> <tr> <th>ISO 107 007</th> <th>Ø ISO</th> <th>008</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>021</th> <th>010</th> <th>012</th> <th>014</th> </tr> <tr> <td>USA</td> <td>556</td> <td>557</td> <td>558</td> <td>559</td> <td>560</td> <td>561</td> <td>562</td> <td></td> <td></td> <td>557L</td> <td>558L</td> <td>559L</td> </tr> <tr> <td>FG 19mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FG 21mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FG 25mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RA 225mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>HP 445mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	ISO 107 007	Ø ISO	008	009	010	012	014	016	018	021	010	012	014	USA	556	557	558	559	560	561	562			557L	558L	559L	FG 19mm													FG 21mm													FG 25mm													RA 225mm													HP 445mm																																		
ISO 107 007	Ø ISO	008	009	010	012	014	016	018	021	010	012	014																																																																																																							
USA	556	557	558	559	560	561	562			557L	558L	559L																																																																																																							
FG 19mm																																																																																																																			
FG 21mm																																																																																																																			
FG 25mm																																																																																																																			
RA 225mm																																																																																																																			
HP 445mm																																																																																																																			
	E 0138 E 138L E 138X	<table border="1"> <tr> <th>ISO 168 007</th> <th>Ø ISO</th> <th>008</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>021</th> <th>023</th> <th>009</th> <th>010</th> <th>016</th> <th>010</th> <th>012</th> </tr> <tr> <td>USA</td> <td>698</td> <td>699</td> <td>700</td> <td>701</td> <td>702</td> <td>703</td> <td></td> <td></td> <td></td> <td></td> <td>699L</td> <td>700L</td> <td>701L</td> <td></td> <td></td> </tr> <tr> <td>FG 19mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FG 21mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>FG 25mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RA 225mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>HP 445mm</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	ISO 168 007	Ø ISO	008	009	010	012	014	016	018	021	023	009	010	016	010	012	USA	698	699	700	701	702	703					699L	700L	701L			FG 19mm																FG 21mm																FG 25mm																RA 225mm																HP 445mm																
ISO 168 007	Ø ISO	008	009	010	012	014	016	018	021	023	009	010	016	010	012																																																																																																				
USA	698	699	700	701	702	703					699L	700L	701L																																																																																																						
FG 19mm																																																																																																																			
FG 21mm																																																																																																																			
FG 25mm																																																																																																																			
RA 225mm																																																																																																																			
HP 445mm																																																																																																																			
	E 0147	<table border="1"> <tr> <th>ISO 196 006</th> <th>Ø ISO</th> <th>008</th> </tr> <tr> <td>USA</td> <td>-</td> <td></td> </tr> <tr> <td>FG 19mm</td> <td></td> <td></td> </tr> <tr> <td>HP 445mm</td> <td></td> <td></td> </tr> </table>	ISO 196 006	Ø ISO	008	USA	-		FG 19mm			HP 445mm																																																																																																							
ISO 196 006	Ø ISO	008																																																																																																																	
USA	-																																																																																																																		
FG 19mm																																																																																																																			
HP 445mm																																																																																																																			

BACK TO CONTENTS























BACK TO CONTENTS

STEP 1 CAVITY ACCESS & BURS





























CAVITY BURS continued	CODE	ISO SIZE	SYMBOL
CONE ROUND 	E 0148	ISO 196 007 Ø ISO 010 012 USA 1700 1701 FG 10mm [x] 5x 5x	
CONE ROUND 	E 0149	ISO 196 006 Ø ISO 010 012 014 016 USA 1170 1171 - 1172 FG 10mm RA 225mm HP 445mm [x] 5x 5x 5x 5x	
AMALGAM BUR 	E 150A	ISO 232 006 Ø ISO 006 008 009 010 012 USA 329 330 - 333 332 FG 105mm FG 10mm RA 225mm HP 445mm [x] 5x 5x 5x 5x 5x	
AMALGAM BUR 	E 150B	ISO 237 006 Ø ISO 008 010 012 014 USA 330L 331L 332L 333L FG 10mm RA 225mm [x] 5x 5x 5x 5x	
AMALGAM BUR 	E 150C	ISO 233 006 Ø ISO 008 014 USA 245 - FG 10mm [x] 5x 5x	
CROWN REMOVER/METAL TRIMMING	CODE	ISO SIZE	SYMBOL
TRANSMETAL CYLINDER 	E 0153	ISO 137 007 120 000 - 180 000 min ⁻¹ Ø ISO 012 USA - FG 10mm FG 25mm [x] 5x	
TRANSMETAL PEAR 	E 0154	ISO 237 007 120 000 - 180 000 min ⁻¹ Ø ISO 009 010 012 USA - - - FG 10mm FG 25mm [x] 5x 5x 5x	
DC CYLINDER 	E 0155	ISO 109 019 120 000 - 180 000 min ⁻¹ Ø ISO 010 012 USA 557X 558X FG 10mm [x] 5x 5x	
DC CONE 	E 0156	ISO 170 019 120 000 - 180 000 min ⁻¹ Ø ISO 010 012 USA 700X 701X FG 10mm [x] 5x 5x	
DC CYLINDER ROUND 	E 0158	ISO 137 019 120 000 - 180 000 min ⁻¹ Ø ISO 010 012 USA 557X 558X FG 10mm [x] 5x 5x	
DC CYLINDRICAL POINTED 	E 0570	ISO 289 080 120 000 - 180 000 min ⁻¹ Ø ISO 012 USA - FG 23mm [x] 5x	
DC CONE ROUND 	E 0571	ISO 196 019 120 000 - 180 000 min ⁻¹ Ø ISO 010 012 USA - - FG 10mm [x] 5x 5x	

BACK TO CONTENTS





























STEP 1 CAVITY ACCESS & BURS

CROWN REMOVER/METAL TRIMMING continued	CODE	ISO SIZE	SYMBOL
TRANSMETAL CONE ROUND 	E 0580	ISO 196 007 120 000 - 180 000 min ⁻¹ Ø ISO 010 USA - FG 10mm [x] 5x	
METAL-MASTER BOX 	E 0590		
SURGERY / BONE CUTTERS	CODE	ISO SIZE	SYMBOL
ZEKRYA EXTRA-LONG TAPERED 	E 0151	Ø 0,8 Dr. Zekrya FG 23mm FG 28mm RA 276mm HP 445mm HP 65mm [x] 5x	
ENDO-Z 	E 0152	Ø 0,9 Dr. Zekrya FG 20mm FG 25mm RA 245mm [x] 5x	
DAY-Z CONE 	E 0157	Ø 0,8 Dr. Zekrya FG 20mm [x] 5x	
ARYANE-Z 	E 0560	Ø 0,5 Dr. Zekrya FG 27mm [x] 5x	
BONE CUTTER 	E 0540	ISO 408 295 FG 26mm RA 26mm HP 445mm [x] 5x	
BONE CUTTER 	E 0541	ISO 408 297 FG 26mm RA 26mm HP 445mm [x] 5x	
BONE CUTTER 	E 541A	ISO 408 298 FG 26mm RA 26mm HP 445mm [x] 5x	
BONE CUTTER 	E 0552	ISO 210 295 FG 26mm [x] 5x	
BONE CUTTER 	E 0553	ISO 199 295 FG 24mm [x] 5x	

BACK TO CONTENTS

TRIMMING & FINISHING	CODE	ISO SIZE	SYMBOL
CONE	E 0510	 <p>ISO 008 010 014 USA - - - FG 13mm ISO 217 071 FG 20mm ISO 218 071 FG 22mm ISO 216 071 REF E 510L FG 23mm ISO 219 071 Z = blades [x] 5x 5x 5x</p>	
CONE SQUARE	E 0511	 <p>ISO 184 072 ISO 014 016 USA 7204 7205 FG 24mm Z = blades [x] 5x 5x</p>	
EGG SHAPED	E 0512	 <p>ISO 277 072 ISO 018 023 USA 7406 7408 FG 13mm Z = blades [x] 5x 5x</p>	
CYLINDRICAL SMOOTH	E 0515	 <p>ISO 549 072 ISO 010 012 USA - FG 22mm Z = blades [x] 5x</p>	
EGG SHAPED SMOOTH	E 0516	 <p>ISO 279 072 ISO 014 USA - FG 13mm Z = blades [x] 5x</p>	
CONE ROUNDED POINTED	E 0517	 <p>ISO 496 071 ISO 009 010 012 USA 7901 7902 7903 FG 20mm Z = blades [x] 5x 5x 5x</p>	
CONE ROUND	E 0518	 <p>ISO 195 071 ISO 007 009 010 USA - 7801 7802 FG 13mm FG 13mm Z = blades [x] 5x 5x 5x</p>	
FLAME	E 0519	 <p>ISO 254 072 ISO 012 014 018 USA - 7104 7106 FG 13mm Z = blades [x] 5x 5x 5x</p>	
CYLINDRICAL ROUND	E 0520	 <p>ISO 249 072 ISO 010 012 USA - - FG 22mm Z = blades [x] 5x 5x</p>	
CYLINDRICAL SQUARE	E 0521	 <p>ISO 157 072 ISO 010 012 USA - - FG 20mm Z = blades [x] 5x 5x</p>	
CYLINDRICAL POINTED	E 0522	 <p>ISO 286 072 ISO 010 009 USA - - FG 23mm Z = blades [x] 5x 8</p>	
CONICAL POINTED	E 0523	 <p>ISO 295 072 ISO 010 012 USA - - FG 23mm Z = blades [x] 5x 8</p>	
CYLINDRICAL POINTED	E 0524	 <p>ISO 287 072 ISO 010 009 USA - - FG 21mm Z = blades [x] 5x 8</p>	
CONICAL POINTED	E 0525	 <p>ISO 296 072 ISO 010 012 USA - - FG 21mm Z = blades [x] 5x 8</p>	

BACK TO CONTENTS

TRIMMING & FINISHING continued	CODE	ISO SIZE	SYMBOL
CYLINDRICAL POINTED	E 0526	 <p>ISO 288 072 ISO 010 010 012 USA - - - FG 22mm Z = blades [x] 5x 5x</p>	
CONICAL POINTED	E 0527	 <p>ISO 297 072 ISO 010 014 016 USA - - - FG 22mm Z = blades [x] 5x 5x</p>	
CYLINDRICAL POINTED	E 0528	 <p>ISO 289 072 ISO 010 010 012 014 USA - - - FG 22mm Z = blades [x] 5x 5x 5x</p>	
CONICAL POINTED	E 0529	 <p>ISO 298 072 ISO 010 016 USA - - FG 22mm Z = blades [x] 5x</p>	
CYLINDRICAL POINTED	E 0530	 <p>ISO 290 072 ISO 010 014 USA - - FG 24mm Z = blades [x] 5x</p>	
CONICAL POINTED	E 0531	 <p>ISO 299 072 ISO 010 018 USA - - FG 23mm Z = blades [x] 5x</p>	
CYLINDER ROUNDED	E 0532	 <p>ISO 158 072 ISO 010 012 USA - - FG 22mm Z = blades [x] 5x</p>	
CONE SQUARE	E 0533	 <p>ISO 168 072 ISO 010 012 014 USA - - - FG 21mm FG 22mm Z = blades [x] 5x 5x</p>	
CONE ROUND	E 0534	 <p>ISO 198 072 ISO 010 012 014 016 018 USA - 7664 - - FG 22mm Z = blades [x] 5x 5x 5x 5x</p>	
CONE SQUARE	E 0535	 <p>ISO 170 072 ISO 010 012 USA 7713 FG 21mm Z = blades [x] 5x</p>	
CONE	E 0536	 <p>ISO 219 041 ISO 010 014 USA - - REF E 536L FG 23mm Z = blades [x] 5x</p>	
CONE	E 0537	 <p>ISO 218 101 ISO 010 014 USA - - REF E 537L FG 23mm Z = blades [x] 5x</p>	
FOR SHOULDER PREPARATIONS	E 0550	 <p>ISO 209 006 ISO 209 006 ISO 110 006 1 2A 2B FG 22mm FG 22mm FG 22mm Z = blades [x] 5x 5x 5x</p>	
LN BUR	E 0205	 <p>ISO 006 008 010 012 014 016 USA - - - RA 28mm Z = blades [x] 6x 6x 6x 6x 6x</p>	

BACK TO CONTENTS

Diamond Instruments SUMMARY OF SHAPES

CAVITY BURS	PAGE
ISO 001/002/697	
ISO 010/225/019/233/234/032	
STUMP PREPARATIONS - CYLINDRICAL	
ISO 107/110/111	
ISO 112	
ISO 137/140/141	
ISO 288/289/290	
ISO 142	
ISO 129/130/131	
ISO 245/249/250	
STUMP PREPARATIONS - CONICAL	
ISO 168/171/172/173	


CAVITY BURS	PAGE
546	
953	
ISO 197/198/199	
ISO 219/220	
ISO 297/298/299	
540/165/166/167/ISO 496	
STUMP PREPARATIONS - OCCLUSAL & LINGUAL REDUCTION	
ISO 257/277	
ISO 038/039	
ISO 033	
ISO 041/042/068	
ISO 304	
ISOMETRIX BURS	PAGE
951	
952	

Ordering Guide

Our diamond instruments are available in packing units of 6 pieces.

You may order DENTSPLY/MAILLEFER instruments in two ways:

1. by DENTSPLY/MAILLEFER reference numbers, REF...
2. by ISO numbers



F 0249		ISO xxx										
German	ISO xxx	009	010	012	014	016	018	023	025	029	033	037
862 EF	ISO 806 314 249 504 (xxx)											
8862	ISO 806 314 249 514 (xxx)											
862	ISO 806 314 249 524 (xxx)											
6862	ISO 806 314 249 534 (xxx)											
5862	ISO 806 314 249 544 (xxx)											
862	ISO 806 313 249 524 (xxx)											

Example 1: REF F 0249 332 0012

Example 2: ISO 806 314 249 524 023























BACK TO CONTENTS

DIAMOND INSTRUMENTS



















ISO	µm	ISO	µm
XF 504	16/36	C 534	125/149
F 514	44/53	SC 544	177/210
M 524	88/105		

DIAMOND INSTRUMENTS	CODE	ISO SIZE	SYMBOL																																																																								
	F 0001	<table border="1"> <thead> <tr> <th>ISO xxx</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>023</th> <th>025</th> <th>029</th> <th>033</th> <th>037</th> </tr> </thead> <tbody> <tr> <td>8801</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>801</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>6801</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5801</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>801</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	ISO xxx	009	010	012	014	016	018	023	025	029	033	037	8801												801												6801												5801												801												
ISO xxx	009	010	012	014	016	018	023	025	029	033	037																																																																
8801																																																																											
801																																																																											
6801																																																																											
5801																																																																											
801																																																																											
	F 0002	<table border="1"> <thead> <tr> <th>ISO xxx</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>023</th> <th>025</th> <th>029</th> <th>033</th> <th>037</th> </tr> </thead> <tbody> <tr> <td>802</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>6802</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	ISO xxx	009	010	012	014	016	018	023	025	029	033	037	802												6802																																																
ISO xxx	009	010	012	014	016	018	023	025	029	033	037																																																																
802																																																																											
6802																																																																											
	F 0010	<table border="1"> <thead> <tr> <th>ISO xxx</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>023</th> <th>025</th> <th>029</th> <th>033</th> <th>037</th> </tr> </thead> <tbody> <tr> <td>805</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>6805</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	ISO xxx	009	010	012	014	016	018	023	025	029	033	037	805												6805																																																
ISO xxx	009	010	012	014	016	018	023	025	029	033	037																																																																
805																																																																											
6805																																																																											
	F 0019	<table border="1"> <thead> <tr> <th>ISO xxx</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>023</th> <th>025</th> <th>029</th> <th>033</th> <th>037</th> </tr> </thead> <tbody> <tr> <td>806</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>6806</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	ISO xxx	009	010	012	014	016	018	023	025	029	033	037	806												6806																																																
ISO xxx	009	010	012	014	016	018	023	025	029	033	037																																																																
806																																																																											
6806																																																																											
	F 0032	<table border="1"> <thead> <tr> <th>ISO xxx</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>023</th> <th>025</th> <th>029</th> <th>033</th> <th>037</th> </tr> </thead> <tbody> <tr> <td>813</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	ISO xxx	009	010	012	014	016	018	023	025	029	033	037	813																																																												
ISO xxx	009	010	012	014	016	018	023	025	029	033	037																																																																
813																																																																											
	F 0033	<table border="1"> <thead> <tr> <th>ISO xxx</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>023</th> <th>025</th> <th>027</th> <th>033</th> <th>037</th> </tr> </thead> <tbody> <tr> <td>899</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	ISO xxx	009	010	012	014	016	018	023	025	027	033	037	899																																																												
ISO xxx	009	010	012	014	016	018	023	025	027	033	037																																																																
899																																																																											
	F 0038	<table border="1"> <thead> <tr> <th>ISO xxx</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>023</th> <th>025</th> <th>029</th> <th>033</th> <th>037</th> </tr> </thead> <tbody> <tr> <td>811</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	ISO xxx	009	010	012	014	016	018	023	025	029	033	037	811																																																												
ISO xxx	009	010	012	014	016	018	023	025	029	033	037																																																																
811																																																																											
	F 0039	<table border="1"> <thead> <tr> <th>ISO xxx</th> <th>009</th> <th>010</th> <th>012</th> <th>014</th> <th>016</th> <th>018</th> <th>023</th> <th>025</th> <th>029</th> <th>033</th> <th>037</th> </tr> </thead> <tbody> <tr> <td>811</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	ISO xxx	009	010	012	014	016	018	023	025	029	033	037	811																																																												
ISO xxx	009	010	012	014	016	018	023	025	029	033	037																																																																
811																																																																											
	F 0041	<table border="1"> <thead> <tr> <th>ISO xxx</th> <th>027</th> <th>029</th> <th>031</th> <th>033</th> <th>035</th> <th>037</th> <th>040</th> <th>042</th> <th>045</th> <th>047</th> <th>050</th> </tr> </thead> <tbody> <tr> <td>818</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	ISO xxx	027	029	031	033	035	037	040	042	045	047	050	818																																																												
ISO xxx	027	029	031	033	035	037	040	042	045	047	050																																																																
818																																																																											
































BACK TO CONTENTS

DIAMOND INSTRUMENTS continued	CODE	ISO SIZE	SYMBOL
	F 0042	German x6 \emptyset ISO xxx 820 ISO B06 314 042 524 (xxx) REF F 0042 342 (xxx)	
	F 0068	German x6 \emptyset ISO xxx 909 ISO B06 314 068 524 (xxx) REF F 0068 342 (xxx) 6909 ISO B06 314 068 534 (xxx) REF F 0068 343 (xxx)	
	F 0107	German x6 \emptyset ISO xxx 835 ISO B06 314 107 524 (xxx) REF F 0107 342 (xxx) 6835 ISO B06 314 107 534 (xxx) REF F 0107 343 (xxx) ISO B06 314 107 544 (xxx) REF F 0107 344 (xxx) 835 ISO B06 107 524 (xxx) REF F 0107 332 (xxx)	
	F 0110	German x6 \emptyset ISO xxx 836 EF ISO B06 314 110 504 (xxx) REF F 0110 340 (xxx) 836 ISO B06 314 110 524 (xxx) REF F 0110 342 (xxx) 6836 ISO B06 314 110 534 (xxx) REF F 0110 343 (xxx) 5836 ISO B06 314 110 544 (xxx) REF F 0110 344 (xxx)	
	F 0111	German x6 \emptyset ISO xxx 837 EF ISO B06 314 111 504 (xxx) REF F 0111 340 (xxx) 837 ISO B06 314 111 524 (xxx) REF F 0111 342 (xxx) 6837 ISO B06 314 111 534 (xxx) REF F 0111 343 (xxx) 5837 ISO B06 314 111 544 (xxx) REF F 0111 344 (xxx)	
	F 0112	German x6 \emptyset ISO xxx 837 LEF ISO B06 314 112 504 (xxx) REF F 0112 340 (xxx) 837 L ISO B06 314 112 524 (xxx) REF F 0112 342 (xxx)	
	F 0129	German x6 \emptyset ISO xxx 884 ISO B06 314 129 524 (xxx) REF F 0129 342 (xxx)	
	F 0130	German x6 \emptyset ISO xxx 6885 ISO B06 314 130 534 (xxx) REF F 0130 343 (xxx)	
	F 0131	German x6 \emptyset ISO xxx 6886 ISO B06 314 131 534 (xxx) REF F 0131 343 (xxx)	
	F 0137	German x6 \emptyset ISO xxx 6838 ISO B06 314 137 534 (xxx) REF F 0137 343 (xxx)	
	F 0140	German x6 \emptyset ISO xxx 880 EF ISO B06 314 140 504 (xxx) REF F 0140 340 (xxx) 880 ISO B06 314 140 524 (xxx) REF F 0140 342 (xxx)	




























BACK TO CONTENTS

DIAMOND INSTRUMENTS continued	CODE	ISO SIZE	SYMBOL
	F 0141	German x6 \emptyset ISO xxx 881 EF ISO B06 314 141 504 (xxx) REF F 0141 340 (xxx) 881 ISO B06 314 141 524 (xxx) REF F 0141 342 (xxx) 6881 ISO B06 314 141 534 (xxx) REF F 0141 343 (xxx)	
	F 0142	German x6 \emptyset ISO xxx 882 EF ISO B06 314 142 504 (xxx) REF F 0142 340 (xxx) 882 ISO B06 314 142 524 (xxx) REF F 0142 342 (xxx)	
	F 0165	German x6 \emptyset ISO xxx 8858 ISO B06 314 165 504 (xxx) REF F 0165 340 (xxx) 8858 ISO B06 314 165 514 (xxx) REF F 0165 341 (xxx) 858 ISO B06 314 165 524 (xxx) REF F 0165 342 (xxx) ISO B06 314 165 534 (xxx) REF F 0165 343 (xxx) 5858 ISO B06 314 165 544 (xxx) REF F 0165 344 (xxx)	
	F 0166	German x6 \emptyset ISO xxx 859 EF ISO B06 314 166 504 (xxx) REF F 0166 340 (xxx) 8859 ISO B06 314 166 514 (xxx) REF F 0166 341 (xxx) 859 ISO B06 314 166 524 (xxx) REF F 0166 342 (xxx) 6859 ISO B06 314 166 534 (xxx) REF F 0166 343 (xxx)	
	F 0167	German x6 \emptyset ISO xxx 859 L ISO B06 314 167 524 (xxx) REF F 0167 342 (xxx)	
	F 0168	German x6 \emptyset ISO xxx 845 ISO B06 314 168 524 (xxx) REF F 0168 342 (xxx)	
	F 0171	German x6 \emptyset ISO xxx 8846 ISO B06 314 171 514 (xxx) REF F 0171 341 (xxx) 846 ISO B06 314 171 524 (xxx) REF F 0171 342 (xxx) 6846 ISO B06 314 171 534 (xxx) REF F 0171 343 (xxx)	
	F 0172	German x6 \emptyset ISO xxx ISO B06 314 172 524 (xxx) REF F 0172 342 (xxx) ISO B06 314 172 534 (xxx) REF F 0172 343 (xxx) ISO B06 314 172 544 (xxx) REF F 0172 344 (xxx)	
	F 0173	German x6 \emptyset ISO xxx 848 ISO B06 314 173 524 (xxx) REF F 0173 342 (xxx) 6848 ISO B06 314 173 534 (xxx) REF F 0173 343 (xxx) 5848 ISO B06 314 173 544 (xxx) REF F 0173 344 (xxx)	

























BACK TO CONTENTS










DIAMOND INSTRUMENTS continued	CODE	ISO SIZE	SYMBOL
	F 0197		
	F 0198		
 	F 0199		
	F 0219		
	F 0220		
	F 0225		
	F 0233		
	F 0234		
	F 0245		
	F 0249		

BACK TO CONTENTS

DIAMOND INSTRUMENTS continued	CODE	ISO SIZE	SYMBOL
	F 0250		
	F 0257		
	F 0277		
	F 0288		
	F 0289		
	F 0290		
	F 0297		
	F 0298		
	F 0299		

BACK TO CONTENTS











DIAMOND INSTRUMENTS continued	CODE	ISO SIZE	SYMBOL
	F 0304	 German x6 Ø ISO xxx 825 ISO 806 314 304 524 (xxx) REF F 0304 342 (xxx)	
	F 0496	 German x6 Ø ISO xxx 888 ISO 806 314 496 524 (xxx) REF F 0496 342 (xxx)	
	F 0540	 German 0x Ø ISO xxx 8889 ISO 806 314 540 534 (xxx) REF F 0540 341 (xxx) 889 ISO 806 314 540 524 (xxx) REF F 0540 342 (xxx) 8889 ISO 806 314 540 534 (xxx) REF F 0540 343 (xxx) 889 IREF F 0540 341 (xxx)	
	F 0546	 German x6 Ø ISO xxx 6847 KR ISO 806 314 546 534 (xxx) REF F 0546 343 (xxx)	
	F 0697	 German x6 Ø ISO xxx 6801 L ISO 806 315 697 534 (xxx) REF F 0697 353 (xxx)	
	F 0951	 N° xx REF F 0951 0000 (xx) REF F 0951 341 (xx)	
	F 0952	 N° xx REF F 0952 3400 (xx) REF F 0952 3400 (xx)	
	F 0953	 x6 xxx REF F 0953 330 (xxx) REF F 0953 340 (xxx) REF F 0953 350 (xxx)	

ACCESSORIES	CODE	ISO SIZE	SYMBOL
SET - GINGIKIT GINGIVAL CURETTAGE CUTTERS	F 1161	 314  (X) REF F 1161 342 0101 1x 6x REF F 1161 342 0102 1x 6x REF F 1161 342 0103 1x 6x REF F 1161 352 0104 1x 6x REF F 1161 352 0105 1x 6x  (X) REF F 1161 352 0106 1x 6x REF F 1161 362 0107 1x 6x REF F 1161 362 0108 1x 6x REF F 1161 362 0109 1x 6x	   
SET - CERAMPREP	F 1162	 314  (X) 806314110504010 REF F 0110 340 0010 1x 6x 806314110524014 REF F 0110 342 0014 1x 6x 806314111504010 REF F 0111 340 0010 1x 6x 806314111524014 REF F 0111 342 0014 1x 6x 806314112504010 REF F 0112 340 0010 1x 6x 806314112524014 REF F 0112 342 0014 1x 6x 806314288504010 REF F 0288 340 0010 1x 6x 806314288524014 REF F 0288 342 0014 1x 6x 806314289504010 REF F 0289 340 0010 1x 6x 806314289524014 REF F 0289 342 0014 1x 6x  (X) 806314290504010 REF F 0290 340 0010 1x 6x 806314290524014 REF F 0290 342 0014 1x 6x 806314140504010 REF F 0140 340 0010 1x 6x 806314140524014 REF F 0140 342 0014 1x 6x 806314141504010 REF F 0141 340 0010 1x 6x 806314141524014 REF F 0141 342 0014 1x 6x 806314142504010 REF F 0142 340 0010 1x 6x 806314142524014 REF F 0142 342 0014 1x 6x REF F 0953 330 0014 1x 6x REF F 0953 340 0014 1x 6x REF F 0953 350 0014 1x 6x	   
SET - BOGOPOLSKY	F 1300	 314  (X) 806314038524033 REF F 0038 342 0033 1x 6x 806314298524016 REF F 0298 342 0016 1x 6x 806314299524016 REF F 0299 342 0016 1x 6x 806314298514016 REF F 0298 341 0016 1x 6x 806314299514016 REF F 0299 341 0016 1x 6x 806314197524009 REF F 0197 342 0009 1x 6x 806314250524012 REF F 0250 342 0012 1x 6x  (X) 806314171524014 REF F 0171 342 0014 1x 6x 806314173524018 REF F 0173 342 0018 1x 6x 806314171514012 REF F 0171 341 0012 1x 6x 806314173514018 REF F 0173 341 0018 1x 6x 806314277524018 REF F 0277 342 0018 1x 6x 806314277514018 REF F 0277 341 0018 1x 6x 806314001524033 REF F 0001 342 0033 1x 6x	   







BACK TO CONTENTS

BACK TO CONTENTS

STEP 1 CAVITY ACCESS & BURS

LEXICON	CODE	ISO SIZE	mm	SYMBOL
DIAMENDO 	A 0165			D 534 C
GATES-GLIDDEN DRILL 	A 0008	6x: N°1 Ø 0.50mm, N°2 Ø 0.70mm, N°3 Ø 0.90mm, N°4 Ø1.0mm, N°5 Ø1.30mm, N°6 Ø1.50mm Assort. 1x: N°1, N°2, N°3, N°4, N°5, N°6 6x 28mm and 32mm, all sizes available in sterile. No Sterile packaging for 34MM.		SSi 800-1200 min ⁻¹
ENDO BURS	CODE	ISO SIZE	mm	SYMBOL
BATT CONE 	D 0041	6x: Ø ISO 012, 014, 016, 018, 021, 023 22.5mm : 012 and 014 excluded / 28mm : 021 excluded		CSi
ENDO ACCESS BUR DR HOWARD MARTIN 	A 0164	1x: N°1 Ø1.1mm, N°2 Ø1.5mm, N°3 Ø1.8mm Assort. 1,2,3		D 534 C
ENDO-Z DR ZEKRYA 	E 0152	5x: 21mm, 25mm, 24.5mm		WC






















STEP 1 CAVITY ACCESS & BURS

ENDO ACCESS SET	CODE	ISO SIZE	mm	SYMBOL
CAVITY ACCESS SET 	A 0305 A 0305-1 (REFILLS)	F 0001 FG 016 Diamond Bur Round M E 0153 FG 012 Transmetal E 0123 FG 010 Carbide Bur Round E 0123 FG 014 Carbide Bur Round F 0199 FG 016 Diamond Bur Conical C A 0008 RA X-Gates 32 mm		P
CAVITY ACCESS Z SET 	A 305Z A 305Z-1 (REFILLS)	F 0001 FG 016 Diamond Bur Round M E 0153 FG 012 Transmetal E 0123 FG 010 Carbide Bur Round E 0123 FG 014 Carbide Bur Round E 0152 FG Endo-Z A 0008 RA X-Gates 32 mm		P
ULTRASONIC TIPS	CODE	ISO SIZE	mm	SYMBOL
PROULTRA ENDO TIPS M3 X 0.5 EMS 	A 0630	1X: TIP ENDO N° 1 - 2 - 3 - 4 - 5 ASSORT. 5X TIP ENDO N° 1 - 2 - 3 - 4 - 5		SSi ⚠
PROULTRA ENDO TIPS M3 X 0.6 SATELEC 	A 0620	1X: TIP ENDO N° 1 - 2 - 3 - 4 - 5 ASSORT. 5X TIP ENDO N° 1 - 2 - 3 - 4 - 5		SSi ⚠
PROULTRA ENDO TIPS M3 X 0.5 EMS 	A 0631	1X: TIP ENDO N° 6 - 7 - 8 ASSORT. 3X TIP ENDO N° 6 - 7 - 8		Ti ⚠
PROULTRA ENDO TIPS M3 X 0.6 SATELEC 	A 0621	1X: TIP ENDO N° 6 - 7 - 8 ASSORT. 3X TIP ENDO N° 6 - 7 - 8		Ti ⚠

BACK TO CONTENTS

BACK TO CONTENTS

STEP 1 CAVITY ACCESS & BURS





ULTRASONIC TIPS continued	CODE	ISO SIZE	mm	SYMBOL
<p>WRENCH FOR TIPS</p> 	A 0619	1X IN ASSORT. TIP ENDO N° 1 TO 5, ASSORT. TIP ENDO N° 6 TO 8 AND ASSORT. TIP SURG N° 1 TO 6		
<p>ProUltra SURGICAL TIPS M3 X 0.5 EMS</p> 	A 0650	1X: TIP SURG N° 1 - 2 - 3 - 4 - 5 - 6 ASSORT. 6X TIP SURG N° 1 - 2 - 3 - 4 - 5 - 6		 
<p>ProUltra SURGICAL TIPS M3 X 0.6 SATELEC</p> 	A 0640	1X: TIP SURG N° 1 - 2 - 3 - 4 - 5 - 6 ASSORT. 6X TIP SURG N° 1 - 2 - 3 - 4 - 5 - 6		 
<p>START-X™</p> 	A 0660-1 A 0661-1	START-X 1 M3 X 0.6 SATELEC TYPE M3 X 0.5 EMS TYPE		 
	A 0660-2 A 0661-2	START-X 2 M3 X 0.6 SATELEC TYPE M3 X 0.5 EMS TYPE		 
	A 0660-3 A 0661-3	START-X 3 M3 X 0.6 SATELEC TYPE M3 X 0.5 EMS TYPE		 
	A 0660-4 A 0661-4	START-X 4 M3 X 0.6 SATELEC TYPE M3 X 0.5 EMS TYPE		 
	A 0660-5 A 0661-5	START-X 5 M3 X 0.6 SATELEC TYPE M3 X 0.5 EMS TYPE		 
	A 0660-900 A 0661-900	START-X 1-5 M3 X 0.6 SATELEC TYPE A 0661-900 M3 X 0.5 EMS TYPE		 

STEP 2
GLIDE PATH
& SHAPING








BACK TO CONTENTS
















BACK TO CONTENTS






















GLIDE PATH	CODE	ISO SIZE	mm	SYMBOL
pro•glider™ 	A 0923	x3 016	21/25/31 mm	NITI m-wire STERILE 2
	A 0926	x6 016	21/25/31 mm	NITI m-wire STERILE 2
PathFile® 	A 0015	x6 013 016 019 x2 013 016 019	21/25/31 mm	NITI m-wire STERILE 2
WAVEONE	CODE	ISO SIZE	mm	SYMBOL
wave•one® 	A 0700	3-File blister A 0700-S A 0700-P A 0700-L x3 S P L Assortment : A 0700-A x1 S P L	21/25/31 mm	NITI m-wire STERILE 2
	A 0706	6-File Blister A 0706-S A 0706-P A 0706-L x6 S P L Assortment : A 0706-A x2 S P L	21/25/31 mm	NITI m-wire STERILE 2
PROTAPER NEXT	CODE	ISO SIZE	mm	SYMBOL
PROTAPER•NEXT® 	A 0803	3-File Blister X1: A 0803-01 X2: A 0803-02 X3: A 0803-03 X4: A 0803-04 X5: A 0803-05 XA: A 0803-XA x3 X1 X2 X3 X4 X5 XA Assortment: A 0803-A x1 X1 X2 X3	21/25/31 mm	NITI m-wire STERILE 2
	A 0800	6-File Blister X1: A 0800-01 X2: A 0800-02 X3: A 0800-03 X4: A 0800-04 X5: A 0800-05 XA: A 0800-XA x6 X1 X2 X3 X4 X5 XA Assortment: A 0800-A x2 X1 X2 X3	21/25/31 mm	NITI m-wire STERILE 2

BACK TO CONTENTS









PROTAPER UNIVERSAL	CODE	ISO SIZE	mm	SYMBOL
TREATMENT - ROTARY PROTAPER® UNIVERSAL SHAPING FILES Shaping File SX: A 0410-X Shaping File S1: A 0410-1 Shaping File S2: A 0410-2 	A 0410	x6 SX S1 S2 Accessory SX: A 0416-X Coronal shaping S1: A 0416-1 Middle shaping S2: A 0416-2	SX 19 mm S1-S2 21/25/31 mm	NITI m-wire STERILE 2
PROTAPER® UNIVERSAL FINISHING FILES F1: A 0411-1 - F2: A 0411-2 - F3: A 0411-3 F4: A 0411-4 - F5: A 0411-5 	A 0411	x6 F1 F2 F3 F4 F5	21/25/31 mm	NITI m-wire STERILE 2
PROTAPER® UNIVERSAL ASSORTMENT 	A 0409	x1 SX S1 S2 F1 F2 F3 x1 S1 S1 S2 S2 F1 F1	21/25/31 mm	NITI m-wire STERILE 2
PROTAPER® UNIVERSAL STARTER KIT 	A 0415	6x: SX - S1 - S2 - F1 - F2 - F3 + sequencer	21/25/31 mm	NITI m-wire STERILE 2
PROTAPER® UNIVERSAL SEQUENCER 	A 0413	Black (empty)		P

BACK TO CONTENTS

PROTAPER UNIVERSAL continued	CODE	ISO SIZE	mm	SYMBOL
TREATMENT - FOR HAND USE  Accessory SX: A 0416-X Coronal shaping S1: A 0416-1 Middle shaping S2: A 0416-2	A 0416	x6 SX S1 S2	 	 
 Apical shaping F1: A 0417-1 - F2: A 0417-2 - F3: A 0417-3 F4: A 0417-4 - F5: A 0417-5	A 0417	x6 F1 F2 F3 F4 F5 F1: Ø20/7% - F2: Ø25/8% - F3: Ø30/9% F4: Ø40/6% - F5: Ø50/5%		 
 ASSORTMENT	A 0418	x1 SX S1 S2 F1 F2 F3		 
 SEQUENCER	A 0413	Black (empty)		










PROTAPER UNIVERSAL continued	CODE	ISO SIZE	mm	SYMBOL
RETREATMENT - ROTARY  6x: D1, ISO 030, 9%, 16mm 6x: D2, ISO 025, 8%, 18mm 6x: D3, ISO 020, 7%, 22mm	A 1410			 
 ASSORTMENT	A 1412	2x D1 - 2x D2 - 2x D3		 
 RETREATMENT	A 1415	2x D1 - 2x D2 - 2x D3 + sequencer		 
 SEQUENCER	A 1413	Yellow (empty)		
 X-smart & PROTAPER INTRO CASE 110 & 230V	A 1008	A 1004 X-SMART (motor 16:1 contra-angle), A 1006 X-SMART Contra-angle 16:1, A 0415 ProTaper Treatment Starter Kit, A 1415 ProTaper Retreatment Starter Kit, A 0418 ProTaper For Hand Use Assortment 25mm, A 012X C+Files Assortment 25mm, 4x Training-Bloc, Video		
PROFILE  PROFILE .02	A 0344	x6 15 20 25 30 35 40 x1 15 20 25 30 35 40		 
 PROFILE .04	A 011N	x6 15 20 25 30 35 40 45 60 90 x1 15 20 25 30 35 40 x2 45 60 90		 

STEP 2 GLIDE PATH & SHAPING

PROFILE continued	CODE	ISO SIZE	mm	SYMBOL
PROFILE .06 	A 0345	x6 15 20 25 30 35 40 x1 15 20 25 30 35 40	15 mm - 18/21/25 mm	NITI !
PROFILE .0.S. 	A 0359	x6 1.05/20 2.06/30 3.09/40 4.07/50 5.05/60 6.08/80 x1 1 2 3 4 5 6	15 mm - 19 mm	NITI !
ASSORTMENT 	A 0363	x1 A 0359-2 / A 0359-3 / A 0359-4 A 0345-20 / A 0345-25 / A 0345-30 A 011N-20 / A 011N-25 / A 011N-30 A 012B-10 / A 012B-15 / A 219P	18/21/25 mm	
MANDREL 	A 219P	5x		P GF
PROFILE ORGANIZER 	A 0362	N°1: vide - empty - leer - vacío - vuoto N°2: 25mm		P
PROFILE INTRO PACK 	A 0346	NiTi Control 64:1, NiTi Control 128:1, N°21W&H 128:1, N°23 W&H 70:1, A 0363 ProFile Assortment 21mm, A 0362 ProFile organizer 25mm, A 012X C+Files Assortment 25mm, 3x Training-Bloc, Video		
NITI MANUAL HANDLE ADAPTORS 	A 1409	x6 1 2 3 4 5 6 7 x1 1 2 3 4 5 6 7	1-7	P
ORIFICE OPENER 	A 0183	x6 1 2 3 14mm 15mm 16mm x2 1 2 3	14/15/16mm	SSi







BACK TO CONTENTS

STEP 2 GLIDE PATH & SHAPING







READY STEEL	CODE	ISO SIZE	mm	SYMBOL
READY STEEL® K-FILE 	A 012D	x6 006 008 010 015 020 025 030 035 040 045 050 055 060 070 080 090 100 110 120 130 140 x1 ISO 015-040 015 020 025 030 035 040 ISO 045-080 045 050 055 060 070 080 ISO 090-140 090 100 110 130 140	21/25/28/31 mm	SSi STERILE
READY STEEL® K-REAMER 	A 011D	x6 008 010 015 020 025 030 035 040 045 050 055 060 070 080 090 100 110 120 130 140 x1 ISO 015-040 015 020 025 030 035 040 ISO 045-080 045 050 055 060 070 080 ISO 090-140 090 100 110 130 140	21/25/28/31 mm	SSi STERILE
READY STEEL® HEDSTROEM 	A 016D	x6 008 010 015 020 025 030 035 040 045 050 055 060 070 080 090 100 110 120 130 140 x1 ISO 015-040 015 020 025 030 035 040 ISO 045-080 045 050 055 060 070 080 ISO 090-140 090 100 110 130 140	21/25/28/31 mm	SSi STERILE
READY STEEL® SENSEUS K-FLEXOREAMER 	A 1011	x6 008 010 015 020 025 030 035 040 045 050 055 060 070 080 x1 ISO 015-040 015 020 025 030 035 040 ISO 045-080 045 050 055 060 070 080	21/25/31 mm	SSi STERILE Sil
READY STEEL® SENSEUS FLEXOFILE 	A 1012	x6 006 008 010 015 020 025 030 035 040 045 050 055 060 070 080 x1 ISO 015-040 015 020 025 030 035 040 ISO 045-080 045 050 055 060 070 080	21/25/31 mm	SSi STERILE Sil
READY STEEL® SENSEUS HEDSTROEM 	A 1016	x6 008 010 015 020 025 030 035 040 045 050 055 060 070 080 x1 ISO 015-040 015 020 025 030 035 040 ISO 045-080 045 050 055 060 070 080	18/21/25 mm	SSi STERILE Sil
READY STEEL® SENSEUS PROFINDER 	A 1013	x6 010 013 017 x1 010 013 017	21/25/31 mm	SSi STERILE Sil
READY STEEL® C-FILE 	A 012X	x6 006 008 010 015 020	18/21/25mm	SSi STERILE
READY STEEL® C-FILE ASSORTMENT 	A 012X	x2 008 010 015	18/21/25mm	SSi STERILE

BACK TO CONTENTS

STEP 2 GLIDE PATH & SHAPING





COLORINOX	CODE	ISO SIZE	mm	SYMBOL
COLORINOX® K-FILE 	A 012D	x6 006 008 010 015 020 025 030 035 040 045 050 055 060 070 080 090 100 110 120 130 140	18/21/25/28/31 mm	SS1
COLORINOX® HEDSTROEM FILE 	A 016D	x6 008 010 015 020 025 030 035 040 045 050 055 060 070 080 090 100 110 120 130 140	21/25/31 mm	SS1
SPIRO® COLORINOX® 	A 004B-01	x6 020 025 030 035 040 050 060	21 mm	SS1
COLORINOX® K-REAMER 	A 011D	x6 008 010 015 020 025 030 035 040 045 050 055 060 070 080 090 100 110 120 130 140	21/25/28/31 mm	SS1
M-ACCESS	CODE	ISO SIZE	mm	SYMBOL
M•access™ by Dentsply Maillet K-FILE 	A 012MA	x6 006 008 010 015 020 025 030 035 040 045 050 055 060 070 080 090 100 110 120 130 140	21/25/31 mm	SS1
M•access™ by Dentsply Maillet K-REAMER 	A 011MA	x6 008 010 015 020 025 030 035 040 045 050 055 060 070 080 090 100 110 120 130 140	21/25/31 mm	SS1

STEP 2 GLIDE PATH & SHAPING





M•access™ by Dentsply Maillet HEDSTROEM 	A 016MA	x6 008 010 015 020 025 030 035 040 045 050 055 060 070 080 090 100 110 120 130 140	21/25/31 mm	SS1
OTHER HAND INSTRUMENTS	CODE	ISO SIZE	mm	SYMBOL
K-FLEXOFILE® 	A 012C	x6 015 020 025 030 035 040	21/25/31 mm	SS1
K-FLEXOREAMER® 	A 011C A 008C A 010C	x6 015 020 025 030 035 040	21/25/31 mm	SS1
GOLDEN MEDIUM® K-FLEXOREAMER® 	A 011I	x6 012 017 022 027 032 037	21/25/31 mm	SS1
GOLDEN MEDIUM® K-FLEXOFILE 	A 012I	x6 012 017 022 027 032 037	21/25/31 mm	SS1
MILLER BROACH 	A 0002	12x: XXF, XF, F, M, C Assort. 2x XXF, 3x XF, 4x F, 2x M, 1x C	45 mm	SS1

BACK TO CONTENTS





BACK TO CONTENTS

MOTORS	CODE	ISO SIZE	SYMBOL
x-smartplus MOTOR 	A 1032	110V & 230V Motor + Contra-angle	⚠
CONTRA-ANGLE 6:1 	A 1033		⚠
x-smartplus ACCESSORIES 	A 1034	A 1034 00000200 X-SMART PLUS Universal AC Adapter A 1034 00000300 X-SMART PLUS Motor Handpiece A 1034 00000400 X-SMART PLUS Motor Handpiece Stand	⚠
x-smartplus KITS 	A 1035	A 1035 10000000 X-SMART PLUS with WAVEONE & PATHFILE Files A 1035 42000000 X-SMART PLUS with PROTAPER & PATHFILE Files A 1035 40000000 X-SMART PLUS with PROTAPER NEXT & PATHFILE Files A 1035 50000000 X-SMART PLUS with PROPEX PIXI Apex Locator & with PROTAPER NEXT & PATHFILE Files A 1035 60000000 X-SMART PLUS with PROPEX PIXI Apex Locator & with WAVEONE & PATHFILE Files A 1035 41000000 X-SMART PLUS with PROTAPER NEXT & PROGLIDER Files A 1035 11000000 X-SMART PLUS with WAVEONE & PROGLIDER Files A 1035 61000000 X-SMART PLUS with PROPEX PIXI Apex Locator & with WAVEONE & PROGLIDER Files A 1035 51000000 X-SMART PLUS with PROPEX PIXI Apex Locator & with PROTAPER NEXT & PROGLIDER Files	⚠

BACK TO CONTENTS

MOTORS continued	CODE	ISO SIZE	SYMBOL
x-smart 	A 1004	110V & 230V Motor + Contra-angle 16:1	⚠
CONTRA-ANGLE 16:1 FOR x-smart 	A 1006		⚠
x-smart ACCESSORIES 	A 1007	A 1007-1 X-SMART Battery A 1007-2 X-SMART AC Adapter A 1007-3 X-SMART Handpiece Stand A 1007-4 X-SMART Foot Pedal	⚠
x-smart INTRO CASE 110V & 230V 	A 1008	A 1004 X-SMART (motor + Contra-angle 16:1), 110&230V A 1006 X-SMART Contra-angle 16:1, A 0415 ProTaper Treatment Starter Kit, A 1415 ProTaper Retreatment Starter Kit, A 0418 ProTaper For Hand Use Assortment 25mm, A 012X C+Files Assortment 25mm, 4x Training-Bloc, Video	⚠

































BACK TO CONTENTS

APEX LOCATORS	CODE	ISO SIZE	SYMBOL
PROPEX®II APEX LOCATOR 	A 1028	110V	⚠
PROPEX®II ACCESSORIES 	A 1029	A 1029-1 Rechargeable battery A 1029-2 Charger A 1029-3 Lip clip A 1029-4 Hook A 1029-5 Measuring wire A 1029-6 Fork	⚠
propex•pixi™ APEX LOCATOR 	A 1030	Universal Charger	⚠
propex•pixi™ ACCESSORIES 	A 1031	A 1031 00000100 PROPEX PIXI Short Measuring Wire A 1031 00000200 PROPEX PIXI Universal AC Adapter A 1031 00000300 PROPEX PIXI Long Measuring Wire	⚠

STEP 3 IRRIGATION & ACTIVATION



STEP 3 IRRIGATION & ACTIVATION

IRRIGANT	CODE	ISO SIZE	SYMBOL
 <p>Glyde FILE PREP SYRINGE KIT</p>	A 0901	1x Syringe Kit, 3ml	    
 <p>Glyde INTRO PACKAGE</p>	A 0902	2x  25x 	    
 <p>Glyde SYRINGE TIPS</p>	A 0903	50x	  
 <p>Glyde DOSES</p>	A 0905	GLYDE Pack 35x	    
ACTIVATION	CODE	ISO SIZE	SYMBOL
 <p>ENDO ACTIVATOR STARTER KIT</p>	A 0911	1x ENDOACTIVATOR Handpiece/Driver (Battery Included) REF A 0912 Activator Tips 25x Small (#15/.02), 25x Medium (#25/.04), 25x Large (#35/.04) 100 x Protective Barriers - REF A 0914	
 <p>ENDO ACTIVATOR HANDPIECE</p>	A 0912		
 <p>ENDO ACTIVATOR REFILLS</p>	A 0913	A 0913 02201500 ENDOACTIVATOR Activation tip, Small, Box of 5 A 0913 02202500 ENDOACTIVATOR Activation tip, Medium, Box of 5 A 0913 02203500 ENDOACTIVATOR Activation tip, Large, Box of 5 A 0914 00000000 ENDOACTIVATOR Protection Barriers, Box of 100	
 <p>ENDO ACTIVATOR ACCESSORIES</p>	A 019X	A 0915 00000000 ENDOACTIVATOR Battery Housing A 0916 00000000 ENDOACTIVATOR Rocker Harm Replacement Kit	







STEP 4
OBTURATION



BACK TO CONTENTS








BACK TO CONTENTS

STEP 4 OBTURATION










GUTTA-PERCHA POINTS	CODE	ISO SIZE	mm	SYMBOL
GUTTA-PERCHA POINTS FOR wave•one® 	A 024X	x60 S P L x20 S P L	29 mm	GP ⊗
GUTTA-PERCHA POINTS FOR PROTAPER•NEXT® 	A 0220	x60 X2 X3 x30 X2 X3 X4 X5	29 mm	GP ⊗
GUTTA-PERCHA POINTS FOR PROTAPER® UNIVERSAL 	A 022X	x60 F1 F2 F3 x20 F1 F2 F3 x30 F4 F5	29 mm	GP ⊗
GUTTA-PERCHA POINTS 	A 022C A 022E	x120 010 015 020 025 030 035 040 045 050 055 060 070 080 x20 ISO 015-040 015 020 025 030 035 040 x20 ISO 045-080 045 050 055 060 070 080 x10 ISO 090-140 090 100 110 120 130 140 x60 090 100 110 120 130 140	29 mm	GP ⊗
GUTTA-PERCHA POINTS .02 COLOR CODED 	A 022G	x120 010 015 020 025 030 035 040 045 050 055 060 070 080 x20 ISO 015-040 015 020 025 030 035 040 x20 ISO 045-080 045 050 055 060 070 080 x10 ISO 090-140 090 100 110 120 130 140 x60 090 100 110 120 130 140	30 mm	GP ⊗
GUTTA-PERCHA POINTS .04 COLOR CODED 	A 022M	x120 015 020 025 030 035 040 045 060 x20 ISO 015-040 015 020 025 030 035 040 x20 ISO 045-090 045 060 090 x60 090	30 mm	GP ⊗

BACK TO CONTENTS









STEP 4 OBTURATION

GUTTA-PERCHA POINTS continued	CODE	ISO SIZE	mm	SYMBOL
GUTTA-PERCHA POINTS .06 COLOR CODED 	A 022N	x120 015 020 025 030 035 040 x20 ISO 015-040 015 020 025 030 035 040	30 mm	GP ⊗
GUTTA-PERCHA AUXILIARY POINTS 	A 022L	120x : XXF, XF, F, M 60X : L 015-040 : 40x XF, F / 30x M / 10x L	30 mm	GP ⊗
GUTTA-PERCHA AUXILIARY POINTS 	A 022F	x120 A B C D x30 A B C D A-D	24 mm	GP ⊗
GAUGE FOR GUTTA-PERCHA POINTS 	A 0186	1X .02 Tol. L : +/- 0.25, Ø: +/- 0.02		P
OBTURATORS	CODE	ISO SIZE	mm	SYMBOL
THERMAFIL® OBTURATOR 	A 0166	x6 020 025 030 035 040 045 050 055 060 070 080 090 100 110 120 130 140 x3 020 025	25 mm	P GP ⊗ ⊗ ⊗
A 0348	x30 020 025 030 035 040			
THERMAFIL® POSTERIOR KIT 	A 0167	Assort. 20x ØISO 020-040		P GP ⊗ ⊗ ⊗
THERMAFIL® ANTERIOR KIT 	A 0168	Assort. 20x ØISO 045-100		P GP ⊗ ⊗ ⊗

BACK TO CONTENTS







OBTURATORS continued	CODE	ISO SIZE	mm	SYMBOL
THERMAFIL® OBTURATOR FOR PROTAPER® UNIVERSAL 	A 1411	F1: A 1411.F1 – F2: A 1411.F2 – F3: A 1411.F3 F4: A 1411.F4 – F5: A 1411.F5 x6 F1 F2 F3 F4 F5 x20 F1 F2 F3 F4 F5	25 mm 	P GP LATEX ! X
THERMAFIL® OBTURATOR FOR wave•one® 	A 1700	x6 S P L x20 S P L	25 mm 	GP X
gutta•core™ OBTURATOR 	A 1702	Blister of 5 obturators plus 1 verifier: A 1702B x5 20 25 30 35 40 45 50 55 60 70 80 90 Box of 5 blisters: A 1702P x1 20 25 30 35 40	25 mm 	GP X
gutta•core™ OBTURATOR FOR PROTAPER•NEXT® 	A 1802	Blister of 5 obturators plus 1 verifier: A 1802B x5 X2 X3 X4 X5 Box of 5 blisters: A 1802P x20 X2 X3 X4 X5 x30 X2 X3 X4 X5	25 mm 	GP X
thermaprep® 2 OVEN 	A 0176	110V & 230V		GP X

BACK TO CONTENTS










OBTURATORS continued	CODE	ISO SIZE	mm	SYMBOL
gutta•core™ STARTER KITS WITH thermaprep® 2 OVEN 	A 176A A 176B A 1710 A 176C	THERMAFIL Obturation Starter Kit WAVEONE Obturation Starter Kit GUTTACORE Obturation Starter Kit PROTAPER UNIVERSAL Obturation Starter Kit		
ACCESSORIES	CODE	ISO SIZE	mm	SYMBOL
THERMAFIL® TRAINING BLOC 	A 0174	12x Ø0.3 taper .04		P X
VERIFIER 	A 0175	x6 020 025 030 035 040 045 050 055 060 070 080 090 x1 ISO 015-040 020 025 030 035 040 015 x1 ISO 050-090 050 055 060 070 080 090	25 mm 	NITI ! STERILE R
THERMA-CUT 	A 0050	6x: ØISO 010 – 012 – 014 – 016 Assort. 1x: 010 – 016, 2x: 012 – 014	25 mm 	SSI 300 000 rpm
POST SPACE BUR 	A 0051	6x: ØISO 005 – 007	25/31 mm 	SSI 300 000 rpm

BACK TO CONTENTS

STEP 4 OBTURATION

WARM VERTICAL	CODE	ISO SIZE	mm	SYMBOL
CALAMUS[®] DUAL KIT 	A 1300	1x Calamus Dual device 1x Electric Heated Plugger S 1x Gutta-Percha Cartridge 20G (blister of 10) 1x Gutta-Percha Cartridge 23G (blister of 10) 1x Replacement Cartridge Nut 1x Cartridge Needle Bending Tool 1x Handpiece Cleaning Brush 1x Handpiece Heat Shield 1x Remote Power Cord 1x DFU (5 languages) 5x Sequence Cards (5 languages)		⚠
CALAMUS[®] PLUGGERS (S,M,L) AND CALAMUS[®] THERMAL RESPONSE TIP 	A 1110 A 1120 A 1130 A 1150	ISO 40 - taper .03 ISO 50 - taper .05 ISO 60 - taper .06 (pulp vitality tester)		⚠ SST
GUTTA-PERCHA CARTRIDGE 20G 	A 1210	x10 20G = 0,8mm		GP ⚠ X
GUTTA-PERCHA CARTRIDGE 23G 	A 1220	x10 23G = 0,6mm		GP ⚠ X
REPLACEMENT CARTRIDGE NUT 	A 1206			⚠
CARTRIDGE NEEDLE BENDING TOOL 	A 1207			⚠ P







STEP 4 OBTURATION

WARM VERTICAL continued	CODE	ISO SIZE	mm	SYMBOL
HANDPIECE CLEANING BRUSH 	A 1208			⚠
HANDPIECE HEAT SHIELD 	A 1209			⚠ P
PAPER POINTS	CODE	ISO SIZE	mm	SYMBOL
PAPER POINTS FOR wave•one[®] 	A 024W	x60 S P L x20 S P L	29 mm	GP X
PAPER POINTS FOR PROTAPER•NEXT[®] 	A 022Q	x60 X2 X3 x30 X2 X3 X4 X5	29 mm	GP X
PAPER POINTS FOR PROTAPER[®] UNIVERSAL 	A 022W	F1: A 022W.F1 - F2: A 022W.F2 - F3: A 022W.F3 Assortments : A 022W.F1- F3 - A 022W.F4- F5	29 mm	Pr X 1 2 3
STERILE PAPER POINTS .02 	A 022T	x180 010 015 020 025 030 035 040 030 035 040 045 x30 ISO 015-040 050 055 060 070 x30 ISO 045-080 045 050 055 060 070 080 080 090 100 110 x30 ISO 090-140 120 130 140 090 100 110 120 130 140	27 mm	Pr X STERILE R
PAPER POINTS .02 	A 022R	x180 010 015 020 025 030 035 040 030 035 040 045 x30 ISO 015-040 050 055 060 070 x30 ISO 045-080 045 050 055 060 070 080 080 x15 ISO 090-140 090 100 110 120 130 140	27 mm	Pr X
PAPER POINTS .04 	A 022J	x180 015 020 025 030 035 040 045 060 035 040 045 060 x30 ISO 015-040 045 060 090 x60 x30 ISO 045-090 090	27 mm	Pr X
PAPER POINTS .06 	A 022K	x180 015 020 025 030 035 040 035 040 x30 ISO 015-040 015 020 025 030 035 040	27 mm	Pr X









BACK TO CONTENTS

BACK TO CONTENTS

STEP 4 OBTURATION

SEALERS	CODE	ISO SIZE	mm	SYMBOL																				
<p>TOPSEAL® TUBE SET</p> 	A 0900	1X TUBE OF PASTE A, 4 ML 1X TUBE OF PASTE B, 4 ML 1X MIXING PAD		⚠ ☒																				
<p>LENTULO® PASTE CARRIER</p> 	A 0022	<table border="0"> <tr> <td>x4 S 17 mm</td> <td>x1 1-4</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>x2 17/21mm 2-3</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>x4 L 21 mm</td> <td>x1 1-4</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>x2 17/21mm 2-3</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>x4 XL 25 mm</td> <td>x1 1-4</td> </tr> <tr> <td></td> <td></td> </tr> </table>	x4 S 17 mm	x1 1-4			x2 17/21mm 2-3				x4 L 21 mm	x1 1-4			x2 17/21mm 2-3				x4 XL 25 mm	x1 1-4			17/21/25 mm	⚠ SSi
x4 S 17 mm	x1 1-4																							
x2 17/21mm 2-3																								
x4 L 21 mm	x1 1-4																							
x2 17/21mm 2-3																								
x4 XL 25 mm	x1 1-4																							
<p>HANDY LENTULO® RECOMMENDED BY PROF. H. SCHILDER</p> 	A 022H	<table border="0"> <tr> <td>x4 S 17 mm</td> <td>x1 1-4</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>x2 17/21mm 2-3</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>x4 L 21 mm</td> <td>x1 1-4</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>x2 17/21mm 2-3</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>x4 XL 25 mm</td> <td>x1 1-4</td> </tr> <tr> <td></td> <td></td> </tr> </table>	x4 S 17 mm	x1 1-4			x2 17/21mm 2-3				x4 L 21 mm	x1 1-4			x2 17/21mm 2-3				x4 XL 25 mm	x1 1-4			17/21/25 mm	⚠ SSi
x4 S 17 mm	x1 1-4																							
x2 17/21mm 2-3																								
x4 L 21 mm	x1 1-4																							
x2 17/21mm 2-3																								
x4 XL 25 mm	x1 1-4																							
CEMENTS	CODE	ISO SIZE	mm	SYMBOL																				
<p>PRO ROOT MTA TOOTH-COLORED</p> 	A 0405	N°1: 5X1G - N°2: 2X1G		MTA H ₂ O ⚠ ☒																				
<p>MTA ENDO CARRIER</p> 	A 0407	1x		SSi SiI ⚠																				
<p>PRO ROOT MTA TUBES</p> 	A 0403	50x: N° 1: 8mm / Ø1.25mm 50x: N°2: 4mm / Ø1.25mm		P																				



















STEP 4 OBTURATION

CEMENTS continued	CODE	ISO SIZE	mm	SYMBOL												
<p>MTA SURGICAL CARRIERS</p> 	A 0408	1x		SSi SiI ⚠												
<p>KIT PRO ROOT MTA</p> 	A 0406	A 0405-2 2x1g A 0407 1x MTA Endo Manual Carrier A 0408 1x MTA Surgical Manual Carrier 0/0 A 0408 1x MTA Surgical Manual Carrier 1/3 A 0408 1x MTA Surgical Manual Carrier 2/4 A 0403 MTA Tubes N° 1 (8mm) A 0403 MTA Tubes N° 2 (4mm) A 0404 5x MTA Spatula 1x CD-Rom, 1x Mixing pad		MTA H ₂ O ⚠ ☒												
PLUGGERS AND SPREADERS	CODE	ISO SIZE	mm	SYMBOL												
<p>SPREADER A</p> 	A 0198	4x: ØISO 025 - 030 - 040 - 050 - 060 Assort. 1x: ØISO 030 - 040 - 050 - 060		Cr SSi												
<p>PLUGGER B</p> 	A 0199	4x: ØISO 030 - 040 - 050 - 060 Assort. 1x: ØISO 030 - 040 - 050 - 060		Cr SSi												
<p>GUTTA-PERCHA PLUGGER</p> 	A 280S	<table border="0"> <tr> <td>x2</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>x1</td> <td>3/1-3/2</td> </tr> <tr> <td></td> <td></td> </tr> </table>	x2				x1	3/1-3/2				SiI SSi				
x2																
x1	3/1-3/2															
<p>HEAT-CARRIER PLUGGER DR. MACHTOU</p> 	A 281S	<table border="0"> <tr> <td>x4</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>(x)mm</td> <td>0.5 0.6 0.8 1.0</td> </tr> <tr> <td>x1</td> <td>1/1-2/4</td> </tr> <tr> <td></td> <td></td> </tr> </table>	x4				(x)mm	0.5 0.6 0.8 1.0	x1	1/1-2/4			(x)mm	SiI SSi		
x4																
(x)mm	0.5 0.6 0.8 1.0															
x1	1/1-2/4															
<p>PLUGGER DR. MACHTOU</p> 	A 289S	<table border="0"> <tr> <td>x1</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>	x1					SiI SSi								
x1																
<p>SCHILDER PLUGGER ANTERIOR PROF. SCHILDER</p> 	A 0400	<table border="0"> <tr> <td>x1</td> <td></td> </tr> <tr> <td>Ømm</td> <td>8A 8°A 9A 9°A</td> </tr> <tr> <td></td> <td>0.4 0.5 0.6 0.7</td> </tr> <tr> <td>Ømm</td> <td>10A 10°A 11A 11°A</td> </tr> <tr> <td></td> <td>0.8 0.9 1.1 1.3</td> </tr> <tr> <td>Ømm</td> <td>12A 15</td> </tr> </table>	x1		Ømm	8A 8°A 9A 9°A		0.4 0.5 0.6 0.7	Ømm	10A 10°A 11A 11°A		0.8 0.9 1.1 1.3	Ømm	12A 15	85°	SiI SSi
x1																
Ømm	8A 8°A 9A 9°A															
	0.4 0.5 0.6 0.7															
Ømm	10A 10°A 11A 11°A															
	0.8 0.9 1.1 1.3															
Ømm	12A 15															

BACK TO CONTENTS

BACK TO CONTENTS

STEP 4 OBTURATION

PLUGGERS AND SPREADERS continued	CODE	ISO SIZE	mm	SYMBOL																								
SCHILDER PLUGGER POSTERIOR PROF. SCHILDER 	A 0401	x1 <table border="1"> <tr> <td>8P</td> <td>8°P</td> <td>9P</td> <td>9°P</td> </tr> <tr> <td>0.4</td> <td>0.5</td> <td>0.6</td> <td>0.7</td> </tr> <tr> <td>10P</td> <td>10°P</td> <td>11P</td> <td>11°P</td> </tr> <tr> <td>0.8</td> <td>0.9</td> <td>1.1</td> <td>1.3</td> </tr> <tr> <td>12P</td> <td></td> <td></td> <td></td> </tr> <tr> <td>1.5</td> <td></td> <td></td> <td></td> </tr> </table>	8P	8°P	9P	9°P	0.4	0.5	0.6	0.7	10P	10°P	11P	11°P	0.8	0.9	1.1	1.3	12P				1.5				 85°	 
8P	8°P	9P	9°P																									
0.4	0.5	0.6	0.7																									
10P	10°P	11P	11°P																									
0.8	0.9	1.1	1.3																									
12P																												
1.5																												
SCHILDER HEAT-CARRIERS ANTERIOR & POSTERIOR PROF. SCHILDER 	A 0402	x1 <table border="1"> <tr> <td>OA</td> <td>OOA</td> <td>OP</td> <td>OOP</td> </tr> <tr> <td>115°</td> <td>85°</td> <td>95°</td> <td>80°</td> </tr> </table>	OA	OOA	OP	OOP	115°	85°	95°	80°	 115°	 																
OA	OOA	OP	OOP																									
115°	85°	95°	80°																									
GUTTA CONDENSOR 	A 0242	x4 <table border="1"> <tr> <td>025</td> <td>030</td> <td>035</td> <td>040</td> </tr> <tr> <td>045</td> <td>050</td> <td>055</td> <td>060</td> </tr> <tr> <td>070</td> <td>080</td> <td></td> <td></td> </tr> </table> x1 ISO 025-040	025	030	035	040	045	050	055	060	070	080			 21/25 mm	   8000 min.												
025	030	035	040																									
045	050	055	060																									
070	080																											
SET GUTTA CONDENSOR 	A 0244	x1 ISO 025-080 <table border="1"> <tr> <td>025</td> <td>030</td> <td>035</td> <td>040</td> <td>045</td> <td>050</td> </tr> <tr> <td>055</td> <td>060</td> <td>070</td> <td>080</td> <td></td> <td></td> </tr> </table> +1 x A 0186	025	030	035	040	045	050	055	060	070	080			 21/25 mm	   8000 min.												
025	030	035	040	045	050																							
055	060	070	080																									



















STEP 5
PINS & POSTS




























BACK TO CONTENTS

BACK TO CONTENTS

STEP 5 PINS & POSTS

EASYPOST	CODE	ISO SIZE	mm	SYMBOL																																				
EASYPOST™ 	C 0600	x10 (mm) <table border="1"> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td></tr> <tr><td>0.8</td><td>0.8</td><td>1.0</td><td>1.0</td><td>1.3</td><td>1.3</td></tr> <tr><td>1.35</td><td>1.47</td><td>1.67</td><td>1.83</td><td>2.04</td><td>2.22</td></tr> <tr><td>2.00</td><td>2.00</td><td>2.00</td><td>2.00</td><td>2.00</td><td>2.00</td></tr> <tr><td>6.00</td><td>7.25</td><td>7.20</td><td>9.00</td><td>8.00</td><td>10.00</td></tr> <tr><td>13.77</td><td>12.52</td><td>12.51</td><td>10.71</td><td>11.63</td><td>9.63</td></tr> </table>	1	2	3	4	5	6	0.8	0.8	1.0	1.0	1.3	1.3	1.35	1.47	1.67	1.83	2.04	2.22	2.00	2.00	2.00	2.00	2.00	2.00	6.00	7.25	7.20	9.00	8.00	10.00	13.77	12.52	12.51	10.71	11.63	9.63		
1	2	3	4	5	6																																			
0.8	0.8	1.0	1.0	1.3	1.3																																			
1.35	1.47	1.67	1.83	2.04	2.22																																			
2.00	2.00	2.00	2.00	2.00	2.00																																			
6.00	7.25	7.20	9.00	8.00	10.00																																			
13.77	12.52	12.51	10.71	11.63	9.63																																			
EASYPOST™ SET 	C 0602	x1 0.8 1.0 1.3 24x EASYPOST, 1x Largo Peeso Reamer, 2x EASYPOST Precision Drill																																						
RADIX FIBER POST	CODE	ISO SIZE	mm	SYMBOL																																				
RADIX® FIBER POST TRANSLUCENT 	C 0613	x10 (mm) <table border="1"> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td></tr> <tr><td>0.8</td><td>0.8</td><td>1.0</td><td>1.0</td><td>1.3</td><td>1.3</td></tr> <tr><td>1.35</td><td>1.47</td><td>1.67</td><td>1.83</td><td>2.04</td><td>2.22</td></tr> <tr><td>2.00</td><td>2.00</td><td>2.00</td><td>2.00</td><td>2.00</td><td>2.00</td></tr> <tr><td>6.00</td><td>7.25</td><td>7.20</td><td>9.00</td><td>8.00</td><td>10.00</td></tr> <tr><td>13.77</td><td>12.52</td><td>12.51</td><td>10.71</td><td>11.63</td><td>9.63</td></tr> </table>	1	2	3	4	5	6	0.8	0.8	1.0	1.0	1.3	1.3	1.35	1.47	1.67	1.83	2.04	2.22	2.00	2.00	2.00	2.00	2.00	2.00	6.00	7.25	7.20	9.00	8.00	10.00	13.77	12.52	12.51	10.71	11.63	9.63		
1	2	3	4	5	6																																			
0.8	0.8	1.0	1.0	1.3	1.3																																			
1.35	1.47	1.67	1.83	2.04	2.22																																			
2.00	2.00	2.00	2.00	2.00	2.00																																			
6.00	7.25	7.20	9.00	8.00	10.00																																			
13.77	12.52	12.51	10.71	11.63	9.63																																			
RADIX® FIBER POST BASIC KIT 	C 0614.BK	x1 0.8 1.0 1.3 24x Radix Fiber Post, 1x Largo Peeso Reamer, 2x EASYPOST Precision Drill																																						
RADIX® FIBER POST TRIAL KIT 	A 0614.TK	1x: 0.8 /1x: 1.0 2x Radix Fiber Post, 1x Largo Peeso Reamer, 2x EASYPOST Precision Drill																																						
FIBER POST ACCESSORIES	CODE	ISO SIZE	mm	SYMBOL																																				
EASYPOST™ PRECISION DRILLS 	C 0601	N°1: C 0601-1 - N°2: C 0601-2 - N°3: C 0601-3 N°4: C 0601-4 - N°5: C 0601-5 - N°6: C 0601-6 x3 1 2 3 4 5 6																																						
LARGO® PEESO REAMER 	A 0009	6X: N°1 - N°2 - N°3																																						
BURNOUT POSTS	CODE	ISO SIZE	mm	SYMBOL																																				
UNICLIP 	C 215U	 x100 108 208 308 10 210 310		  																																				























STEP 5 PINS & POSTS

METAL POSTS	CODE	ISO SIZE	mm	SYMBOL
RADIX-ANKER®-STANDARD 	C 0193	1/2/3 		  C 0.08%, Si 0.65%, Mn 1.6%, Cr 17.5%, Ni 9.5%, Mo 0.5%, S 0.3% (rest. Fe)
	C 193T	1/2/3/3B  x12 1 2 3 3B		  Grade 5-DIN 3.7165%, Al 5.5-6.75%, V3.5-4.5%, FE 0.4%, O 0.2%, H 0.015%, C 0.1%, N 0.05%, Ti rest
PENETRATION DRILL 	C 0220	x6 1 2 3 3B		
DIAMOND COATED ROOT FACER 	C 0217	x6 1 2 3 3B		 
SPIRAL BUR 	C 0216	x6 1 2 3 3B		
GAUGE 	C 0191	x6 1 2 3 3B		
WRENCH 	C 0192	x1 1 2 3 3B		
MANDREL 	C 0219	1x		
DRILL EXT. SHAFT RA 	C 0324	1x		
RADIX-ANKER®-STANDARD TRAY 	C 218P	N°1-2-3/1x N°1-2-3B/1x		

BACK TO CONTENTS






















BACK TO CONTENTS

STEP 5 PINS & POSTS

METAL POSTS continued	CODE	ISO SIZE	mm	SYMBOL
RADIX-ANKER®-LONG 	C 0261 	 x12 1 2 3		  Grade 5-DIN 3.7165%, Al 5.5-6.75%, V3.5-4.5%, FE 0.4%, O 0.2%, H 0.015%, C 0.1%, N 0.05%, Ti rest
PENETRATION DRILL 	C 0220	x6 1 2 3		
DIAMOND COATED ROOT FACER 	C 0263	x6 1 2 3		 
GAUGE 	C 0264	x6 1 2 3		
WRENCH 	C 0262	x1 1 2 3		
RADIX-ANKER®-LONG TRAY 	C 311P	N° 1-2-3 / 1x N° 1-2-3B / 1x		
RADIX-ANKER®-LONG 	C 106K 	 x12 S50A L50A L50B  L80A L80B		  Grade 5-DIN 3.7165%, Al 5.5-6.75%, V3.5-4.5%, FE 0.4%, O 0.2%, H 0.015%, C 0.1%, N 0.05%, Ti rest










BACK TO CONTENTS

STEP 5 PINS & POSTS

METAL POSTS continued	CODE	ISO SIZE	mm	SYMBOL
CANAL-WIDENER 	C 107K	x6 0550 OL50 OL80		
COMBINATION DRILL 	C 108K	x6 0550 OL50 OL80		
GAUGE 	C 109K	x6 0550 OL50 OL80		
WRENCH 	C 110K	x1 0550 OL50 OL80		
CYTCO®-K TRAY 	C 111P	1x		
RS RADIX-STIFTE 	C 0100 	 x12 1 2 3		  Grade 5-DIN 3.7165%, Al 5.5-6.75%, V3.5-4.5%, FE 0.4%, O 0.2%, H 0.015%, C 0.1%, N 0.05%, Ti rest
PENETRATION DRILL 	C 0101	x6 1 2 3		
PRECISION SPIRAL DRILL 	C 0102	x6 1 2 3		
GAUGE 	C 0103	x6 1 2 3		





BACK TO CONTENTS

STEP 5 PINS & POSTS




METAL POSTS continued	CODE	ISO SIZE	mm	SYMBOL
GAUGE 	C 0104	x1 1 2 3		SSi
RS RADIX-STIFTE TRAY 	C 105P	1x		P
UNIMETRIC 0.8 	C 215T 	x25 		Ti Grade 5-DIN 3.7165%, Al 5.5-6.75%, V3.5-4.5%, FE 0.4%, O 0.2%, H 0.015%, C 0.1%, N 0.05%, Ti rest
SPECIAL PENETRATION DRILL 	C 0212	x6 008 108 208 308		SSi
SPECIAL CALIBRATING DRILL 	C 0213	x6 008 108 208 308		SSi
WRENCH 	C 0201	x6 008 108 208 308		SSi !
UNIMETRIC 0.8mm TRAY 	C 247P/ 08	1x		P

BACK TO CONTENTS

STEP 5 PINS & POSTS





METAL POSTS continued	CODE	ISO SIZE	mm	SYMBOL
UNIMETRIC 1.0 	C 215T 	x25 		Ti Grade 5-DIN 3.7165%, Al 5.5-6.75%, V3.5-4.5%, FE 0.4%, O 0.2%, H 0.015%, C 0.1%, N 0.05%, Ti rest
UNIMETRIC 1.0mm TRAY 	C 247P/ 10	1x		P










BACK TO CONTENTS





MAP SYSTEM	CODE	ISO SIZE	mm	SYMBOL																																			
MAP SYSTEM KITS 	A 0662	A 0662 00000000 MAP SYSTEM Intro Kit NiTi for Orthograde Obturation A 0662 2GRO0000 MAP SYSTEM Intro Kit NiTi including 2 x 1GR of PRO ROOT MTA A 0663 00000000 MAP SYSTEM Universal Kit NiTi for Orthograde and Retrograde Obturation A 0663 00000200 MAP SYSTEM Upgrade to Universal Kit A 0664 00000000 MAP SYSTEM Surgical-Retro Kit for Retrograde Obturation for both posterior and anterior		⚠																																			
MAP SYSTEM REFILLS 	A 0667	<table border="1"> <thead> <tr> <th>Type/Size</th> <th>090</th> <th>110</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>NiTi Memory Shape</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> </tr> <tr> <td>Curved</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> </tr> <tr> <td>Hooked</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> </tr> <tr> <td>Straight</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> </tr> <tr> <td>Triple Angle Left/Right</td> <td>•</td> <td>•</td> <td></td> <td></td> </tr> <tr> <td>Triple Angle Retro Left/Right</td> <td>•</td> <td>•</td> <td></td> <td></td> </tr> </tbody> </table>	Type/Size	090	110	130	150	NiTi Memory Shape	•	•	•	•	Curved	•	•	•	•	Hooked	•	•	•	•	Straight	•	•	•	•	Triple Angle Left/Right	•	•			Triple Angle Retro Left/Right	•	•				⚠
Type/Size	090	110	130	150																																			
NiTi Memory Shape	•	•	•	•																																			
Curved	•	•	•	•																																			
Hooked	•	•	•	•																																			
Straight	•	•	•	•																																			
Triple Angle Left/Right	•	•																																					
Triple Angle Retro Left/Right	•	•																																					
MAP SYSTEM ACCESSORIES 	A 0668	<table border="1"> <thead> <tr> <th>Type/Size</th> <th>090</th> <th>110</th> <th>130</th> <th>150</th> </tr> </thead> <tbody> <tr> <td>Peek Plugger</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> </tr> <tr> <td>NiTi Plugger</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> </tr> <tr> <td>Cleaning Curette</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> </tr> <tr> <td>Cleaning Device</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> </tr> <tr> <td>Stainless Steel syringe</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stainless Steel well</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type/Size	090	110	130	150	Peek Plugger	•	•	•	•	NiTi Plugger	•	•	•	•	Cleaning Curette	•	•	•	•	Cleaning Device	•	•	•	•	Stainless Steel syringe					Stainless Steel well						⚠
Type/Size	090	110	130	150																																			
Peek Plugger	•	•	•	•																																			
NiTi Plugger	•	•	•	•																																			
Cleaning Curette	•	•	•	•																																			
Cleaning Device	•	•	•	•																																			
Stainless Steel syringe																																							
Stainless Steel well																																							






HAND INSTRUMENTS

HAND INSTRUMENTS



PROBES	CODE	ISO SIZE	mm	SYMBOL
	B 0093	Version N: Ø1.50 Version F: Ø1.20 only for n° 6, 20 & 21 Assortments available: Assortment ISO 04-06 Male Assortment ISO 04-06 Female		 
				
		x6 4 USA 5 6 5 9a DG16 12 15 18 20 21 26		



EXCAVATORS DOUBLE ENDED	CODE	ISO SIZE	mm	SYMBOL
	B 0095			 
		6 x 1 7 13 19 25 31 37 2 8 14 20 26 32 38		
		6 x 3 9 15 21 27 33 39 4 10 16 22 28 34 40		
		6 x 5 11 17 23 29 35 41 6 12 18 24 30 36 42		
		6 x 43 49 55 61 67 73 79 44 50 56 62 68 74 80		
		6 x 45 51 57 63 69 75 81 46 52 58 64 70 76 82 USA 5 USA 14 USA 17 USA 18		
		6 x 47 53 59 65 71 77 83 48 54 60 66 72 78 84		

PROBES	CODE	ISO SIZE	mm	SYMBOL
	B 093S			 
				
		x1 5F 6F 9aF 12F 23F 6F 4F		

EXCAVATORS DOUBLE ENDED	CODE	ISO SIZE	mm	SYMBOL
	B 095S			 
		1 x A 090 A 110 A 130 A 145 A 160 A 175 A 190		
		1 x B 090 B 110 B 130 B 145 B 160 B 175 B 190		

HAND INSTRUMENTS

MOUTH MIRROR HANDLE	CODE	ISO SIZE	mm	SYMBOL
	B 0188	6x		

PLAST-O-PROBE	CODE	ISO SIZE	mm	SYMBOL
	G 180B	Bag of 50 plastic probes		

ZEKRYA GINGIVAL PROTECTOR	CODE	ISO SIZE	mm	SYMBOL
	G 180B	1x G 260A + 1x G 260B1 + 1x G 260B2		
	G 260B	10x N°1 (G 260B1), 10x N°2 (G 260B2)		

BACK TO CONTENTS

















BACK TO CONTENTS

[BACK TO CONTENTS](#)

ACCESSORIES




























[BACK TO CONTENTS](#)

ACCESSORIES

ACCESSORIES	CODE	ISO SIZE	mm	SYMBOL
ENDO-TRAINING-BLOC 	A 0177	8x Ø0.15 - 0.35 taper .02 Endotraining BLOC, 15-30, Bag of 8 or 10 Endotraining BLOC, 15-30, bag of 8 Endotraining BLOC Straight, 15-30, Bag of 8		 
S-SHAPE	A 177S	12x Ø0.15 - 0.35 taper .02		
CLEAN-STAND	A 268P	1x		
CLEAN-STAND SPONGES	A 268S	25x		
				
FLEXOBEND	A 0096	1x		
				
ENDO-M-BLOC DR. P. GULDENER	A 0184	1x		
				
SILICONE-STOPS DISPENSER	A 0197	1x: Version 1:  Version 8:  Version 2:  Version 3: 		
				
MINI-ENDO-BLOC	A 0327	1x		
				
















BACK TO CONTENTS

ACCESSORIES

ACCESSORIES Continued	CODE	ISO SIZE	mm	SYMBOL
TWIN-BLOC® 	A 0338	1x		
STERILIZABLE ENDO PLASTIC BOX	E 0248	6x N° 8 Endo Type of shank available: FG, RA, PM, PM/RA/FG, RA long, Endo		
				
RUBBER DAM	CODE	ISO SIZE	mm	SYMBOL
RUBBER DAM CLAMP	A 4001	A		 
				
	A 4002	AW		 
				
	A 4003	P		 
				
	A 4004	PW		 
				
	A 4005	M1		 
				
	A 4006	M1W		 
				
	A 4007	M2		 
				
	A 4008	M2W		 

BACK TO CONTENTS

ACCESSORIES

RUBBER DAM Continued	CODE	ISO SIZE	mm	
DENTAL RUBBER DAM-MEDIUM 	A 4010			
DENTAL RUBBER DAM-HEAVY 	A 4011			
DENTAL RUBBER DAM-FRAME 	A 4020			 
RUBBER DAM KIT 	A 4060	1X: A 4001, A 4002, A 4003, A 4004, A 4005, A 4006, A 4007, A 4008, A 4010, A 4020, A 4030, A 4040		
DENTAL RUBBER DAM FORCEPS 	A 4030			 
RUBBER DAM PUNCH 	A 4040	Single Hole, Box of 1		 
RUBBER DAM AINSWORTH PUNCH 	A 4041	Single Hole, Box of 1		 

WARNINGS, SYMBOLS & REFERENCES

BACK TO CONTENTS

BACK TO CONTENTS

SPECIFICATIONS

The technical specifications of our products correspond to those in existence on the date of printing of this catalogue. Further modifications on our products are reserved.

NB: Not all the products shown here are available in every country. Please contact your local sales office or your dental warehouse for details.

Technical modifications on our products are not subject to notifications. Photos of our instruments are not contractual.

REPROCESSING

Except where otherwise clearly indicated, all instruments listed in our catalogue can be disinfected, cleaned and sterilized according to the specifications described in their Directions For Use and/or in the Reprocessing Procedure available on our website: www.dentsplymaillefer.com (at the end of "Products" chapter).

INDEX

C

CALAMUS DUAL KIT	46
CALAMUS PLUGGERS & THERMAL RESPONSE TIP	46
CANAL-WIDENER	55
CARTRIDGE NEEDLE BENDING TOOL	46
CAVITY BURS	11
CAVITY ACCESS SET	25
CAVITY ACCESS Z SET	25
CLEAN-STAND & CLEAN-STAND SPONGES	64
COLORINOX HEDSTROEM FILE	34
COLORINOX K-FILE	34
COLORINOX K-REAMER	34
COMBINATION DRILL	55
CONTRA-ANGLE 16:1 FOR X-SMART	37
CONTRA-ANGLE 6:1	36
CROWN REMOVER/METAL TRIMMING BURS	12
CYTCO-K TRAY	55

D

DENTAL RUBBER DAM FORCEPS	66
DENTAL RUBBER DAM-FRAME	66
DENTAL RUBBER DAM-HEAVY	66
DENTAL RUBBER DAM-MEDIUM	66
DIAMOND COATED ROOT FACER - METAL POSTS	53, 54
DIAMOND INSTRUMENTS	16
DRILL EXT. SHAFT RA	53

E

EASYPOST	52
EASYPOST PRECISION DRILLS	52
EASYPOST SET	52
ENDO ACCESS SET	25
ENDOACTIVATOR ACCESSORIES	40
ENDOACTIVATOR HANDPIECE	40
ENDOACTIVATOR REFILLS	40
ENDOACTIVATOR STARTER KIT	40
ENDO BURS	24
ENDO-M-BLOC	64
ENDO-TRAINING-BLOC	64
EXCAVATORS DOUBLE ENDED	60

F

FLEXOBEND	64
-----------	----

G

GAUGE METAL POSTS	53, 54, 55
GAUGE FOR GUTTA-PERCHA POINTS	43
GLYDE DOSES	40
GLYDE FILE PREP SYRINGE KIT	40
GLYDE INTRO PACKAGE	40
GLYDE SYRINGE TIPS	40
GOLDEN MEDIUM K-FLEXOFILE	35
GOLDEN MEDIUM K-FLEXOREAMER	35
GUTTA CONDENSOR	50
GUTTA CONDENSOR SET	50
GUTTA CORE OBTURATOR	44
GUTTA CORE OBTURATOR FOR PROTAPER NEXT	44
GUTTA CORE STARTER KITS WITH THERMAPREP 2 OVEN	45
GUTTA-PERCHA AUXILIARY POINTS	43
GUTTA-PERCHA CARTRIDGE 20G	46
GUTTA-PERCHA CARTRIDGE 23G	46
GUTTA-PERCHA PLUGGER	49
GUTTA-PERCHA POINTS	42
GUTTA-PERCHA POINTS .02 COLOR CODED	42
GUTTA-PERCHA POINTS .04 COLOR CODED	42
GUTTA-PERCHA POINTS .06 COLOR CODED	43
GUTTA-PERCHA POINTS FOR PROTAPER NEXT	42
GUTTA-PERCHA POINTS FOR PROTAPER UNIVERSAL	42
GUTTA-PERCHA POINTS FOR WAVEONE	42

H

HANDPIECE CLEANING BRUSH	47
HANDPIECE HEAT SHIELD	47
HANDY LENTULO	48
HEAT-CARRIER PLUGGER	49

I

ISOMETRIX BURS	16
----------------	----

K

K-FLEXOFILE	35
K-FLEXOREAMER	35

L

LARGO PEESO REAMER	52
LENTULO PASTE CARRIER	48
LEXICON	24

INDEX continued

M

M-ACCESS HEDSTROEM	35
M-ACCESS K-FILE	34
M-ACCESS K-REAMER	34
MANDREL - PROFILE	32
MANDREL - METAL POSTS	53
MAP SYSTEM ACCESSORIES	58
MAP SYSTEM KITS	58
MAP SYSTEM REFILLS	58
MILLER BROACH	35
MINI ENDO BLOC	64
MOUTH MIRROR HANDLE	61
MTA ENDO CARRIER	48
MTA SURGICAL CARRIERS	49

N

NITI MANUAL HANDLE ADAPTORS	32
-----------------------------	----

O

ORIFICE OPENER	32
----------------	----

P

PAPER POINTS .02	47
PAPER POINTS .04	47
PAPER POINTS .06	47
PAPER POINTS FOR PROGLIDER UNIVERSAL	47
PAPER POINTS FOR PROTAPER NEXT	47
PAPER POINTS FOR WAVEONE	47
PATHFILE	28
PENETRATION DRILL	53 , 54, 55
PLAST-O-PROBE	61
PLUGGER	49
PLUGGER B	49
POST SPACE BUR	45
PRECISION SPIRAL DRILL	55
PROBES	60
PROFILE .02	31
PROFILE .04	31
PROFILE .06	32
PROFILE .O.S.	32
PROFILE ASSORTMENT	32
PROFILE INTRO PACK	32
PROFILE ORGANIZER	32
PROGLIDER	28
PROPEX II ACCESSORIES	38
PROPEX II APEX LOCATOR	38

PROPEX PIXI ACCESSORIES	38
PROPEX PIXI APEX LOCATOR	38
PROROOT MTA KIT	49
PROROOT MTA TOOTH COLORED	48
PROROOT MTA TUBES	48
PROTAPER NEXT	28
PROTAPER UNIVERSAL APICAL SHAPING	30
PROTAPER UNIVERSAL APICAL SHAPING - TREATMENT FOR HAND USE	30
PROTAPER UNIVERSAL ASSORTMENT - TREATMENT ROTARY	29
PROTAPER UNIVERSAL ASSORTMENT - TREATMENT FOR HAND USE	30
PROTAPER UNIVERSAL ASSORTMENT - RETREATMENT ROTARY	31
PROTAPER UNIVERSAL FINISHING FILES	29
PROTAPER UNIVERSAL RETREATMENT	31
PROTAPER UNIVERSAL SEQUENCER - TREATMENT ROTARY	29
PROTAPER UNIVERSAL SEQUENCER - TREATMENT FOR HAND USE	30
PROTAPER UNIVERSAL SEQUENCER - RETREATMENT ROTARY	31
PROTAPER UNIVERSAL SHAPING FILES - TREATMENT-ROTARY	29
PROTAPER UNIVERSAL STARTER KIT	29
PROTAPER UNIVERSAL - RETREATMENT-ROTARY	31
PROTAPER UNIVERSAL - TREATMENT FOR HAND USE	30
PRO ULTRA ENDO TIPS	25
PRO ULTRA SURGICAL TIPS	26

R

RADIX-ANKER-LONG	54
RADIX-ANKER-LONG TRAY	54
RADIX-ANKER-STANDARD	53
RADIX-ANKER-STANDARD TRAY	53
RADIX FIBER POST BASIC KIT	52
RADIX FIBER POST TRIAL KIT	52
RADIX FIBER POST TRANSLUCENT	52
READYSTEEL C+FILE	33
READYSTEEL C+FILE ASSORTMENT	33
READYSTEEL HEDSTROEM	33
READYSTEEL K-FILE	33
READYSTEEL K-REAMER	33
READYSTEEL SENSEUS FLEXOFILE	33
READYSTEEL SENSEUS K- FLEXOREAMER	33
READYSTEEL SENSEUS HEDSTROEM	33

READYSTEEL SENSEUS PROFINDER	33
REPLACEMENT CARTRIDGE NUT	46
RS RADIX-STIFTE	55
RS RADIX-STIFTE TRAY	56
RUBBER DAM AINSWORTH PUNCH	66
RUBBER DAM CLAMP	65
RUBBER DAM KIT	66
RUBBER DAM PUNCH	66

S

S-SHAPE	64
SCHILDER HEAT-CARRIERS ANTERIOR & POSTERIOR	50
SCHILDER PLUGGER ANTERIOR	49
SCHILDER PLUGGER POSTERIOR	50
SILICONE-STOPS DISPENSER	64
SPECIAL CALIBRATING DRILL	56
SPECIAL PENETRATION DRILL	56
SPIRAL BUR	53
SPIRO COLORINOX	34
SPREADER A	49
START-X	26
STERILE PAPER POINTS .02	47
STERILIZABLE ENDO PLASTIC BOX	65
SURGERY/BONE CUTTERS BURS	13

T

THERMAPREP 2 OVEN	44
THERMA-CUT	45
THERMAFIL ANTERIOR KIT	43
THERMAFIL OBTURATOR	43
THERMAFIL OBTURATOR FOR PROTAPER UNIVERSAL	44
THERMAFIL OBTURATOR FOR WAVEONE	44
THERMAFIL POSTERIOR KIT	43
THERMAFIL TRAINING BLOC	45
TOPSEAL TUBE SET	48
TRIMMING & FINISHING BURS	14
TWIN BLOC	65

U

ULTRASONIC TIPS	25
UNICLIP	52
UNIMETRIC 0.8	56
UNIMETRIC 1.0	57
UNIMETRIC 08MM TRAY	56
UNIMETRIC 1.0MM TRAY	57

V

VERIFIER	45
----------	----

W

WAVEONE	28
WRENCH	53 , 54, 55, 56
WRENCH FOR TIPS	26

X

X-SMART	37
X-SMART & PROTAPER UNIVERSAL INTRO CASE	31
X-SMART ACCESSORIES	37
X-SMART INTRO CASE	37
X-SMART PLUS ACCESSORIES	36
X-SMART PLUS KITS	36
X-SMART PLUS MOTOR	36

Z

ZEKRYA GINGIVAL PROTECTOR	61
---------------------------	----

WARNING




NiTi


A 0015 A 0359 A 0415 A 0485
 A 011N A 0409 A 0435 A 1410
 A 0344 A 0410 A 0450 A 1412
 A 0345 A 0411 A 0470 A 1415

- Continuous rotary movement \odot 150 - 350 min⁻¹
- Constant in-and-out movement
- Any apical pressure exerted should be slight
- Check before use
- Use 10 treatment / 10 sec/treatment.


GUTTA-CONDENSOR




ROOT POSTS SYSTEMS



SPIRO® COLORINOX




C 0201



OBTURATORS

PROTAPER® UNIVERSAL: A 1411
 THERMAFIL: A 0166, A 0167, A 0168, A 0348



SYMBOLS

	Expiry date		Lab product
	Manufacture date		Silver
	See directions for use		Aluminium
	Recording on an input medium		Chromium
	Maximal temperature of implementation		Carbon steel
	Temperature range for storage and UV protection		Diamond
	Sterilized product		Guta-Percha
	Sterilized product, water vapour or dry heat sterilization process		Mineral Trioxide Aggregate
	Sterilized product, ethylene oxide sterilization process		Nickel
	Sterilized product, electromagnetic or ionic radiation sterilization process		Nickel titanium
	Can be sterilized at the specified temperature		Oxyde
	Non-sterilizable		Plastic
	One use only		Root-canal sealer
	Recommended rotation speed		Paper
	Recommended torque for use		Platinum
	Recommended force for use		Silicone
	Diameter		Stainless steel
	Conical shape		Titanium
	Accessories		Tungstene carbide
	Opened packages are not replaced		Contains Natural Rubber Latex!
	Batch number		Fiberglass
	Article reference		Gel
	Recycling of plastic materials		Xi-Irritant
	Can not be sold separately		
	Assortment		
	Identification of a product by a colour and/or an inscription.		
	Lab product		

BACK TO CONTENTS

BACK TO CONTENTS

REFERENCES

A 0002	35	A 022M	42	A 0660-900	26	A 1409	32	C 0219	53	E 0153	12	F 0038	17	F 1162	23
A 0008	24	A 022N	43	A 0661-1	26	A 1410	31	C 0220	53/54	E 0154	12	F 0039	17	F 1300	23
A 0009	52	A 022R	47	A 0661-2	26	A 1411	44	C 0261	54	E 0155	12	F 0041	17	G 180B	61
A 0015	28	A 022O	42	A 0661-3	26	A 1412	31	C 0262	54	E 0156	12	F 0042	18	G 260B	61
A 0022	48	A 022Q	47	A 0661-4	26	A 1413	31	C 0263	54	E 0157	13	F 0068	18		
A 004B-01	34	A 022T	47	A 0661-5	26	A 1415	31	C 0264	54	E 0158	12	F 0107	18		
A 0050	45	A 022W	47	A 0661-900	26	A 1700	44	C 0324	53	E 0205	15	F 0110	18		
A 0051	45	A 022X	42	A 0662	58	A 1702	44	C 0600	52	E 0248	65	F 0111	18		
A 008C	35	A 024W	47	A 0667	58	A 1710	45	C 0601	52	E 0510	14	F 0112	18		
A 0096	64	A 024X	42	A 0668	58	A 1802	44	C 0602	52	E 0511	14	F 0129	18		
A 010C	35	A 0242	50	A 0700	28	A 219P	32	C 0613	52	E 0512	14	F 0130	18		
A 011C	35	A 0244	50	A 0706	28	A 268P	64	C 0614.BK	52	E 0515	14	F 0131	18		
A 011D	33/34	A 0305	25	A 0800	28	A 268S	64	C 0614.TK	52	E 0516	14	F 0137	18		
A 011I	35	A 0305-1	25	A 0803	28	A 280S	49	C 105P	56	E 0517	14	F 0140	18		
A 011MA	34	A 0327	64	A 0900	48	A 281S	49	C 106K	54	E 0518	14	F 0141	19		
A 011N	31	A 0338	65	A 0901	40	A 289S	49	C 107K	55	E 0519	14	F 0142	19		
A 012C	35	A 0344	31	A 0902	40	A 305Z	25	C 108K	55	E 0520	14	F 0165	19		
A 012D	33/34	A 0345	32	A 0903	40	A 305Z-1	25	C 109K	55	E 0521	14	F 0166	19		
A 012I	35	A 0346	32	A 0905	40	A 4001	65	C 110K	55	E 0522	14	F 0167	19		
A 012MA	34	A 0348	43	A 0911	40	A 4002	65	C 111P	55	E 0523	14	F 0168	19		
A 012X	33	A 0359	32	A 0912	40	A 4003	65	C 193T	53	E 0524	14	F 0171	19		
A 016D	33/34	A 0362	32	A 0913	40	A 4004	65	C 215T	56/57	E 0525	14	F 0172	19		
A 016MA	35	A 0363	32	A 0923	28	A 4005	65	C 215U	52	E 0526	15	F 0173	19		
A 019X	40	A 0400	49	A 0926	28	A 4006	65	C 218P	53	E 0527	15	F 0197	20		
A 0164	24	A 0401	50	A 1004	37	A 4007	65	C 247P/08	56	E 0528	15	F 0198	20		
A 0165	24	A 0402	50	A 1006	37	A 4008	65	C 247P/10	57	E 0529	15	F 0199	20		
A 0166	43	A 0403	48	A 1007	37	A 4010	66	C 311P	54	E 0530	15	F 0219	20		
A 0167	43	A 0405	48	A 1008	31	A 4011	66	D 0041	24	E 0531	15	F 0220	20		
A 0168	43	A 0406	49	A 1011	33	A 4020	66	E 0123	11	E 0532	15	F 0225	20		
A 0174	45	A 0407	48	A 1012	33	A 4060	66	E 123A	11	E 0533	15	F 0233	20		
A 0175	45	A 0408	49	A 1013	33	A 4030	66	E 0124	11	E 0534	15	F 0234	20		
A 0176	44	A 0409	29	A 1016	33	A 4040	66	E 0128	11	E 0535	15	F 0245	20		
A 176A	45	A 0410	29	A 1028	38	A 4041	66	E 0129	11	E 0536	15	F 0249	20		
A 176B	45	A 0411	29	A 1029	38	B 0093	60	E 129X	11	E 0537	15	F 0250	21		
A 176C	45	A 0413	29	A 1030	38	B 093S	60	E 0130	11	E 0540	13	F 0257	21		
A 0177	64	A 0415	29	A 1031	38	B 0095	60	E 130L	11	E 0541	13	F 0277	21		
A 177S	64	A 0416	30	A 1032	36	B 095S	60	E 130X	11	E 541A	13	F 0288	21		
A 0183	32	A 0417	30	A 1033	36	B 0188	61	E 0136	11	E 0550	15	F 0289	21		
A 0184	64	A 0418	30	A 1034	36	C 0100	55	E 0137	11	E 0552	13	F 0290	21		
A 0186	43	A 0619	26	A 1035	36	C 0101	55	E 137X	11	E 0553	13	F 0297	21		
A 0197	64	A 0620	25	A 1110	46	C 0102	55	E 0138	11	E 0560	13	F 0298	21		
A 0198	49	A 0621	25	A 1120	46	C 0103	55	E 138X	11	E 0570	12	F 0299	21		
A 0199	49	A 0630	25	A 1130	46	C 0104	56	E 138L	11	E 0571	12	F 0304	22		
A 022C	42	A 0631	25	A 1150	46	C 0191	53	E 0147	11	E 0580	13	F 0496	22		
A 022E	42	A 0640	26	A 1206	46	C 0192	53	E 0148	12	E 0590	13	F 0540	22		
A 022F	43	A 0650	26	A 1207	46	C 0193	53	E 0149	12	F 0001	17	F 0546	22		
A 022G	42	A 0660-1	26	A 1208	47	C 0201	56	E 150A	12	F 0002	17	F 0697	22		
A 022H	48	A 0660-2	26	A 1209	47	C 0212	56	E 150B	12	F 0010	17	F 0951	22		
A 022I	47	A 0660-3	26	A 1210	46	C 0213	56	E 150C	12	F 0019	17	F 0952	22		
A 022K	47	A 0660-4	26	A 1220	46	C 0216	53	E 0151	13	F 0032	17	F 0953	22		
A 022L	43	A 0660-5	26	A 1300	46	C 0217	53	E 0152	13/24	F 0033	17	F 1161	23		

+
**WE
KNOW
ENDO.**



MAILLEFER INSTRUMENTS HOLDING S.À.R.L
CHEMIN DU VERGER 3
CH-1338 BALLAIGUES
SWITZERLAND



0459

www.dentsplymallefer.com