

World Leader in Dental Attachments

CODELIST for Dentist and Dental Laboratory

20th Edition

COOR

www.rhein83.com

CASTABLE -	ATOR		
		OT EQUATOR CASTABLE KIT	
	Ref. 092ECQ	KIT CONTAINS: • 2 SINGLE MALES • 2 STAINLESS STEEL HOUSINGS • 4 RETENTIVE CAPS (2 SOFT, 2 STANDARD)	
IMPLANTS —			
	Ref. 130	OT EQUATOR FOR IMPLANTS KIT KIT CONTAINS: 1 OT EQUATOR TITANIUM + TIN ABUTMENT 1 STAINLESS STEEL HOUSING 1 PROTECTIVE DISK 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)	
	Ref. 131	OT EQUATOR AND SMARTBOX FOR IMPLANTS KIT KIT CONTAINS: 1 OT EQUATOR TITANIUM + TIN ABUTMENT 1 ANODIZED SMART BOX HOUSING WITH BLACK POSITIONING CAP 1 PROTECTIVE DISK 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)	
		• 1 OT EQUATOR TITANIUM + TIN ABUTMENT S ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS. UPON REQUEST WE CAN CUSTOMIZE THEM FOR ORDERING INDICATE: IMPLANT, DIAMETER AND CUFF HEIGHT. CUFF AVAILABLE TO 7mm.	
BARS		OT EQUATOR THREADED SLEEVE SYSTEM KIT	
	Ref. 160EQB	FOR BONDING KIT CONTAINS: • 2 EQUATOR THREADED for titanium sleeve (1.6 mm THREAD) • 2 THREADED SLEEVES (1.6 mm THREAD) • 2 STAINLESS STEEL HOUSINGS • 2 EQUATOR SPACERS • 8 RETENTIVE CAPS (2 EXTRA-SOFT, 2 SOFT, 2 STANDARD, 2 PROCESSING)	
ELASTIC SEEG	ER PASSIVE BAR C	CONNECTIONS SYSTEM	
	Ref. 158ESA	ELASTIC SEEGER KIT KIT CONTAINS: • 1 CASTABLE CYLINDER FOR SEEGER • 1 SELF-EXTRACTING SEEGER • 1 TITANIUM SCREW FOR SELF-EXTRACTING SEEGER	
CAPS ASSORT	МЕМТ КІТ —		
SMART BOX KIT	Ref. 192ECE	CAPS ASSORTMENT KIT KIT CONTAINS: •1 STAINLESS STEEL HOUSING •1 PROCESSING CAP •1 PROTECTIVE DISK •4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)	
new	Ref. 335SBC	SMART BOX KIT	
		 KIT CONTAINS: 1 SMART BOX HOUSING WITH BLACK POSITIONING CAP 1 PINK PROTECTIVE DISK 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG) 	2

SPARE PART	s		
		CASTABLE MALES	
		RETENTIVE CAPS - VIOLET "STRONG" 2700g	
		RETENTIVE CAPS - <i>clear</i> "standard" 1800g	
	Ref. 140CER • 4	RETENTIVE CAPS - PINK "SOFT" 1200g	
	Ref. 140CEG • 4		
		PROCESSING CAPS - BLACK (FOR LABORATORY USE ONLY)	
	Ref. 140CEDR8 • 4	RETENTIVE CAPS - AQUA CAPS UNDERSIZED INTERNAL DIAMETER 2,2mm (STRONG 1300g)	
	Ref. 140CEADR8 • 4		
	Ref. 141CAE • 2	STAINLESS STEEL HOUSINGS	
		TITANIUM HOUSINGS <i>FUCHSIA ANODIZED</i>	
	Ref. 330SBE • 1	SMART BOX HOUSING WITH BLACK POSITIONING CAP	
	Ref. 335CSB • 4		
	Ref. 039SFE2 • 1	OT EQUATOR THREADED 2mm (DIRECT INTO 2MM THREAD)	
	Ref. 339SFE • 1		
	Ref. 239GSF • 1	TITANIUM SLEEVE (1.6mm THREAD)	
1 1	Ref. 339SSE • 1	OT EQUATOR SPACER	
_	Ref. 158VAE • 1	TITANIUM SCREW FOR SELF-EXTRACTING SEEGER	
	Ref. 158SAE • 1		
- 41 -	Ref. 1585CE • 1		
	Ref. 158CCAE • 1		
	5		
	Ref. 144TTE • 1	OT EQUATOR TITANIUM TRANSFER + TITANIUM SCREW	
	Ref. 144MTE • 2	IMPRESSION COPINGS (FOR INDIVIDUAL TRAY)	
<u>i</u>	Ref. 044CAIN • 2	IMPRESSION COPINGS NORMAL SIZE - OT EQUATOR (WITH INTERCHANGEABLE CAP FOR PICK UP IMPRESSION)	
Û	Ref. 144AE • 2	LABORATORY ANALOGS	
∞ ¶ ₹	Ref. 144AVC4 • 1	LABORATORY ANALOG WITH TITANIUM SCREW FOR CAD/CAM Ø4mm	
i	Ref. 144AVC5 • 1	LABORATORY ANALOG WITH TITANIUM SCREW FOR CAD/CAM ø5mm	
TOOLS			
P			
	Ref. 74AC01 • 1	PARALLELOMETER KEY "NORMAL SIZE"	
	Ref. 774CHE • 1	OT EQUATOR SQUARE SCREW DRIVER + HOLDER (SQUARE 1.25mm) (USABLE WITH RATCHET TORQUE CONTROL DEVICE)	
	Ref. 774HC • 1	OT EQUATOR INTERCHANGEABLE HOLDER	
	Ref. 760CE • 1	SQUARE DRIVER CONNECTOR FOR TORQUE CONTROLLER CONTRA ANGLE (SQUARE 1.25mm)	
	Ref. 485IC • 1	MULTIUSE CAPS INSERTER/EXTRACTOR TOOL	
_	Ref. 185SIS • 1	METAL INSERTION TOOL FOR SEEGER USE TOGETHER WITH 491EC	
	Ref. 491EC • 1	MULTIUSE EXTRACTOR TOOL FOR CAPS (WITH HOLE STEM HOLDER)	
0 <u> </u>	Ref. 760CRD • 1	RATCHET TORQUE CONTROL DEVICE (FOR OT EQUATOR, SPHERO BLOCK AND FLEX 15/35NCM STRENGHT - MAX 50NCM TORQUE, SUGGESTED 25NCM)	

TUNILATERAL			
	Ref. 098UNL	OT UNILATERAL + CONNECTOR KIT CONTAINS: 1 UNILATERAL CASTABLE ATTACHMENT 1 UNI-BOX CASTABLE 1 PLASTIC POSITIONER MICRO SIZE 1 PINK CAP MICRO SIZE 1 STRATEGY YELLOW CAP (for duplication technique) 1 BLACK CAP MICRO SIZE (for laboratory use only) 1 STRATEGY BLACK CAP (for laboratory use only) 1 CONNECTOR	
	Ref. 156BCU	• 1 UNILATERAL CASTABLE ATTACHMENT	
	Ref. 156CCU	• 1 UNI-BOX CASTABLE	
CAP TECNO —			
	NORMAL Ref. 093CTN	OT CAP TECNO NORMAL/MICRO KIT CONTAINS: • 2 PRE-ANGULATED CASTABLE EXTENSIONS • 2 TITANIUM SINGLE THREADED SPHERES	
MICRO	MICRO Ref. 093CTM	 2 TITANIUM BOND-IN THREADED SLEEVES 2 TRANSPARENT CAPS NORMAL/MICRO 2 PINK CAPS NORMAL/MICRO 2 YELLOW CAPS NORMAL/MICRO 	
	Ref. 193BCA	• 2 PRE-ANGULATED CASTABLE EXTENSIONS	
NGLE THREADE		IL - MICRO	
	Ref. 139KSFN	KIT SINGLE THREADED SPHERE NORMAL SIZE + TIN WITH SLEEVE TO BE BONDED KIT CONTAINS • 2 TITANIUM NORMAL SINGLE THREADED SPHERE (HEX mm. 1.3 THREAD mm. 1.6) • 2 TITANIUM BOND-IN THREADED SLEEVE • 2 S/STEEL SPACER for the THREADED SLEEVE (Normal sphere)	
	Ref. 139KSFM	KIT SINGLE THREADED SPHERE MICRO SIZE + TIN WITH SLEEVE TO BE BONDED KIT CONTAINS • 2 TITANIUM MICRO SINGLE THREADED SPHERE (HEX mm. 0.9 THREAD mm. 1.6) • 2 TITANIUM BOND-IN THREADED SLEEVE • 2 S/STEEL SPACER for the THREADED SLEEVE (Micro sphere)	
PARE PARTS			
_	Ref. 239SFN	• 1 SINGLE THREADED SPHERE NORMAL SIZE + TIN FOR THREADED SLEEVE HEX mm. 1.3 THREAD mm. 1.6	
	Ref. 239SFM	• 1 SINGLE THREADED SPHERE MICRO SIZE + TIN FOR THREADED SLEEVE HEX mm. 0.9 THREAD mm. 1.6	
	Ref. 239GSF	• 1 TITANIUM BOND-IN THREADED SLEEVE FOR NORMAL AND MICRO - mm. 1.6	

1200	Ref. 239SSN	•1	STAINLESS STEEL SPACER for THREADED SLEEVE (Normal sphere)	
	Ref. 239SSM	•1	STAINLESS STEEL SPACER for THREADED SLEEVE (Micro sphere)	
SINGLE THREAD		IORM	AL AND MICRO SIZE	
	Ref. 039SFN2	•1	SINGLE THREADED SPHERE NORMAL SIZE + TIN HEX 1.3mm, THREAD 2.0mm	
	Ref. 039SFM2	• 1	SINGLE THREADED SPHERE MICRO SIZE + TIN HEX 0.9mm, THREAD 2.0mm	
	Ref. 760CBR	•1	HEX DRIVER FOR THREADED SPHERE NORMAL HEX 1.3mm	
-	Ref. 772CSF	•1	HEX DRIVER FOR THREADED SPHERE MICRO HEX 0.9mm	
OT CAP IMPRE	SSION COPIN	GS		
Æ	Ref. 044CAIN	• 2	IMPRESSION COPINGS NORMAL SIZE Ø2,5mm WITH INTERCHANGEABLE CAP	
	Ref. 044CAI22	• 2	IMPRESSION COPINGS Ø2,25mm SPHERES WITH INTERCHANGEABLE CAP	
<u>a</u>	Ref. 044CAIM	• 2	IMPRESSION COPINGS MICRO SIZE Ø1,8mmWITH INTERCHANGEABLE CAP	

ATTACHMENTS OT CAP & OT BOX - OT STRATEGY - OT BAR OT VERTICAL - OT TECNO - TITANIUM SINGLE SPHERE

MASTER STARTER KIT FOR LABORATORY



- KIT CONTAINS:

 OT CAP OT BOX SYSTEM:

 - 16 castable assorted pivots (normal and micro size)

 - 4 castable spheres (normal and micro size)

 - 2 titanium single spheres (normal and micro size) + sphere holder + 2 sliding base

 - 4 castable OT CAP bars (normal and micro size)

 - 2 complete castable OT CAP TECNO bars (normal and micro size)

 - 4 castable OT CAP EXO bars (normal and micro size)

 - 2 complete castable OT CAP TECNO bars (normal and micro size)

 - 4 castable OT BOX SPECIAL bars (upper + lower part) normal and micro size)

 - 6 castable OT BOX connectors
- 6 4 4
- castable OT BOX SPECIAL bars (normal and micro size) castable OT BOX connectors castable OT BOX MONO housings (normal and micro size) plastic positioner rings (normal and micro size) OT CAP retentive caps (normal and micro size) Clear-standard retention PINK soft retention YELLOW extra soft retention • 16 GREEN very elastic retention

- 4
- 4 8 4 4 4
- TITAN CAP titanium caps (normal and micro size) BLACK CAPS- only for lab use (normal and micro size) S/STEL housings ANALOGUES for plaster models (normal and micro size) protective disks aluminium spacers (normal and micro size)
- OT STRATEGY:

- OT STRATEGY:

 4
 castable spheres (2 standard and 2 high)

 castable STEADY

 6
 retentive caps: 2 clear 2 pink 2 yellow for housing

 2
 black caps for housing only for lab use

 3
 steel housings

 2
 plastic positioner rings

 6
 retentive caps for duplication technique:

 Clear standard retention PINK soft retention YELLOW extra soft retention

 2
 black caps for duplication technique only for lab use

 2
 ANALOGUES for plaster models

 OT BAR MULTIUSE:
 2

 2
 castable bar

- castable bar gengival connector positioner clip A positioner clip B • 2 • 1 • 2
- 2
- 2 positioner clip B
 4 castable housings
 4 clips 2 PINK soft retention 2 YELLOW medium retention
 OT VERTICAL:
 2 castable male
 2 castable STEADY
 4 clips 2 WHITE- standard rention 2 GREEN soft retention
 castable parallelometer keys
 2 ceramic bars

- ceramic bars
 ceramic bars
 Procets
 Reamer tools for Caps (normal and micro size)
 Reamer tools for OT STRATEGY caps
 Parallelometer keys for OT CAP (normal and micro size)
 Parallelometer key for OT STRATEGY size
 Parallelometer keys for OT CAP TECNO (normal and micro size)
 Parallelometer keys for OT CAP TECNO (normal and micro size)
 Parallelometer keys for OT BAR MULTIUSE
 Blue Plastic "multiuse" insertion tool (for steel tool and for inserting the caps in the mouth)
 OT CAP insertion tool
 OT STRATEGY insertion tool
 OT BAR clips insertion tool
 OT VERTICAL clips insertion tool

ATTACHMENTS OT CAP & OT BOX - OT STRATEGY - OT BAR **OT VERTICAL - OT UNILATERAL - OT EQUATOR**

BASIC LABORATORY KIT



Ref. 005SKLBUS

KIT CONTAINS:

- OT CAP OT BOX SYSTEM: • 16 castable assorted pivots (normal and micro size)
- 8
- 2
- castable spheres normal/micro castable OT CAP bars (normal and micro size) castable OT BOX CLASSIC bars (upper + lower part) normal and micro size • 2
- castable OT BOX SPECIAL bars (normal and micro size) 2
- 6 castable OT BOX connectors • 4
- castable OT BOX MONO housings (normal and micro size) • 8
- plastic positioner rings (normal and micro size) OT CAP assorted retentive caps (normal and micro size) • 13 PINK soft retention - YELLOW extra soft retention
 BLACK CAPS- only for lab use - (normal and micro size)
 S/STEEL housings (normal and micro size)

- **OT STRATEGY:**
- castable spheres (2 standard and 2 high) • 4
- 2 castable STEADY
- 2 pink retentive caps • 2
- 2
- 3
- s/steel housings plastic positioner rings retentive caps for duplication technique: PINK soft retention YELLOW extra soft retention black caps for duplication technique only for lab use

OT EOUATOR:

• 4

- 2
- single males stainless steel housings retentive caps (2 soft, 2 standard) • 2
- 4 processing black caps . 2

OT UNILATERAL:

- unilateral castable attachment • 1
- uni-box castable
- plastic positioner micro size • 1
- 2 ot cap micro size: 1 pink - 1 black processing cap
- ot strategy (for duplication technique): 1 yellow 1 black processing cap • 2

• 1 connector **OT BAR MULTIUSE:**

- castable bar
- 1
- 1 gengival connector • 4
- positioner clip (A B) • 2
- castable housings clips 2 PINK soft retention 2 YELLOW medium retention

OT VERTICAL:

- castable male • 2 • 2
- castable STEADY clips 2 WHITE- standard rention 2 GREEN soft retention • 4
- castable parallelometer keys • 2
- 2 ceramic bars

TOOLS:


- Tweezers • 1 Parallelometer keys for OT CAP normal
- 1 • 1 Parallelometer keys for OT CAP micro
- 1 Parallelometer key for OT STRATEGY
- 1 Parallelometer key for OT BAR MULTIUSE
- 1
- Blue Plastic "multiuse" insertion tool (for steel tool and for inserting the caps in the mouth)
- OT CAP insertion tool • 1
- OT STRATEGY insertion tool • 1
- 1 OT BAR clips insertion tool
- 1 OT VERTICAL clips insertion tool

OT CAP SYSTEM ATTACHMENTS

	Ref. 038STF NORMAL SIZE	TITANIUM FLEX SINGLE SPHERE NORMAL SIZE + TIN FOR LASER SOLDERING - FOR BONDING KIT CONTAINS: • 2 SINGLE TITANIUM FLEX SPHERES • 2 PINK CAPS - SOFT RETENTION • 1 SPHERE HOLDER • 2 CASTABLE SLIDING BASES	
~	Ref. 038STN NORMAL SIZE	TITANIUM SINGLE SPHERE NORMAL SIZE + TIN FOR LASER SOLDERING - FOR BONDING KIT CONTAINS: • 2 SINGLE TITANIUM SPHERES • 2 PINK CAPS - SOFT RETENTION • 1 SPHERE HOLDER • 2 CASTABLE SLIDING BASES	
	Ref. 038STM MICRO SIZE	TITANIUM SINGLE SPHERE MICRO SIZE + TIN FOR LASER SOLDERING - FOR BONDING KIT CONTAINS: • 2 SINGLE TITANIUM SPHERES • 2 PINK CAPS - SOFT RETENTION • 1 SPHERE HOLDER • 2 CASTABLE SLIDING BASES	

Pariss DEAP	Ref. 092CAN	NORMAL SIZE OT CAP KIT CONTAINS • 4 CASTABLE SINGLE SPHERES	
÷		 4 PINK RETENTIVE CAPS 4 STAINLESS STEEL HOUSINGS 4 PLASTIC POSITIONERS 	
		MICRO SIZE OT CAP	
Period 177		KIT CONTAINS	
нено	Ref. 092CAM	• 4 CASTABLE SINGLE SPHERES • 4 PINK RETENTIVE CAPS	
		 4 STAINLESS STEEL HOUSINGS 4 PLASTIC POSITIONERS 	
Feened The		"ECONOMIC" OT CAP NORMAL SIZE	
EAP Date seems	Ref. 196BCN	KIT CONTAINS • 1 CASTABLE PRESECTIONED BAR	
		• 1 CASTABLE PRESECTIONED BEVELED BAR	
Face 23	[]	"ECONOMIC" OT CAP MICRO SIZE	
NCRO NCRO	Ref 197BCM	• 1 CASTABLE PRESECTIONED BAR	
		 1 CASTABLE PRESECTIONED BEVELED BAR 4 CLEAR RETENTIVE CAPS (Standard retention) 	
Frender		OT CAP & Mono OT BOX FOR FRAME NORMAL SIZE	
		 KIT CONTAINS CASTABLE PRESECTIONED BARS (1 straight + 1 beveled) 	
and the second	Ref. 099BSN	• 4 CLEAR RETENTIVE CAPS	
and the second s		• 4 CASTABLE MONO OT BOX • 4 PLASTIC POSITIONERS	
Familia Directo		OT CAP & Mono OT BOX FOR FRAME MICRO SIZE KIT CONTAINS	
	Ref. 099BSM	• 2 CASTABLE PRESECTIONED BARS (1 straight + 1 beveled)	
Harry House		CLEAR RETENTIVE CAPS CASTABLE MONO OT BOX	
		• 4 PLASTIC POSITIONERS	
	[]	OT BOX SPECIAL NORMAL SIZE + CONNECTORS	
See anna	Ref. 058BSN	KIT CONTAINS • 2 OT BOX SPECIAL BARS	
		 4 PLASTIC POSITIONERS 4 CONNECTORS 	
		OT BOX SPECIAL MICRO SIZE + CONNECTORS	
THOX		KIT CONTAINS	
300	Ref. 058BSM	OT BOX SPECIAL BARS PLASTIC POSITIONERS	
		• 4 CONNECTORS	
Rences p		OT BOX CLASSIC NORMAL SIZE + CONNECTORS	
XON	Ref. 153BCN	KIT CONTAINS: • 2 UPPER BARS	
	incl. 1999bert	• 2 LOWER BARS • 4 PLASTIC POSITIONERS	
		• 4 CONNECTORS	
Faces Type	[]	OT BOX CLASSIC MICRO SIZE + CONNECTORS KIT CONTAINS:	
BOX Mices - 41-11	Ref. 153BCM	• 2 UPPER BARS	
		LOWER BARS A PLASTIC POSITIONERS	
-		• 4 CONNECTORS	_
			7

OT DOVIADCE	
OT BOX LARGE	
OVERSIZED CASTABLE HOUSING	FOR CHAIRSIDE POSITIONING OF CAPS



OT STRATEGY ATTACHMENTS



Ref. 098SSS

OT STRATEGY

CAPS FOR DUPLICATION TECHNIQUE KIT CONTAINS

- 4 CASTABLE STRATEGY MALES (2 STANDARD 2 HIGH)
- 2 CASTABLE STEADY
- 4 RETENTIVE CAPS FOR DUPLICATION TECHNIQUE



Ref. 098CAL

OT STRATEGY

CAPS FOR STAINLESS STEEL HOUSING TECHNIQUE KIT CONTAINS

- 4 CASTABLE STRATEGY MALES (2 STANDARD 2 HIGH)
- 2 CASTABLE STRATEGT MALES (2 STANDARD 2 HIGF
 2 CASTABLE STEADY
- 4 STAINLESS STEEL HOUSINGS
- 2 PLASTIC POSITIONERS
- 4 RETENTIVE CAPS FOR HOUSING TECHNIQUE

OT BAR MULTIUSE ATTACHMENTS



Ref. 021OBM

OT BAR MULTIUSE & CONNECTORS

KIT CONTAINS

- CASTABLE BARS
- 4 POSITIONER CLIP A
- 4 POSITIONER CLIP B
- 4 CASTABLE BOXES
- 4 RETENTIVE PINK CLIPS 4 RETENTIVE YELLOW CLIPS
- 4 RETENTIVE YELLOW CLIPS 4 RETENTIVE RED CLIPS
- 2 CONNECTORS
- I GINGIVAL CONNECTOR

OT VERTICAL ATTACHMENTS



Ref. 071OBV

OT VERTICAL


KIT CONTAINS

- 4 CASTABLE MALES
- 2 CASTABLE STEADY
- 4 RETENTIVE WHITE CLIPS
- 2 RETENTIVE GREEN CLIPS
- 4 CASTABLE PARALLELOMETER KEYS + PIN

OVERDENTUR			I
	Ref. 011SPL	 S.P.L. PIVOTS - COPING COVER PROMOTIONAL KIT FOR CLINIC KIT CONTAINS 24 CASTABLE ASSORTED PIVOTS MICRO SIZE 40 CASTABLE ASSORTED PIVOTS NORMAL SIZE 12 TITANIUM MICRO PIVOTS 12 TITANIUM MICRO PIVOTS 14 MICRO CAPS (Clear - standard retention - PINK soft retention) 15 MICRO CAPS (Clear - standard retention - PINK soft retention) 16 MICRO CAPS (Clear - standard retention - PINK soft retention) 20 PROTECTIVE DISKS 2 REGULATING TOOLS (1 normal and 1 micro size) 11 BLUE PLASTIC "MULTIUSE" INSERTION TOOL (FOR THE INSERTION OF THE CAPS INSIDE THE METAL HOUSINGS) 1 OT CAP insertion tool 4 MICRO STAINLESS STEEL HOUSING 2 DIRECTIONAL RINGS (grey 0° - green 7° - red 14°) 1 TWEEZER 	
	Lenghts available: 10 - 9 - 7mm Ref. 333PEK7 Ref. 333PEK9 Ref. 333PEK10	OT EQUATOR TITANIUM TIN COATED PIVOTS KIT Low profile head pivots KIT CONTAINS 2 TITANIUM OT EQUATOR PIVOTS h7,9 or 10mm (of the same length chosen) 2 OT EQUATOR ANODIZED TITANIUM HOUSINGS 2 YELLOW EXTRA SOFT CAPS 2 PINK SOFT CAPS 2 CLEAR STANDARD CAPS 2 TRANSPARENT PROTECTIVE DISKS	
	Lenghts available: 10 - 9 - 7mm Ref. 336PTE7 Ref. 336PTE9 Ref. 336PTE10	OT EQUATOR TITANIUM TIN COATED PIVOTS Low profile head pivots KIT CONTAINS • 1 TITANIUM OT EQUATOR PIVOT h7,9 or 10mm (of the length chosen)	
	Ref. 033PSF	PIVOT FLEX TIN COATED TITANIUM PIVOT WITH SWIVEL SPHERE - Normal size Adapted for COPING COVER KIT CONTAINS •1 TITANIUM PIVOT WITH SWIVEL SPHERE •1 TITANIUS STEEL HOUSING •2 PINK CAPS Normal Size - Soft retention •1 PROTECTIVE DISK •3 DIRECTIONAL RINGS	
Lenghts available: 7,9 or 10mm Normal sphere ø2,5mm Micro sphere ø1,8mm	Ref. 036PTN7 Ref. 036PTN9 Ref. 036PTN10	TITANIUM PIVOTS KIT NORMAL SIZE Adapted for COPING COVER KIT CONTAINS • 5 TITANIUM PIVOTS (Adapted for COPING COVER)	
	Ref. 036PTM7 Ref. 036PTM9 Ref. 036PTM10	TITANIUM PIVOTS KIT MICRO SIZE Adapted for COPING COVER KIT CONTAINS • 5 TITANIUM PIVOTS (Adapted for COPING COVER)	
Standard LENGTH	Ref. 034PRK	OVERDENTURE POSTS FOR ROOTS, AVAILABLE IN ONE STANDARD SIZE KIT CONTAINS • 2 Root posts in Titanium + TiN • 2 Retentive male attachment Titanium + nylon • 2 Plastic manual tools • 2 Stainless steel housings • 2 Pink protective disks	
Lenghts available: 14 - 12 - 10 - 9 - 7mm	Ref. 010PSP	CASTABLE PIVOTS FOR CANAL IMPRESSIONS KIT CONTAINS • 20 CASTABLE PIVOTS NORMAL SIZE	
Lenghts available: 10 - 9 - 7mm		CASTABLE PIVOTS	
ŢŢŢ	Ref. 012PSM	FOR CANAL IMPRESSIONS KIT CONTAINS • 20 CASTABLE PIVOTS MICRO SIZE	
1	Ref. A01MOG	MOOSER BUR FOR PIVOTS OF 7 - 9 - 10mm.	
	Ref. A03MOB	MOOSER BUR FOR PIVOTS OF 12 - 14mm.	
	Ref. 121FD	OT REVERSE 3 DIAMOND SHAPED BUR FOR ROOTS	

IMPLANTOLOGY TITANIUM ATTACHMENTS FOR OVERDENTURE SPHERO FLEX - BLOCK SYSTEM


SPHERO FLEX WITH TIN COATED



THE SPHERO FLEX, SPHERO BLOCK ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS.UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF CUFF HEIGHT IMPLANTS. WHEN ORDERING, PLEASE ALWAYS INDICATE: IMPLANT BRAND, IMPLANT DIAMETER AND CUFF HEIGHT. FOR SPHERO FLEX ABUTMENT CUFF AVAILABLE FROM 0.5 TO 7mm.



AUXILIARY TOOLS SPHERO FLEX - BLOCK =



SPHERO FLEX-BLOCK - OT REVERSE AND DIFFERENT SCREWS. THE ELASTIC DOWEL IS APPLICABLE ONLY UPON REQUEST TO ALL SCREWS WITH A NOT INFERIOR M. 1.8 to screws - Sphero Flex - Sphero Block - OT Reverse attachments, etc.

Ref. TE

Extra charge for the dowel application








10

AUXILIARY TOOLS SPHERO FLEX - BLOCK -



CUFF HEIGHT MEASURER

THIS TOOL IS USED TO DETERMINE THE CUFF HEIGHT OF IMPLANTS WITH INTERNAL OR EXTERNAL HEXAGON






CUFF HEIGHT MEASURER

- **KIT CONTAINS:** • 1 CUFF HEIGHT SLIDER GAUGE
- •1 CUFF HEIGHT FIXED ROD GAUGE
- •1 SILICON RING DISPENSER
- •20 SILICON RINGS



OT LOCK LOCKING PIN TITANIUM AND CASTABLE



SPARE PART	<mark>TS</mark> OT CAP SYST	EM NORMAL Ø2.5mm	I
_	Ref. 055SCN	• 4 CASTABLE SINGLE SPHERES NORMAL SIZE	
	Ref. 151BAN	• 2 CASTABLE PRESECTIONED BEVELED BARS NORMAL SIZE	
and a second	Ref. 150BPN	• 2 CASTABLE PRESECTIONED BARS NORMAL SIZE	
	Ref. 192ACN	CAPS ASSORTMENT KIT OT CAP NORMAL SIZE KIT CONTAINS • 1 STAINLESS STEEL HOUSING	
		 1 PROCESSING CAP 1 PROTECTIVE DISK 4 RETENTIVE CAPS (1 GREEN, 1 YELLOW, 1 PINK, 1 CLEAR) 	
	Ref. 048CAN	• 6 SILVER CAPS NORMAL SIZE (EXTRA-RESILIENT) (ELASTIC AND GUMMY) - 350 g	
	Ref. 048CON	• 6 GOLD CAPS NORMAL SIZE (EXTRA-RESILIENT) (SLIGHTLY ELASTIC) - 500g	
	Ref. 049PCN	• 6 GREEN CAPS NORMAL SIZE (VERY ELASTIC RETENTION) - 350g	
	Ref. 060CRN AY	• 6 YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) - 500g	
	Ref. 040CRN SN	• 6 PINK CAPS NORMAL SIZE (SOFT RETENTION) - 900g	
	Ref. 040CRN	• 6 CLEAR CAPS NORMAL SIZE (STANDARD RETENTION) - 1300g	
	Ref. 040TCN	2 TITAN CAPS NORMAL SIZE	
	Ref. 043CLN	• 6 BLACK CAPS NORMAL SIZE (FOR LABORATORY USE ONLY)	
	Ref. 049PCNDR8	ORANGE CAPS NORMAL SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 350 gr	
	Ref.060CRNAYDR8	• 6 YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 500 gr	
	Ref.040CRNSNDR8	• 6 PINK CAPS NORMAL SIZE (SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 900 gr	
	Ref. 040CRNDR8	• 6 AQUA CAPS NORMAL SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 1300 gr	
Ò	Ref. 042AMN	• 2 MONO OT BOX NORMAL SIZE (CASTABLE HOUSINGS FOR CAPS)	
	Ref. 041CAN	• 2 STAINLESS STEEL HOUSINGS NORMAL SIZE	
	Ref. 041CTN	• 2 TITANIUM HOUSINGS NORMAL SIZE	
9	Ref. 101PPN	• 2 PLASTIC POSITIONERS NORMAL SIZE	
	Ref. 044PPN	ORMAL SPHERE ANALOGS	
	Ref. 100SAN	• 10 ALUMINIUM SPACERS FOR OT BOX BARS NORMAL SIZE	12
			12

SPARE PARTS OT CAP SYSTEM MICRO Ø1.8mm						
_	Ref. 055SCM	• 4 CASTABLE SPHERES MICRO SIZE				
No.	Ref. 151BAM	• 2 CASTABLE PRESECTIONED BEVELED BARS MICRO SIZE				
and a second	Ref. 150BPM	• 2 CASTABLE PRESECTIONED BARS MICRO SIZE				
	Ref. 192ACM	CAPS ASSORTMENT KIT OT CAP MICRO SIZE KIT CONTAINS				
		 STAINLESS STEEL HOUSING PROCESSING CAP PROTECTIVE DISK RETENTIVE CAPS (1 GREEN, 1 YELLOW, 1 PINK, 1 CLEAR) 				
	Ref. 048CAM	• 6 SILVER CAPS MICRO SIZE (EXTRA-RESILIENT) (ELASTIC AND GUMMY) - 200g				
	Ref. 048COM	• 6 GOLD CAPS MICRO SIZE (EXTRA-RESILIENT) (SLIGHTLY ELASTIC) - 450g				
	Ref. 049PCM	GREEN CAPS MICRO SIZE (VERY ELASTIC RETENTION) - 200g				
	Ref. 060CRM AY					
	Ref. 040CRM SN	6 PINK CAPS MICRO SIZE (SOFT RETENTION) - 800g				
	Ref. 040CRM	• 6 CLEAR CAPS MICRO SIZE (STANDARD RETENTION) - 1100g				
	Ref. 040TCM	• 2 TITAN CAPS MICRO SIZE				
	Ref. 043CLM	• 6 BLACK CAPS MICRO SIZE (FOR LABORATORY USE ONLY)				
	Ref. 040CRMDR8	AQUA CAPS MICRO SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø1,6 mm) - 1100g				
	Ref. 049PCMDR8	ORANGE CAPS MICRO SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 1,6 mm) - 200g				
6	Ref. 042AMM	• 2 MONO OT BOX MICRO SIZE (CASTABLE HOUSINGS FOR CAPS)				
	Ref. 041CAM	• 2 STAINLESS STEEL HOUSINGS MICRO SIZE				
	Ref. 041CTM	• 2 TITANIUM HOUSINGS MICRO SIZE				
8	Ref. 101PPM	• 2 PLASTIC POSITIONERS MICRO SIZE				
Î	Ref. 044PPM	• 2 MICRO SPHERE ANALOGS				
	Ref. 100SAM	• 10 ALUMINIUM SPACERS FOR OT BOX BARS MICRO SIZE				

NORMAL-MICRO TOOLS

	Ref. 485IC	•	EXTRACTOR/INSERTER TOOL FOR CAPS - NORMAL AND MICRO SIZES (FOR THE INSERTION OF THE CAPS INSIDE THE METAL HOUSINGS)	
	Ref. 74AC01	•	KEY FOR PARALLELOMETER NORMAL SIZE	
	Ref. 74AC02	•	KEY FOR PARALLELOMETER MICRO SIZE	
<u> </u>	Ref. 74AC03	•	TECNO KEY FOR PARALLELOMETER NORMAL AND MICRO SIZES (ONLY FOR OT CAP TECNO)	
	Ref. 491EC	•	MULTIUSE REMOVAL TOOL FOR RETENTIVE CAPS	

NORMAL-MICR	O TOOLS continue	e ————	
	Ref. 080RCN	REAMER TOOL FOR OT CAPS - NORMAL SIZE	
	Ref. 080RCM	REAMER TOOL FOR OT CAPS - MICRO SIZE	
	Ref. 082ATN	TOOL FOR TESTING CAP RETENTION - NORMAL SIZE	
	Ref. 083ATM	TOOL FOR TESTING CAP RETENTION - MICRO SIZE	
NORMAL - MICI	RO ACCESSORIE	S AND Ø2.2mm	
1000	Ref. 155CC	6 CONNECTORS	
<u> </u>	Ref. 187CRS	2 CONCAVE SPHERES AVAILABLE: Ø1.8 - 2.2 - 2.5mm	
0	Ref. 187CRE	2 CONCAVE OT EQUATOR	
~	Ref. 189SRS	2 SOLID SPHERES AVAILABLE: Ø1.8mm	
	Ref. 100PD	10 PROTECTIVE DISKS (internal diameter 1,6mm)	
0	Ref. 100PDR	10 PINK PROTECTIVE DISKS (internal diameter 2,9mm)	
	Ref. 038GCS	2 CASTABLE SLIDING BASES	
Ť	Ref. 044PP22	2 MICRO ANALOGS Ø2.2mm	
OT CAP ASSORT	MENT KIT ——		
	KIT NORMAL	KIT CONTAINS	
	Ref. 074KAN ·	CLEAR CAPS - STANDARD RETENTION PINK CAPS - SOFT RETENTION VELLOW CAPS - EXTRA SOFT RETENTION CREEN CAPS - VERY ELASTIC PETENTION	

	Ref. 074KAN	PINK CAPS - SOFT RETENTION GREEN CAPS - EXTRA SOFT RETENTION GREEN CAPS - VERY ELASTIC RETENTION GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC	
CE	KIT MICRO	 6 SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY 4 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE) 	
	Ref. 074KAM	 A ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE) BLACK CAPS - LABORATORY USE ONLY TITAN CAPS 	
		ASSORTMENT KIT NORMAL & MICRO KIT CONTAINS	
		+4+4 CLEAR CAPS - STANDARD RETENTION +4+4 PINK CAPS - SOFT RETENTION	
Cardina and		• 2+2 YELLOW CAPS - EXTRA SOFT RETENTION	
	Ref. 074KNM	 3+3 GREEN CAPS - VERY ELASTIC RETENTION 3+3 GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC 	
CONTRACT COLOR		• 3+3 SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY	
		 2+2 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE) 2+2 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE) 	
		+2+2 BLACK CAPS - LABORATORY USE ONLY +1+1 TITAN CAPS	
		• I+I IIIAN CAPS	
Face3 700		OT CAP ASSORTED RETENTIVE CAPS	
C CAP	Ref. 064ACN	NORMAL KIT G GREEN CAPS - VERY ELASTIC RETENTION	
10000A	NORMAL SIZE	GREEN CAPS - VERT ELASTIC RETENTION GYELLOW CAPS - EXTRA SOFT RETENTION	
		• 6 PINK CAPS - SOFT RETENTION	
		CLEAR CAPS - STANDARD RETENTION	
Fields -		OT CAP ASSORTED RETENTIVE CAPS	
E LAP	Ref. 064ACM	• 6 GREEN CAPS - VERY ELASTIC RETENTION	

- GREENCAR'S VEHI ELASTIC RETENTION
 YELLOW CAPS EXTRA SOFT RETENTION
 PINK CAPS SOFT RETENTION
 CLEAR CAPS STANDARD RETENTION

MICRO SIZE

OT STRATEGY SPARE PARTS

2	Ref. 154PCS	• 4	OT STRATEGY STANDARD MALES	
	Ref. 054PLS	• 4	OT STRATEGY HIGH MALES	
V	Ref. 154STY	• 2	CASTABLE STEADY	
	Ref. 047CSD AY	• 4	STRATEGY YELLOW CAPS FOR DUPLICATION TECHNIQUE (EXTRA SOFT RETENTION) - 500gr	
F	Ref. 047CSD SN	• 4	STRATEGY PINK CAPS FOR DUPLICATION TECHNIQUE (SOFT RETENTION) - 900gr	
S	Ref. 047CSD	• 4	STRATEGY CLEAR CAPS FOR DUPLICATION TECHNIQUE (STANDARD RETENTION) - 1300gr	
	Ref. 047CLS	• 4	STRATEGY BLACK CAPS FOR DUPLICATION TECHNIQUE (FOR LABORATORY USE ONLY)	
	Ref. 047CSDDR8	• 4	AQUA STRATEGY CAPS FOR DUPLICATION TECHNIQUE (UNDERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE)	
(Ref. 045CSM AY	• 4	STRATEGY YELLOW CAPS FOR S/STEEL HOUSING (EXTRA SOFT RETENTION) - 500gr (TO BE USED ONLY WITH HOUSINGS)	
1	Ref. 045CSM SN	• 4	STRATEGY PINK CAPS FOR S/STEEL HOUSING (SOFT RETENTION) - 900gr (TO BE USED ONLY WITH HOUSINGS)	
	Ref. 045CSM	• 4	STRATEGY CLEAR CAPS FOR S/STEEL HOUSING (STANDARD RETENTION) - 1300gr (TO BE USED ONLY WITH HOUSINGS)	
	Ref. 045CLS	• 4	STRATEGY BLACK CAPS FOR S/STEEL HOUSING (FOR LABORATORY USE ONLY)	
	Ref. 045CSMDR8	• 4	AQUA STRATEGY CAPS FOR S/STEEL HOUSING (UNDERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE)	
	Ref. 046CSM	• 2	STRATEGY STAINLESS STEEL HOUSINGS	
R	Ref. 101OTS	• 2	STRATEGY PLASTIC POSITIONERS (FOR SOLDERING STAINLESS STEEL HOUSINGS)	
	OT STRATEGY ASS	OR	TMENT CAP KIT FOR DUPLICATION TECHNIQUE	
Service	Ref. 047ACS	• 4	CONTAINS YELLOW CAPS - EXTRA SOFT RETENTION PINK CAPS - SOFT RETENTION CLEAR CAPS - STANDARD RETENTION	
P			TMENT CAP KIT FOR S/STEEL HOUSINGS	
*	Ref. 045ACS	• 4	YELLOW CAPS - EXTRA SOFT RETENTION PINK CAPS - SOFT RETENTION CLEAR CAPS - STANDARD RETENTION	
6	Ref. 044PPS	• 2	STRATEGY ANALOGS	
	Ref. 486ICS	•	INSERTER/EXTRACTOR TOOL FOR STRATEGY CAPS	
	Ref. 75AC04	•	PARALLELOMETER KEY FOR STRATEGY CAPS	
	Ref. 081RCS	•	REAMER TOOL FOR STRATEGY CAPS	

OT BAR MULTIUSE SPARE PARTS –

	Ref. 022OBB	• 2	CASTABLE BARS OT BAR MULTIUSE	
	Ref. 025CPB	• 4	CASTABLE BOXES OT BAR MULTIUSE	
	Ref. 023CPA	• 4	POSITIONER CLIPS A	
	Ref. 024CPB	• 4	POSITIONER CLIPS B	
🦻 [Ref. 027CRG	• 4	YELLOW CLIPS (MEDIUM RETENTION 1,8Kg)	
	Ref. 026CRR	• 4	PINK CLIPS (SOFT RETENTION 1,2Kg)	
ا 🌍	Ref. 027CRS	• 4	RED CLIPS (EXTRA SOFT RETENTION 0,6Kg)	
	Ref. 022RGO	• 3	CASTABLE CONNECTORS	
	Ref. 429IOBM	•	INSERTER/EXTRACTOR TOOL FOR OT BAR MULTIUSE CLIPS	
	Ref. 028OCP	•	PARALLELOMETER KEY FOR OT BAR MULTIUSE	

OT VERTICAL SPARE PARTS

¥.		
i i	Ref. 072MCV• 2CASTABLE MALES• 2PIN KEYS	
I	Ref. 072SCV • 2 CASTABLE STEADY	
G	Ref. 072CBV • 4 WHITE CLIPS (STANDARD RETENTION)	
1	Ref. 072CVV • 4 GREEN CLIPS (SOFT RETENTION)	
	Ref. 472ICV • 1 INSERTION TOOL FOR OT VERTICAL CLIPS	

OT REVERSE 3 SPARE PARTS

(E)	Ref. 120MR2 • 2 RETENTIVE MALES in TITANIUM + NYLON (Color Clear/ STANDARD RETENTION)	
	Ref. 041CAM • 2 S/STEEL HOUSINGS MICRO SIZE	
	Ref. 121AOR • 2 BRASS ANALOGS FOR ROOTS	
Ĭ	Ref. 121AAR · 2 INOX IMPLANT ANALOGS	
B	Ref. 121MT • 2 PLASTIC TRANSFERS FOR IMPRESSION	

-	Ref. 121AM	• 2 PLASTIC MANUAL TOOLS	
Ö	Ref. 100PDR	10 PINK PROTECTIVE DISKS	
-	Ref. 121PR	• 2 PLASTIC POSITIONERS FOR DUPLICATION	
$ \longrightarrow $	Ref. 124IMR	METAL INSERTING TOOL FOR OT REVERSE/3 MALE	
— ()	Ref. 72CBR	S/STEEL PARALLELOMETER KEY FOR CASTABLE BAR	
	Ref. 72CFR	BRASS PARALLELOMETER KEY FOR TITANIUM FEMALE	
OT LOCK SPARE	PARTS		
	Ref. 882CS	• 1 SLIDING KEY (ONLY FOR TITANIUM - CASTABLE LOCKING PIN)	
	Ref. 882AF	• 1 FLEXIBLE RING	
2	Ref. 882CB	• 1 LOCKING KEY	
619	Ref. 882CPT	• 1 TITANIUM PREFABRICATED HOUSING (ONLY FOR TITANIUM - TITANIUM ADJUSTABLE LOCKING PIN)	
/	Ref. 882PPC	• 1 CERAMIC PIN	
1 million	Ref. 882CLSCT	• 1 ADJUSTABLE SLIDING KEY (ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN)	
60 0 0	Ref. 882DCC	• 9 CASTABLE SPACER RINGS (ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN)	

SPHERE REPAIR KITS

Rosenaria Andrew Market Andrew	AVAILABLE Ø 1.8 - 2.2 - 2.5 Ref. 087CRS	CONCAVE REPAIR SPHERE KIT CONTAINS • 2 CONCAVE SPHERES IN TITANIUM - TIN COATED • 2 PINK CAPS SOFT RETENTION • 1 INSERTING TOOL • 1 GAUGE AND STRIP HOLDER	
FLERING DIRECTOR	Ref. 087CRE	CONCAVE REPAIR OT EQUATOR KIT CONTAINS • 2 CONCAVE OT EQUATOR IN TITANIUM - TIN COATED • 2 PINK CAPS SOFT RETENTION • 1 INSERTING TOOL • 1 GAUGE AND STRIP HOLDER	
	Ref. 089SRS	 SOLID REPAIR SPHERE KIT CONTAINS 2 SOLID SPHERES 1.8mm IN TITANIUM - TIN COATED 2 PINK CAPS SOFT RETENTION 2 PROTECTIVE DISKS 1 KEY 	
TITANIUM ATTACH		RDENTURE	

OT REVERSE SYSTEM - OT KLASS: OT REVERSE SPARE PARTS AND OT KLASS ARE IN STOCK FOR DETAILED INFORMATION PLEASE E-MAIL US OR CALL OUR OFFICES

ADJUSTABLE DENTURE BOXES		
	Ref. 0P6 KIT CONTAINS • 6 ASSORTED BOXES COLOURS: BLUE - LIGHT BLUE - WHITE	
09999999	• 30 SILICONE RINGS	
SMALL PARALLELOMETER		
	Ref. 00PB • 1 SMALL PARALLELOMETER DEVICE WITH MODEL HOLDER BASE (FOR COURSES, ETC.)	
OT CEM		
	Ref. OCKIT CONTAINS• 1TWO-COMPONENT SYRINGE 5ml• 10AUTOMIX TIPS	
BROKEN SCREW EXTRACTOR	КІТ	
BROKEN SCREW EXTRACTOR KITS ARE MANUFACTURED FOR MOST IMPLANT BRANI	DS	
Customized for any implant brand	Ref. 680KIT CONTAINS• 1CLAW REAMER BUR• 1REVERSE CUTTING BUR• 1MANUAL EXTRACTOR• 1CENTERING DEVICE	
PHEINESS	Ref. 680FS •1 REVERSE CUTTING BUR	
	Ref. 680FA* •1 CLAW REAMER BUR *Specify type of implant and diameter	
METAL POLISHING KIT IDEAL FOR POLISHING ALL TYPES OF META BARS, ATTACHMENTS, FRAMEWORKS	L:	



Ref. SET1919

• 1 METAL POLISHING KIT BY CARLO BORROMEO



DIRECT SERVICES

A telephone service is available during office hours, it furnishes direct answers for technical questions. You can address to Rhein83 for knowing the address of foreign distributors

Tel. +39 051 244510 - +39 051 244396 - Fax +39 051 245238

Rhein83 website www.rhein83.com

General informations info@rhein83.com

Sales department angela.internationaltrade@rhein83.it

Technical support gianni.storni@rhein83.it

Marketing department marketing@rhein83.it

RHEIN83

Via ZAGO, 10/ABC 40128 - BOLOGNA (ITALY)

Tel. (+39) 051 244510 - (+39) 051 244396 Fax (+39) 051 245238

> http://www.rhein83.com marketing@rhein83.it

> > Distributor





