



Product Catalogue 2019/2020

Discover
a new world
of endo

Immerse yourself into 150 years of living history and discover interesting personalities, exciting backgrounds and surprising facts.


Join our ride!

www.vdw-dental.com/150years



YEARS

Preparation P. 6



Irrigation P. 34



The VDW Endo-System


More than the sum of high quality products

Obturation P. 38




Post-Endo P. 52





Preparation



Easy root canal preparation

Benefit from a safe and easy root canal preparation and create optimal conditions for disinfection.

The result: full control from the start.

- Time-saving preparation of the entire root canal with only one **RECIPROC® blue** or **RECIPROC®** instrument.
- Minimum risk of fracture when used together with VDW drives, e.g. **VDW.CONNECT Drive®** or **VDW.GOLD®RECIPROC®**.
- Automatic stop on reaching the apex thanks to the apex locator.



RECIPROC® blue



A great file. Even better.

- Same cutting efficiency
- Increased flexibility and safety
- Same simplicity of use

Simple, but effective: The new RECIPROC® blue file generation combines the ease of the original RECIPROC® one file endo concept with enhanced safety in root canal preparation for patients. An innovative heat treatment makes RECIPROC® blue particularly flexible to ensure a smoother and safer progression in the canal and gives it in addition its characteristic blue color.



RECIPROC® blue Single Sizes

STERILE

Blister pack of 6 instruments	21 mm	25 mm	31 mm
R25	V04 0252 021 025	V04 0252 025 025	V04 0252 031 025
R40	V04 0252 021 040	V04 0252 025 040	V04 0252 031 040
R50	V04 0252 021 050	V04 0252 025 050	V04 0252 031 050
Blister pack of 4 instruments*	21 mm	25 mm	31 mm
R25	V04 0052 021 025	V04 0052 025 025	V04 0052 031 025
R40	V04 0052 021 040	V04 0052 025 040	V04 0052 031 040
R50	V04 0052 021 050	V04 0052 025 050	V04 0052 031 050

* not available in Europe

RECIPROC® blue Assortments


STERILE

Blister pack of 4 instruments*	21 mm	25 mm
2 x R25, 1 x R40, 1 x R50	V04 0052 021 200	V04 0052 025 200

* not available in Europe

➤ RECIPROC® blue System Kit 24 _____ V04 1215 025 000

- 24 RECIPROC® blue instruments (25 mm), sterile, 12 x R25, 6 x R40, 6 x R50
- 180 RECIPROC® blue Paper Points, assorted, sterile, 60 x R25, 60 x R40, 60 x R50
- 60 RECIPROC® blue Gutta-Percha cones, assorted, 36 x R25, 12 x R40, 12 x R50
- 1 Endo training tooth, trepanated
- User card, brochure, directions for use





System designed specifically for root canal preparation in reciprocation

- Root canal preparation with only one instrument
- Retreatment of gutta-percha filling material and carrier based obturators with R25
- Single-use convenience; sterile instruments, individually packed
- Three instrument sizes for narrow, medium and wide canals

RECIPROC® Single Sizes



Blister pack of 6 instruments	21 mm	25 mm	31 mm
R25	V04 0212 021 025	V04 0212 025 025	V04 0212 031 025
R40	V04 0212 021 040	V04 0212 025 040	V04 0212 031 040
R50	V04 0212 021 050	V04 0212 025 050	V04 0212 031 050
Blister pack of 4 instruments*	21 mm	25 mm	31 mm
R25	V04 0012 021 025	V04 0012 025 025	V04 0012 031 025
R40	V04 0012 021 040	V04 0012 025 040	V04 0012 031 040
R50	V04 0012 021 050	V04 0012 025 050	V04 0012 031 050



* not available in Europe

RECIPROC® Assortments



Blister pack of 6 instruments	21 mm	25 mm	31 mm
3 × R40, 3 × R50	V04 0212 021 233	V04 0212 025 233	V04 0212 031 233
Blister pack of 4 instruments*	21 mm	25 mm	31 mm
2 × R25, 1 × R40, 1 × R50	V04 0012 021 200	V04 0012 025 200	-

* not available in Europe

RECIPROC® System Kit 24 _____ V04 1213 025 000

- 24 RECIPROC® instruments (25 mm), sterile, 12 × R25, 6 × R40, 6 × R50
- 144 RECIPROC® Paper Points, assorted, sterile, 96 × R25, 24 × R40, 24 × R50
- 60 RECIPROC® Gutta-Percha cones, assorted, 40 × R25, 10 × R40, 10 × R50
- 1 Endo training tooth, trepanated
- User card, brochure, directions for use



The first motor driven glide path instrument in reciprocating motion by VDW

- Safer and faster glide path management** in reciprocating motion
- Better respect of the canal anatomy** for more confidence in your treatment

With R-PILOT™, there is finally a safe and easy-to-use solution for cases where a glide path is needed. R-PILOT™ is designed to be used in reciprocating motion with a designated drive system with original VDW RECIPROC® settings.

Blister pack of 6 instruments	21 mm	25 mm	31 mm
12.5/.04	V04 0217 021 012	V04 0217 025 012	V04 0217 031 012
Blister pack of 4 instruments	21 mm	25 mm	31 mm
12.5/.04	V04 1217 021 012	V04 1217 025 012	V04 1217 031 012



**versus VDW SST files

VDW.ROTATE™

NiTi Root Canal File

Taking rotary preparation to the next level

- **VERSATILITY:** VDW.ROTATE™ includes an intuitive 3 file basic sequence plus a wide range of larger files for various clinical cases with matching paper points and obturators.
- **RESPECT OF THE NATURAL CANAL ANATOMY:** The instruments follow the natural canal anatomy smoothly thanks to its specific heat treatment making the file more flexible without compromising its cutting efficiency.*
- **EFFICIENT DEBRIS REMOVAL:** The adapted S cross section gives more space for debris removal and provides control of the instrument for a swift, thorough and safe preparation.*, **



VDW.ROTATE™ Basic sequence

Blister pack of 6 instruments	21 mm	25 mm	31 mm
○ 15.04	MST VROT 621 415	MST VROT 625 415	MST VROT 631 415
● 20.05	MST VROT 621 520	MST VROT 625 520	MST VROT 631 520
Taper .06 for the majority of cases			
⊙ 25.06	MST VROT 621 625	MST VROT 625 625	MST VROT 631 625
Taper .04 for narrow and highly curved canals incl. apical curvature			
⊙ 25.04	MST VROT 621 425	MST VROT 625 425	MST VROT 631 425

Blister pack of 4 instruments***	21 mm	25 mm	31 mm
○ 15.04	MST VROT 421 415	MST VROT 425 415	MST VROT 431 415
● 20.05	MST VROT 421 520	MST VROT 425 520	MST VROT 431 520
Taper .06 for the majority of cases			
⊙ 25.06	MST VROT 421 625	MST VROT 425 625	MST VROT 431 625
Taper .04 for narrow and highly curved canals incl. apical curvature			
⊙ 25.04	MST VROT 421 425	MST VROT 425 425	MST VROT 431 425

VDW.ROTATE™ Basic sequence – Assortment

Blister pack of 3 instruments	21 mm	25 mm	31 mm
15.04, 20.05, 25.06	MST VROT 321 AST	MST VROT 325 AST	MST VROT 331 AST

*compared to other VDW continuous rotary instruments


**compared to a centred rotary cross section

***please refer to your local VDW contact for availability

****coming soon, not available for sale yet

VDW.ROTATE™ Shaping of larger canal anatomies

Blister pack of 6 instruments****		21 mm	25 mm	31 mm
●	30.04	MST VROT 621 430	MST VROT 625 430	MST VROT 631 430
●	35.04	MST VROT 621 435	MST VROT 625 435	MST VROT 631 435
●	40.04	MST VROT 621 440	MST VROT 625 440	MST VROT 631 440
●	50.04	MST VROT 621 450	MST VROT 625 450	MST VROT 631 450
●	60.04	MST VROT 621 460	MST VROT 625 460	MST VROT 631 460
●	30.06	MST VROT 621 630	MST VROT 625 630	MST VROT 631 630
●	35.06	MST VROT 621 635	MST VROT 625 635	MST VROT 631 635
●	40.06	MST VROT 621 640	MST VROT 625 640	MST VROT 631 640



Blister pack of 4 instruments***, ****		21 mm	25 mm	31 mm
●	30.04	MST VROT 421 430	MST VROT 425 430	MST VROT 431 430
●	35.04	MST VROT 421 435	MST VROT 425 435	MST VROT 431 435
●	40.04	MST VROT 421 440	MST VROT 425 440	MST VROT 431 440
●	50.04	MST VROT 421 450	MST VROT 425 450	MST VROT 431 450
●	60.04	MST VROT 421 460	MST VROT 425 460	MST VROT 431 460
●	30.06	MST VROT 421 630	MST VROT 425 630	MST VROT 431 630
●	35.06	MST VROT 421 635	MST VROT 425 635	MST VROT 431 635
●	40.06	MST VROT 421 640	MST VROT 425 640	MST VROT 431 640

VDW.ROTATE™ Retreatment file

Blister pack of 6 instruments****		21 mm
●	25.05	MST VROT 621 525

Blister pack of 4 instruments***, ****		21 mm
●	25.05	MST VROT 421 525



> VDW.ROTATE™ System Kit 30**** _____ MKT VROT 025 000

- 24 VDW.ROTATE™ Instruments (25 mm), sterile,
6 × 15.04, 6 × 20.05, 6 × 25.06, 6 × 25.04
- 6 VDW.ROTATE™ Retreatment files (21 mm), sterile, 25.05
- 180 VDW.ROTATE™ Paper Points, assorted, sterile,
60 × 25.06, 60 × 30.04, 30 × 35.04, 30 × 25.04
- 60 VDW.ROTATE™ Gutta-Percha cones, assorted,
24 × 25.06, 12 × 30.04, 12 × 35.04, 12 × 25.04
- 1 Endo training tooth, accessed
- Step by Step card, directions for use

***please refer to your local VDW contact for availability




****coming soon, not available for sale yet



Mtwo® is licensed by sweden & martina

The efficient NiTi system


- Simple: One sequence for all canals
- Single Length: All instruments are brought to full working length
- Superior cutting efficiency and flexibility, for an efficient root canal preparation



Basic Sequence Blister pack of 6 instruments



Size/Taper	Mtwo® working part 16 mm		Mtwo® working part 21 mm	
	21 mm	25 mm	25 mm	31 mm
10/.04	V04 0234 021 010	V04 0234 025 010	V04 1234 025 010	V04 1234 031 010
15/.05	V04 0235 021 015	V04 0235 025 015	V04 1235 025 015	V04 1235 031 015
20/.06	V04 0236 021 020	V04 0236 025 020	V04 1236 025 020	V04 1236 031 020
25/.06	V04 0236 021 025	V04 0236 025 025	V04 1236 025 025	V04 1236 031 025



Shaping of Larger Canal Anatomies Blister pack of 6 instruments



Size/Taper	Mtwo® working part 16 mm		Mtwo® working part 21 mm
	21 mm	25 mm	31 mm
30/.05	V04 0235 021 030	V04 0235 025 030	V04 1235 031 030
35/.04	V04 0234 021 035	V04 0234 025 035	V04 1234 031 035
40/.04	V04 0234 021 040	V04 0234 025 040	V04 1234 031 040
45/.04	V04 0234 021 045	V04 0234 025 045	V04 1234 031 045
50/.04	V04 0234 021 050	V04 0234 025 050	V04 1234 031 050
60/.04	V04 0234 021 060	V04 0234 025 060	V04 1234 031 060

Size/Taper	Mtwo® working part 16 mm		Mtwo® working part 21 mm
	21 mm	25 mm	31 mm
25/.07	V04 0237 021 025	V04 0237 025 025	V04 1237 031 025
30/.06	V04 0236 021 030	V04 0236 025 030	V04 1236 031 030
35/.06	V04 0236 021 035	V04 0236 025 035	V04 1236 031 035
40/.06	V04 0236 021 040	V04 0236 025 040	V04 1236 031 040



Mtwo® Assortments



Blister pack of 6 instruments	Mtwo® working part 16 mm		Mtwo® working part 21 mm	
	21 mm	25 mm	25 mm	31 mm
2 × 10/.04, 15/.05, 20/.06 each	V04 0230 021 456	V04 0230 025 456	-	-
2 × 25/.06, 30/.05, 35/.04, 40/.04, 25/.07	V04 0230 021 457	V04 0230 025 457	-	-
2 × 10/.04, 15/.05, 20/.06 each	-	-	V04 1230 025 456	-
2 × 25/.06, wp 21 mm, 30/.05, 35/.04, 40/.04, 25/.07, wp 16 mm	-	V04 1230 025 457	-	-
2 × 30/.06, 35/.06, 40/.06 each	-	V04 0236 025 203	-	-
2 × 45/.04, 50/.04, 60/.04 each	-	V04 0234 025 246	-	-

Blister pack of 4 instruments*	Mtwo® working part 16 mm		Mtwo® working part 21 mm	
	21 mm	25 mm	25 mm	31 mm
10/.04, 15/.05, 20/.06, 25/.06	V04 0007 021 701	V04 0007 025 711	V04 0007 025 701	V04 0007 031 701
30/.05, 35/.04, 40/.04, 25/.07	V04 0007 021 702	V04 0007 025 702	-	V04 0007 031 702

* not available in Europe

Mtwo® Retreatment Files**STERILE****For efficient removal of filling material**

- Suitable for narrow, medium and large root canals
- Cutting tip
- Working part 16 mm

	Size/Taper	21 mm
○	R 15/.05	V04 0232 021 015
●	R 25/.05	V04 0232 021 025
	3 × R15/.05, R25/.05 each	V04 0232 021 202


› Mtwo® Basic Kit _____ V04 0238 025 000

Kit with instruments in 25 mm working length:

- 1 blister pack of Mtwo® 2 × 10/.04, 15/.05, 20/.06 each, 21 mm working part, sterile
- 1 blister pack of Mtwo® 2 × 25/.06, 21 mm working part, 1 × 30/.05, 35/.04, 40/.04, 25/.07 each, 16 mm working part, sterile
- 3 plastic training blocks
- CD-ROM and user card

› Mtwo® SystemBox _____ V04 0239 000 000

- With module for easy organisation and storage of Mtwo® instruments
- Instruments not included, autoclavable



› Mtwo® Modul _____ V04 0408

- Instrument module, without box
- Instruments not included


› Mtwo® Control Stickers _____ V04 0491 000 000

For practical monitoring of instrument use

- 16 Control Stickers for the basic sequence
- 12 Control Stickers for additional sizes
- self-adhesive, autoclavable



FlexMaster®

The established crown-down NiTi system

- Three sequences to choose from for every type of canal
- Safe use due to optimal stability of file even with low tapered files (2 %)

FlexMaster® Taper .02 Blister pack of 6 instruments

	Size/Taper	21 mm	25 mm
○	15/.02	V04 0341 021 015	V04 0341 025 015
●	20/.02	V04 0341 021 020	V04 0341 025 020
●	25/.02	V04 0341 021 025	V04 0341 025 025
●	30/.02	V04 0341 021 030	V04 0341 025 030
●	35/.02	V04 0341 021 035	V04 0341 025 035
●	40/.02	V04 0341 021 040	V04 0341 025 040
○	45/.02	V04 0341 021 045	V04 0341 025 045
●	50/.02	-	V04 0341 025 050
●	60/.02	-	V04 0341 025 060
●	70/.02	-	V04 0341 025 070



FlexMaster® Taper .04 Blister pack of 6 instruments

	Size/Taper	21 mm	25 mm	31 mm
○	15/.04	V04 0342 021 015	V04 0342 025 015	-
●	20/.04	V04 0342 021 020	V04 0342 025 020	V04 0342 031 020
●	25/.04	V04 0342 021 025	V04 0342 025 025	V04 0342 031 025
●	30/.04	V04 0342 021 030	V04 0342 025 030	V04 0342 031 030
●	35/.04	V04 0342 021 035	V04 0342 025 035	V04 0342 031 035
●	40/.04	V04 0342 021 040	V04 0342 025 040	V04 0342 031 040



FlexMaster® Taper .06 Blister pack of 6 instruments

	Size/Taper	21 mm	25 mm
○	15/.06	V04 0343 021 015	V04 0343 025 015
●	20/.06	V04 0343 021 020	V04 0343 025 020
●	25/.06	V04 0343 021 025	V04 0343 025 025
●	30/.06	V04 0343 021 030	V04 0343 025 030
●	35/.06	V04 0343 021 035	V04 0343 025 035
●	40/.06	V04 0343 021 040	V04 0343 025 040



FlexMaster® Assortments Blister pack of 6 instruments

Size/Taper	21 mm	25 mm	31 mm
20/.02, 25/.02, 30/.02, 35/.02, 40/.02, 45/.02	-	V04 0341 025 231	V04 0341 031 231
20/.04, 25/.04, 30/.04, 20/.06, 25/.06, 30/.06	-	V04 0344 025 232	-
2 × 50/.02, 60/.02, 70/.02 each	V04 0341 021 241	-	-

STERILE

FlexMaster® IntroFile

- 11 % taper
- 19 mm working length, 9 mm active working part
- ISO size 22 at the tip
- Blister pack of 6 pieces

V04 0357 019 000

STERILE



› FlexMaster® SystemBox _____ V04 0340

- The perforated base allows efficient sterilisation with autoclave paper (REF V04 0191)
- Without instruments




› FlexMaster® AccessoryBox _____ V04 0345

- The perforated base allows efficient sterilisation with autoclave paper (REF V04 0191)
- Without instruments



› FlexMaster® CombiBox _____ V04 0445

- The perforated base allows efficient sterilisation with autoclave paper (REF V04 0192)
- Without instruments



› FlexMaster® Modul _____ V04 04050

› FlexMaster® Accessory Modul _____ V04 0407

Accessories

› FileCare® EDTA _____ 2 × 3 ml V04 1010 000 002

Chelating agent

- Active substances: 15 % EDTA and 10 % urea peroxide gel
- Removes smear layer
- Improved tubular penetration of endodontic medication and filling material
- Easier penetration of the instrument, as FileCare®EDTA decalcifies dentine by binding the calcium in an electronegative complex
- Pulp tissue and dentinal debris are actively flushed out of the canal

5 × 3 ml
V04 1010 000 005



VDW.ULTRA®

High performance endo ultrasonic device

- Endo focus with clearly marked endo power ranges in large scale
- Correct power setting within the power range allows optimal balance between efficient and gentle operation
- Patented piezo technology



› VDW.ULTRA® _____ V04 1400 000 501

- Incl. ultrasonic handpiece
- Incl. 1 ultrasonic endo tip

› Ultrasonic Handpiece _____ V04 1401 000 000



VDW Endo Ultrasonic Tips

CAVI tips (diamond-coated)

CAVI 1-BD (ball)

- Access refinement

Blister pack of 1 tip

CAVI 1-BD V04 1410 000 001

CAVI 2-D V04 1410 000 002

CAVI 3-D V04 1410 000 003

CAVI 2-D (swan neck, optimised visibility)

CAVI 3-D (standard)



REDO tips

REDO 1 (short)

- Retreatments

Blister pack of 1 tip

REDO 1 V04 1411 000 001

REDO 2 V04 1411 000 002

REDO 5 V04 1411 000 005

REDO 2 (medium, special Ti-Nb alloy)

REDO 5 (long)



MAXI tip

MAXI MPR

- Dislodging metal posts at high power level

Blister pack of 1 tip

MAXI MPR V04 1412 000 000



MAXI



VDW®STERILE Gates Enlargers

For enlargement of the coronal third

- Stainless steel
- Recommended speed 800-1,200 rpm
- Non-cutting tip
- Blister pack of 6 pieces

Size	19 mm ●	19 mm ▲
1 / 50	V04 0380 019 001	0180 019 001
2 / 70	V04 0380 019 002	0180 019 002
3 / 90	V04 0380 019 003	0180 019 003
4 / 110	V04 0380 019 004	0180 019 004
5 / 130	V04 0380 019 005	0180 019 005
6 / 150	V04 0380 019 006	0180 019 006
1-6 / 50-150	V04 0380 019 300	0180 019 300



Peeso Enlargers



For enlargement of the coronal third

- Stainless steel
- Recommended speed 800-1,200 rpm
- Non-cutting tip
- Blister pack of 6 pieces

Size	19 mm
1 / 70	0183 019 001
2 / 90	0183 019 002
3 / 110	0183 019 003
4 / 130	0183 019 004
5 / 150	0183 019 005
6 / 170	0183 019 006
1-6 / 70-170	0183 019 300



Beutelock Reamers



For enlarging coronal and straight root canal sections

- Stainless steel, cylindrical
- Recommended speed 450-800 rpm
- Blister pack of 6 pieces

Size	18 mm
○ 1 / 35	0944 018 001
● 2 / 45	0944 018 002
● 3 / 60	0944 018 003
● 4 / 75	0944 018 004
● 5 / 90	0944 018 005
● 6 / 105	0944 018 006
1-6 / 35-105	0944 018 300



Beutelock Enlargers



For flaring of root canal orifices

- Stainless steel
- Recommended speed 800-1,200 rpm
- Blister pack of 6 pieces

Size	11 mm
○ 1 / 90	0947 011 001
● 2 / 100	0947 011 002
● 3 / 120	0947 011 003
● 4 / 140	0947 011 004
● 5 / 160	0947 011 005
● 6 / 180	0947 011 006
1-6 / 90-180	0947 011 300



Sterile SST Hand Instruments

VDW®STERILE C-PILOT® Files

STERILE

STERILE

For severely curved or calcified root canals

- Stainless steel
- High bending strength due to a special thermal hardening process
- Enables creation of a smooth glide path prior to every rotary preparation
- The inactive pilot tip conducts the instrument safely along the canal
- Blister pack of 6 pieces

	Size	19 mm	21 mm	25 mm
◉	06	V04 0368 019 006	V04 0368 021 006	V04 0368 025 006
◉	08	V04 0368 019 008	V04 0368 021 008	V04 0368 025 008
◉	10	V04 0368 019 010	V04 0368 021 010	V04 0368 025 010
	06-10	V04 0368 019 210	V04 0368 021 210	V04 0368 025 210
◉	12.5	V04 0368 019 012	V04 0368 021 012	V04 0368 025 012
◉	15	V04 0368 019 015	V04 0368 021 015	V04 0368 025 015



VDW®STERILE K-Reamers

STERILE

For safe root canal preparation with a reaming motion

- Stainless steel
- ISO 06-40 square cross-section for better fracture resistance
- ISO 45-140 triangular cross-section for better cutting efficiency
- Special steel alloy with uniform structure for maximum resistance to fracture and maximum flexibility
- The non-cutting tip guides the instrument safely along the canal
- Blister pack of 6 pieces

	Size	21 mm	25 mm	31 mm
◉	06	V04 0353 021 006	V04 0353 025 006	V04 0353 031 006
◉	08	V04 0353 021 008	V04 0353 025 008	V04 0353 031 008
◉	10	V04 0353 021 010	V04 0353 025 010	V04 0353 031 010
	06-10	V04 0353 021 210	V04 0353 025 210	V04 0353 031 210
◉	15	V04 0353 021 015	V04 0353 025 015	V04 0353 031 015
◉	20	V04 0353 021 020	V04 0353 025 020	V04 0353 031 020
◉	25	V04 0353 021 025	V04 0353 025 025	V04 0353 031 025
◉	30	V04 0353 021 030	V04 0353 025 030	V04 0353 031 030
◉	35	V04 0353 021 035	V04 0353 025 035	V04 0353 031 035
◉	40	V04 0353 021 040	V04 0353 025 040	V04 0353 031 040
	15-40	V04 0353 021 230	V04 0353 025 230	V04 0353 031 230
◉	45	V04 0353 021 045	V04 0353 025 045	V04 0353 031 045
◉	50	V04 0353 021 050	V04 0353 025 050	V04 0353 031 050
◉	55	V04 0353 021 055	V04 0353 025 055	V04 0353 031 055
◉	60	V04 0353 021 060	V04 0353 025 060	V04 0353 031 060
◉	70	V04 0353 021 070	V04 0353 025 070	V04 0353 031 070
◉	80	V04 0353 021 080	V04 0353 025 080	V04 0353 031 080
	45-80	V04 0353 021 240	V04 0353 025 240	V04 0353 031 240
◉	90	V04 0353 021 090	V04 0353 025 090	V04 0353 031 090
◉	100	V04 0353 021 100	V04 0353 025 100	V04 0353 031 100
◉	110	V04 0353 021 110	V04 0353 025 110	V04 0353 031 110
	90-110	V04 0353 021 250	-	-
◉	120	-	V04 0353 025 120	V04 0353 031 120
◉	130	-	V04 0353 025 130	V04 0353 031 130
◉	140	-	V04 0353 025 140	V04 0353 031 140
	90-140	-	V04 0353 025 260	V04 0353 031 260



VDW®STERILE K-Files

For all preparation techniques with filing motion

- Stainless steel
- ISO 06-25 square cross-section for better fracture resistance
- ISO 30-140 triangular cross-section for better cutting efficiency
- Special steel alloy with uniform structure for maximum resistance to fracture and maximum flexibility
- The inactive tip conducts the instrument safely along the canal
- Blister pack of 6 pieces

Size	21 mm	25 mm	31 mm
06	V04 0363 021 006	V04 0363 025 006	V04 0363 031 006
08	V04 0363 021 008	V04 0363 025 008	V04 0363 031 008
10	V04 0363 021 010	V04 0363 025 010	V04 0363 031 010
06-10	V04 0363 021 210	V04 0363 025 210	V04 0363 031 210
12.5	V04 0363 021 012	V04 0363 025 012	-
15	V04 0363 021 015	V04 0363 025 015	V04 0363 031 015
17.5	V04 0363 021 017	V04 0363 025 017	-
20	V04 0363 021 020	V04 0363 025 020	V04 0363 031 020
25	V04 0363 021 025	V04 0363 025 025	V04 0363 031 025
30	V04 0363 021 030	V04 0363 025 030	V04 0363 031 030
35	V04 0363 021 035	V04 0363 025 035	V04 0363 031 035
40	V04 0363 021 040	V04 0363 025 040	V04 0363 031 040
15-40	V04 0363 021 230	V04 0363 025 230	V04 0363 031 230
45	V04 0363 021 045	V04 0363 025 045	V04 0363 031 045
50	V04 0363 021 050	V04 0363 025 050	V04 0363 031 050
55	V04 0363 021 055	V04 0363 025 055	V04 0363 031 055
60	V04 0363 021 060	V04 0363 025 060	V04 0363 031 060
70	V04 0363 021 070	V04 0363 025 070	V04 0363 031 070
80	V04 0363 021 080	V04 0363 025 080	V04 0363 031 080
45-80	V04 0363 021 240	V04 0363 025 240	V04 0363 031 240
90	V04 0363 021 090	V04 0363 025 090	V04 0363 031 090
100	V04 0363 021 100	V04 0363 025 100	V04 0363 031 100
110	V04 0363 021 110	V04 0363 025 110	V04 0363 031 110
90-110	V04 0363 021 250	-	-
120	-	V04 0363 025 120	V04 0363 031 120
130	-	V04 0363 025 130	V04 0363 031 130
140	-	V04 0363 025 140	V04 0363 031 140
90-140	-	V04 0363 025 260	V04 0363 031 260




VDW®STERILE Hedstroem Files

STERILE

Highly efficient enlargement of root canals in filing motion

- Stainless steel
- Excellent cutting ability
- Special steel alloy with uniform structure for maximum resistance to fracture and maximum flexibility
- The inactive tip conducts the instrument safely along the canal
- Blister pack of 6 pieces

	Size	21 mm	25 mm	31 mm
○	08	V04 0373 021 008	V04 0373 025 008	V04 0373 031 008
○	10	V04 0373 021 010	V04 0373 025 010	V04 0373 031 010
	08-10	V04 0373 021 220	V04 0373 025 220	V04 0373 031 220
○	15	V04 0373 021 015	V04 0373 025 015	V04 0373 031 015
○	20	V04 0373 021 020	V04 0373 025 020	V04 0373 031 020
○	25	V04 0373 021 025	V04 0373 025 025	V04 0373 031 025
○	30	V04 0373 021 030	V04 0373 025 030	V04 0373 031 030
○	35	V04 0373 021 035	V04 0373 025 035	V04 0373 031 035
○	40	V04 0373 021 040	V04 0373 025 040	V04 0373 031 040
	15-40	V04 0373 021 230	V04 0373 025 230	V04 0373 031 230
○	45	V04 0373 021 045	V04 0373 025 045	V04 0373 031 045
○	50	V04 0373 021 050	V04 0373 025 050	V04 0373 031 050
○	55	V04 0373 021 055	V04 0373 025 055	V04 0373 031 055
○	60	V04 0373 021 060	V04 0373 025 060	V04 0373 031 060
○	70	V04 0373 021 070	V04 0373 025 070	V04 0373 031 070
○	80	V04 0373 021 080	V04 0373 025 080	V04 0373 031 080
	45-80	V04 0373 021 240	V04 0373 025 240	V04 0373 031 240
○	90	V04 0373 021 090	V04 0373 025 090	V04 0373 031 090
○	100	V04 0373 021 100	V04 0373 025 100	V04 0373 031 100
○	110	V04 0373 021 110	V04 0373 025 110	V04 0373 031 110
	90-110	V04 0373 021 250	-	-
○	120	-	V04 0373 025 120	V04 0373 031 120
○	130	-	V04 0373 025 130	V04 0373 031 130
○	140	-	V04 0373 025 140	V04 0373 031 140
	90-140	-	V04 0373 025 260	V04 0373 031 260



VDW®STERILE Flexicut® Files

STERILE

For preparation of severely curved and narrow root canals with a filing motion

- Stainless steel
- Special steel alloy with uniform structure for maximum resistance to fracture and maximum flexibility
- Cutting angle effective with filing motion
- The inactive tip conducts the instrument safely along the canal
- Triangular cross-section for highest cutting efficiency
- More cutting edges than K-Reamers
- Blister pack of 6 pieces

	Size	21 mm	25 mm
○	15	V04 0364 021 015	V04 0364 025 015
○	20	V04 0364 021 020	V04 0364 025 020
○	25	V04 0364 021 025	V04 0364 025 025
○	30	V04 0364 021 030	V04 0364 025 030
○	35	V04 0364 021 035	V04 0364 025 035
○	40	V04 0364 021 040	V04 0364 025 040
	15-40	V04 0364 021 230	V04 0364 025 230



VDW®STERILE Barbed Broaches

STERILE

For easy and safe pulp tissue removal

Flexible barbs are arranged spirally on the cone shaped core. The size corresponds to 1/2 of the core diameter.

- Stainless steel, CC-Cord® Handle
- 150 pieces, in blister packs

	Size	21 mm
●	XXXXF / 0	V04 0333 021 410
○	XXXF / 1	V04 0333 021 420
●	XXF / 2	V04 0333 021 430
●	XF / 3	V04 0333 021 440
●	F / 4	V04 0333 021 450
●	M / 5	V04 0333 021 460
●	C / 6	V04 0333 021 470
	XXF-F / 2-4	V04 0333 021 480



Sterile NiTi Hand Instruments

VDW®STERILE NiTi K-Files

STERILE

For the enlargement of severely curved canals

- Super flexible files, follow any canal curvature
- Blister pack of 6 pieces

	Size	21 mm	25 mm
○	15	V04 0362 021 015	V04 0362 025 015
●	20	V04 0362 021 020	V04 0362 025 020
●	25	V04 0362 021 025	V04 0362 025 025
●	30	V04 0362 021 030	V04 0362 025 030
●	35	V04 0362 021 035	V04 0362 025 035
●	40	V04 0362 021 040	V04 0362 025 040
	15-40	V04 0362 021 230	V04 0362 025 230
○	45	V04 0362 021 045	V04 0362 025 045
●	50	V04 0362 021 050	V04 0362 025 050
●	55	V04 0362 021 055	V04 0362 025 055
●	60	V04 0362 021 060	V04 0362 025 060



Non-sterile SST Hand Instruments

K-Reamers*



For safe root canal preparation with a reaming motion

- Stainless steel
- ISO 06-40 square cross-section for better fracture resistance
- ISO 45-140 triangular cross-section for better cutting efficiency
- Special steel alloy with uniform structure for maximum resistance to fracture and maximum flexibility
- The non-cutting tip guides the instrument safely along the canal
- Blister pack of 6 pieces

Single sizes	21 mm	25 mm	28 mm	31 mm
06-140	-	0053 025 XXX	-	0053 031 XXX
06-110	0053 021 XXX	-	0053 028 XXX	-
Assortments				
06-10	-	0053 025 210	0053 028 210	0053 031 210
15-40	0053 021 230	0053 025 230	0053 028 230	0053 031 230
45-80	0053 021 240	0053 025 240	0053 028 240	0053 031 240
90-110	0053 021 250	-	-	-
90-140	-	0053 025 260	-	0053 031 260

* not available in all countries

K-Files*



For all preparation techniques with filing motion

- Stainless steel
- ISO 06-25 square cross-section for better fracture resistance
- ISO 30-140 triangular cross-section for better cutting efficiency
- Special steel alloy with uniform structure for maximum resistance to fracture and maximum flexibility
- The inactive tip conducts the instrument safely along the canal
- Blister pack of 6 pieces

Single sizes	21 mm	25 mm	28 mm	31 mm
06-140	-	0063 025 XXX	-	0063 031 XXX
06-110	0063 021 XXX	-	0063 028 XXX	-
Assortments				
06-10	0063 021 210	0063 025 210	0063 028 210	0063 031 210
15-40	0063 021 230	0063 025 230	0063 028 230	0063 031 230
45-80	0063 021 240	0063 025 240	0063 028 240	0063 031 240
90-110	0063 021 250	0063 025 250	0063 028 250	0063 031 250
90-140	-	0063 025 260	-	0063 031 260
120-140	-	0063 025 270	-	0063 031 270

* not available in all countries



Hedstroem Files*

Highly efficient enlargement of root canals in filing motion

- Stainless steel
- Excellent cutting ability
- Special steel alloy with uniform structure for maximum resistance to fracture and maximum flexibility
- The inactive tip conducts the instrument safely along the canal
- Blister pack of 6 pieces

Single sizes	21 mm	25 mm	28 mm	31 mm
08-140	-	0073 025 XXX	-	0073 031 XXX
08-110	0073 021 XXX	-	0073 028 XXX	-
Assortments				
08-10	0073 021 220	0073 025 220	0073 028 220	0073 031 220
15-40	0073 021 230	0073 025 230	0073 028 230	0073 031 230
45-80	0073 021 240	0073 025 240	0073 028 240	0073 031 240
90-110	0073 021 250	0073 025 250	0073 028 250	0073 031 250
90-140	-	0073 025 260	-	0073 031 260
120-140	-	0073 025 270	-	0073 031 270

* not available in all countries



Flexicut® Files

For preparation of severely curved and narrow root canals with a filing motion

- Stainless steel
- Special steel alloy with uniform structure for maximum resistance to fracture and maximum flexibility
- Cutting angle effective with filing motion
- The inactive tip conducts the instrument safely along the canal
- Triangular cross-section for highest cutting efficiency
- More cutting edges than K-Reamers
- Blister pack of 6 pieces

Single sizes	21 mm	25 mm
15-40	0064 021 XXX	0064 025 XXX
Assortments		
15-40	0064 021 230	0064 025 230

Non-sterile SST Instruments

MC K-Files

NON
STERILE

- Localisation and exposure of root canal orifices
- Removing gutta-percha, sealer and cement residue out of isthmi
- Optimal working angle in molar region
- Ergonomic handle
- Set of 6 instruments

	Size	21 mm
○	08	V04 0060 004 008
●	10	V04 0060 004 010
○	15	V04 0060 004 015
	08-15	V04 0060 004 221



MC Hedstroem Files

NON
STERILE

- Removing/scraping off gutta-percha residue from canal walls
- Optimal working angle in molar region
- Ergonomic handle
- Set of 6 instruments

	Size	21 mm
○	08	V04 0070 004 008
●	10	V04 0070 004 010
○	15	V04 0070 004 015
	08-15	V04 0070 004 221



K-Reamers*

NON
STERILE

For Contra-Angle

- Max. 800 rpm
- Blister pack of 6 instruments

	Size	21 mm	25 mm
○	08	0058 021 008	0058 025 008
●	10	0058 021 010	0058 025 010
	08-10	0058 021 220	0058 025 220
○	15	0058 021 015	0058 025 015
●	20	0058 021 020	0058 025 020
●	25	0058 021 025	0058 025 025
●	30	0058 021 030	0058 025 030
●	35	0058 021 035	0058 025 035
●	40	0058 021 040	0058 025 040
	15-40	0058 021 230	0058 025 230
○	45	0058 021 045	0058 025 045
●	50	0058 021 050	0058 025 050
●	55	0058 021 055	0058 025 055
●	60	0058 021 060	0058 025 060
●	70	0058 021 070	0058 025 070
●	80	0058 021 080	0058 025 080
	45-80	0058 021 240	0058 025 240

* Not available in all countries





Hedstroem Files*

For Contra-Angle

- Quarter turn only
- 450-800 rpm
- Blister pack of 6 instruments

Size	21 mm	25 mm
10	0078 021 010	0078 025 010
15	0078 021 015	0078 025 015
20	0078 021 020	0078 025 020
25	0078 021 025	0078 025 025
30	0078 021 030	0078 025 030
35	0078 021 035	0078 025 035
40	0078 021 040	0078 025 040
15-40	0078 021 230	0078 025 230
45	-	0078 025 045
50	-	0078 025 050
55	-	0078 025 055
60	-	0078 025 060
70	-	0078 025 070
80	-	0078 025 080
45-80	-	0078 025 240

* not available in all countries



Non-sterile NiTi Hand Instruments



NiTi K-Files

For the enlargement of severely curved canals

- Super flexible files, follow any canal curvature
- Blister pack of 6 pieces

Single sizes	21 mm	25 mm
15-60	V04 0263 021 XXX	V04 0263 025 XXX
Assortments		
15-40	V04 0263 021 230	v04 0263 025 230

Accessories

Silicone Stoppers

For safe control of instrument working length

- Single-use recommended
- X-ray visible
- Dispenser of 200 pieces

for length		
21 mm	V04 0165	
25 mm	V04 0166	
28 mm	V04 0167	
31 mm	V04 0168	



RAYPEX® 6

Length determination with user-friendly interface

- Clear acoustic and visual signals on a bright color touch screen
- Various safety functions to enhance user and patient confidence
- Demo mode for easy and comprehensible patient education
- Intuitive handling, handy pocket-sized design, foldable
- Long-lasting rechargeable battery

› RAYPEX® 6 _____ V04 1113 000 000



Accessories

RAYPEX® 6

› Measuring Cable _____ V04 1119 000 506

› Charger _____ V04 1119 000 501

› Battery _____ V04 1119 000 507

Raypex® 5

› Measuring Cable _____ V04 0141 000 506

› Charger _____ V04 0141 000 501

› Battery _____ V04 0141 000 507

Accessories for all apex locators Raypex® 4, Raypex® 5, RAYPEX® 6

› Lip Clip*, 5 pieces _____ V04 0141 000 514

› File Clip*, 2 pieces _____ V04 0141 000 515

› Touch Probe*, 2 pieces _____ V04 0141 000 518

*autoclavable




VDW.CONNECT

Connectable endo devices



VDW.CONNECT® App
Smart treatment monitoring



VDW.CONNECT Drive®
Smart endo motor



VDW.CONNECT Locate®*
Smart apex locator

VDW.CONNECT Drive®

Simplicity-driven to make preparation smoother and safer

- Cordless and ergonomic handpiece for maximum comfort and mobility
- Easily set for a wide range of rotary and reciprocating file systems through the VDW.CONNECT® App**

360° rotating mini-head for excellent visibility



› VDW.CONNECT Drive®

- VDW.CONNECT Drive®

V04 1183 000 000

(DFU printed in English)

V04 1184 000 000

(DFU printed in TK, KR, CHI, BR, RUS, UKR, IND)

* VDW.CONNECT Locate® – Coming 2019, CE pending.

** without app preset for preparation with RECIPROC® blue, RECIPROC® and R-PILOT™

› VDW.CONNECT Drive® Set _____ V04 1183 000 500

- VDW.CONNECT Drive®
- VDW.CONNECT Accessories for iPad mini
- User card, brochure, directions for use

› VDW.CONNECT Drive® Set Medium _____ V04 1181 000 000

- VDW.CONNECT Drive®
- VDW.CONNECT Accessories for iPad mini
- RECIPROC® System Kit 24:
 - 24 RECIPROC® instruments (25 mm), sterile, 12 × R25, 6 × R40, 6 × R50
 - 144 RECIPROC® Paper Points, assorted, sterile, 96 × R25, 24 × R40, 24 × R50
 - 60 RECIPROC® Gutta-Percha cones, assorted, 40 × R25, 10 × R40, 10 × R50
 - 1 Endo training tooth, trepanated
 - User card, brochure, directions for use

› VDW.CONNECT Drive® Set Medium *blue* _____ V04 1181 025 624

- VDW.CONNECT Drive® (for EU countries)
- VDW.CONNECT Accessories for iPad mini

• RECIPROC® *blue* System Kit 24: _____ V04 1182 025 624

- 24 RECIPROC® *blue* instruments (25 mm), sterile, 12 × R25, 6 × R40, 6 × R50 (for non-EU countries)
- 180 RECIPROC® *blue* Paper Points, assorted, sterile, 60 × R25, 60 × R40, 60 × R50
- 60 RECIPROC® *blue* Gutta-Percha cones, assorted, 36 × R25, 12 × R40, 12 × R50
- 1 Endo training tooth, trepanated
- User card, brochure, directions for use

Accessories for VDW.CONNECT Drive®

› VDW.CONNECT Drive® Handpiece without contra-angle _____ V04 1185 000 504

› Handpiece sleeves, 100 pieces _____ V04 1185 000 503

› 6:1 contra-angle _____ V04 1185 000 502

› Charger incl. adaptors _____ V04 1185 000 501

› Spray nozzle for manual lubrication _____ V04 1185 000 506

› Contra-Angle Adaptor for Assistina _____ V04 1185 000 511

(corresponds with W&H REF 06037100)

VDW.CONNECT Locate®

Precision at your fingertips to improve your treatment

- Mini size, lightweight and connected via Bluetooth® to integrate easily in your workflow
- Clear LED and acoustic signals
- Easily control and visualize the file progression on the iPad® screen through the VDW.CONNECT® App
- Shaping target and apical reverse function (app required)

Simultaneous monitoring of file progression allows live feedback during shaping!



- › VDW.CONNECT Locate® Kit _____ M00 CLOC 000 000
- 1 VDW.CONNECT Locate® Apex Locator
 - Disposable barrier sleeves
 - Clamp, measurement cable, external tester
 - 2 × file clip, 5 × lip clip
 - Adapter for VDW.CONNECT Drive® Handpiece
 - Rechargeable battery and charger
 - Directions for use, Getting Started Guide

VDW.CONNECT Drive® and Locate®

- › VDW.CONNECT Drive® & Locate® Kit _____ M00 CLOC CDR KIT
- VDW.CONNECT Drive® incl. 6:1 contra-angle and handpiece holder
 - VDW.CONNECT Locate® Kit
- › VDW.CONNECT Drive® & Locate® RECIPROC® blue _____ M00 CLOC RBL KIT
- VDW.CONNECT Drive incl. 6:1 contra-angle and handpiece holder
 - VDW.CONNECT Locate® Kit
 - RECIPROC® blue System Kit 24:
 - 24 RECIPROC® blue instruments (25 mm), sterile, 12 × R25, 6 × R40, 6 × R50
 - 180 RECIPROC® blue Paper Points, assorted, sterile, 60 × R25, 60 × R40, 60 × R50
 - 60 RECIPROC® blue Gutta-Percha cones, assorted, 36 × R25, 12 × R40, 12 × R50
 - 1 Endo training tooth, trepanated
 - User card, brochure, directions for use

Accessories for iPad®

- › VDW.CONNECT iPad® Stand _____ M00 CO00 STA 000
- › Barrier sleeves for iPad mini® 4, 100 pieces _____ M00 CO00 079 BAR
- › Barrier sleeves for iPad® 9,7", 100 pieces _____ M00 CO00 097 BAR
- › Barrier sleeves for iPad® 10,5", 100 pieces _____ M00 CO00 105 BAR
- › Barrier sleeves for iPad® 12,9", 100 pieces _____ M00 CO00 129 BAR

Unique smart treatment monitoring



Free download – lifetime free updates

* VDW.CONNECT Locate® – Coming 2019, CE pending.

Apple, the Apple logo and iPad® are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth® SIG, Inc..

VDW.GOLD® RECIPROC®

Endo motor with integrated apex locator

- A market proven device you can rely on!
- High performance for rotary and reciprocating root canal preparation
- Perfect interplay in the RECIPROC® mode
- Supports an extensive range of rotary and reciprocating file systems
- Dr's Choice: store up to 15 individual torque and speed settings
- Battery-operated motor; maintains constant operation even during charging



- **RECIPROC REVERSE Comfort Function**:** two-stage indicator helps determine the right method of preparation
- Additional setting for root canals with difficult anatomy for rotary motion



ANA*: Reduction of torque limit during the preparation of canals with difficult anatomies

ASR*: Automatic reverse rotation when the set torque limit is reached

Safety features for a smooth and successful preparation

› VDW.GOLD® RECIPROC® _____ V04 1173 000 000

- Incl. 6:1 contra-angle

› VDW.GOLD® RECIPROC® + RECIPROC® System Kit _____ V04 1173 025 611

- 12 RECIPROC® instruments (25 mm), sterile, 6 × R25, 3 × R40, 3 × R50
- 144 RECIPROC® Paper Points, assorted, sterile, 96 × R25, 24 × R40, 24 × R50
- 60 RECIPROC® Gutta-Percha cones, assorted, 40 × R25, 10 × R40, 10 × R50
- User card, brochure, directions for use

› VDW.GOLD® RECIPROC® blue 24 _____ V04 1173 025 624

- VDW.GOLD® RECIPROC®
- RECIPROC® blue System Kit 24:
 - 24 RECIPROC® blue instruments (25 mm), sterile, 12 × R25, 6 × R40, 6 × R50
 - 180 RECIPROC® blue Paper Points, assorted, sterile, 60 × R25, 60 × R40, 60 × R50
 - 60 RECIPROC® blue Gutta-Percha cones, assorted, 36 × R25, 12 × R40, 12 × R50
 - 1 Endo training tooth, trepanated
 - User card, brochure, directions for use

*in rotary mode only

**in RECIPROC® mode only

VDW.SILVER® RECIPROC®



Essential performance for effective and safe root canal preparation

- Choose from a wide range of reciprocating and rotary file systems
- Dr's Choice: store up to 15 individual torque and speed settings
- ASR*: automatic reverse rotation when the set torque limit is reached
- RECIPROC REVERSE Comfort Function**: two-stage indicator identifies the right method of preparation
- Battery-operated motor; maintains constant operation even during charging

*in rotary mode only **in RECIPROC® mode only

› VDW.SILVER®RECIPROC® _____ V04 1163 000 000

- Incl. 6:1 contra-angle

› VDW.SILVER®RECIPROC® + RECIPROC® System Kit _____ V04 1163 025 611

- 12 RECIPROC® instruments (25 mm), sterile, 6 × R25, 3 × R40, 3 × R50
- 144 RECIPROC® Paper Points, assorted, sterile, 96 × R25, 24 × R40, 24 × R50
- 60 RECIPROC® Gutta-Percha cones, assorted, 40 × R25, 10 × R40, 10 × R50
- 1 Endo training tooth, trepanated
- User card, brochure, directions for use

› 6:1 Contra-Angle _____ V04 1079 000 000

- For VDW.GOLD®RECIPROC®, VDW.GOLD®, VDW.SILVER®RECIPROC®, VDW.SILVER®

Accessories for VDW.GOLD®RECIPROC® and VDW.GOLD®

› Contra-Angle Sleeve, 5 pieces _____ V04 1107 000 512

› Lip Clip, 5 pieces _____ V04 1107 000 514

› File Clip, 2 pieces _____ V04 1107 000 515

› File Clip Cable _____ V04 1107 000 519

› Charger _____ V04 1107 000 517

› Foot Switch _____ V04 1107 000 510

RECIPROC® direct

The first reciprocating contra-angle

- A quick and inexpensive way to the most time-saving preparation technique
- Simply click it on your electric or air-driven motor*
- Drives RECIPROC® instruments safely and efficiently
- Ideal accessory to your dental unit allowing you to switch easily from manual to mechanical preparation



› RECIPROC® direct *blue* _____ V04 1095 025 000

- 1 RECIPROC® direct contra-angle
- 24 RECIPROC® *blue* instruments (25 mm), sterile, 12 × R25, 6 × R40, 6 × R50
- 1 spray nozzle for manual lubrication
- Directions for use, user card

› RECIPROC® direct Starter Kit** _____ 21 mm V04 1093 021 000

- 1 RECIPROC® direct contra-angle
- 44 RECIPROC® instruments, sterile, 32 × R25, 8 × R40, 4 × R50
- 1 spray nozzle for manual lubrication
- Directions for use, user card

25 mm
V04 1093 025 000

› RECIPROC® direct Contra-Angle Set _____ V04 1091 000 000

- 1 RECIPROC® direct contra-angle
- 1 spray nozzle for manual lubrication
- Directions for use, user card





Irrigation

Efficient irrigation

Increase the likelihood of a successful root canal filling with efficient irrigation.
The result: maximum cleaning with minimum effort.

- The innovative sonic-powered **EDDY**[®] irrigation tip allows for highly effective cleaning of the entire root canal system.
- Residual tissue and debris are reliably removed, even in complex root canal anatomies.
- Thanks to the flexible polyamide material, the **EDDY**[®] tip is gentle on dentine with low risk of fatigue fracture.

EDDY®

Innovative sonic powered irrigation – safe, effective, proven

- Sonic powered polyamide tip
- Powerful activation at max. 6,000 Hz via Airscaler
- Reliable removal of residual tissue and dentine chips
- Three-dimensional movement for irrigant activation
- Many studies substantiate the effectiveness of EDDY®

Cavitation

Due to the fast movement of the irrigating tip in the irrigant small gas bubbles form and then implode. The energy released intensifies the cleaning effect of the irrigant.

Acoustic Streaming

High frequency acoustic oscillation creates swirling eddies in the irrigant which strengthens the cleaning effect on the canal walls.



› EDDY® _____ V04 1441 000 000

- 5 blister packs of 2 Irrigation Tips, sterile

› EDDY® Starter Kit _____ (Multiflex®) V04 1443 000 000

- 1 W&H Airscaler Handpiece, Type Proxeo ZA-55-LM (Multiflex®) or ZA-55-LS (Sirona®) with light and power setting
- 4 packs of 10 EDDY® Irrigation Tips, sterile

(Sirona®)
V04 1444 000 000

› EDDY® 100 Plus Kit _____ V04 6034 000 000

- 60 blister packs of 2 EDDY® Irrigation Tips, sterile



VDW.ULTRA®

High performance endo ultrasonic device

- Endo focus with clearly marked endo power ranges in large scale
- Correct power setting within the power range allows optimal balance between efficient and gentle operation
- Patented piezo technology



› VDW.ULTRA® _____ V04 1400 000 501

- Incl. ultrasonic handpiece
- Incl. 1 ultrasonic endo tip

› Ultrasonic Handpiece _____ V04 1401 000 000



VDW Endo Ultrasonic Files

IRRI files


IRRI S (smooth wire)

- Passive ultrasonic irrigation (Pull)

IRRI K (K-type)

- Exposure of delicate anatomical structures

Blister pack of 4 files	Length/ISO	
IRRI S	21/25	V04 1460 021 025
IRRI S	25/25	V04 1460 025 025
IRRI K	21/15	V04 1463 021 015
IRRI K	21/25	V04 1463 021 025
IRRI K	25/15	V04 1463 025 015
IRRI K	25/25	V04 1463 025 025





Obturation

Homogeneous 3D obturation

Achieve a homogeneous, wall-adapted obturation of the entire root canal system and minimise the risk of recontamination.

The result: a filling that delivers what it promises.

- The **GUTTAFUSION**[®] carrier system combines warm obturation with a convenient single-cone technique, thus setting new standards in thermoplastic obturation.
- Warm gutta-percha condenses into all isthmi and ramifications. The result is a homogeneous 3D filling.
- The obturation – which is made entirely of gutta-percha – is easy to remove.

GUTTAFUSION®

for RECIPROC® blue


System for 3-dimensional obturation after preparation with RECIPROC® blue or RECIPROC®. The use of Size Verifiers is not necessary as there are only three obturator sizes according to the RECIPROC® system.

Obturers made entirely of gutta-percha

On the inside, crosslinked polymer chains give stability to the carrier. On the outside, the carrier is coated with flowable gutta-percha. The carrier helps to condense the heated, flowable gutta-percha into the whole root canal system. The beneficial characteristics of gutta-percha are maintained.

Special handle design

The special handle design for tweezers allows precise placement of the obturator in the root canal. Stripping off gutta-percha can be avoided, especially in molars*.



GUTTAFUSION for RECIPROC® blue Obturators

Obturers made entirely of gutta-percha

- Good radiopacity
- Color coded according to the RECIPROC® system

	Blister pack of 6 obturators	1 blister pack	5 blister packs
●	R25	V04 1551 000 025	V04 1552 000 025
●	R40	V04 1551 000 040	V04 1552 000 040
●	R50	V04 1551 000 050	V04 1552 000 050



GUTTAFUSION for RECIPROC® Obturators

Obturers made entirely of gutta-percha

- Good radiopacity
- Color coded according to the RECIPROC® system

	Blister pack of 6 obturators	1 blister pack	5 blister packs
●	R25	V04 1531 000 025	V04 1532 000 025
●	R40	V04 1531 000 040	V04 1532 000 040
●	R50	V04 1531 000 050	V04 1532 000 050



* Source: internal data, VDW Munich, 2012


Universal system for 3-dimensional obturation after preparation with rotary NiTi systems.
 GUTTAFUSION® Size Verifiers are necessary with these NiTi systems in order to ensure correct selection of the appropriate obturator.

GUTTAFUSION® Obturators

Obturators made entirely of gutta-percha

- Good radiopacity
- ISO color coded

	Blister pack of 6 obturators	1 blister pack	5 blister packs
●	20	V04 1541 000 020	V04 1542 000 020
●	25	V04 1541 000 025	V04 1542 000 025
●	30	V04 1541 000 030	V04 1542 000 030
●	35	V04 1541 000 035	V04 1542 000 035
●	40	V04 1541 000 040	V04 1542 000 040
○	45	V04 1541 000 045	-
●	50	V04 1541 000 050	-
●	55	V04 1541 000 055	-



GUTTAFUSION® Size Verifiers



Instruments to determine the correct obturator size after preparation with rotary NiTi systems

- Nickel-Titanium
- Radiopaque
- ISO color coded

	Blister pack of 6 size verifiers	1 blister pack
●	20	V04 1508 000 020
●	25	V04 1508 000 025
●	30	V04 1508 000 030
●	35	V04 1508 000 035
●	40	V04 1508 000 040
○	45	V04 1508 000 045
●	50	V04 1508 000 050
●	55	V04 1508 000 055
	25-35	V04 1508 000 305



➤ **GUTTAFUSION® Oven** _____ V04 1500 000 000

Oven (230 V) for simultaneous heating of up to two obturators

- Visual and acoustic warning signals
- Simple cleaning thanks to special mode



- > **GUTTAFUSION® for RECIPROC® *blue* Basic Kit** _____ V04 1550 000 000
- 30 GUTTAFUSION® for RECIPROC® *blue* Obturators, 18 × R25, 6 × R40, 6 × R50
 - 180 RECIPROC® *blue* Paper Points, assorted, sterile, 60 × R25, 60 × R40, 60 × R50
 - Obturation Practice Block suitable for GUTTAFUSION® for RECIPROC® *blue* Obturators R25
 - User card, directions for use
- > **GUTTAFUSION® for RECIPROC® *blue* Starter Kit** _____ V04 1560 000 000
- GUTTAFUSION® Oven (230 V)
 - GUTTAFUSION® for RECIPROC® *blue* Basic Kit
- > **GUTTAFUSION® for RECIPROC® Basic Kit** _____ V04 1530 000 000
- 30 GUTTAFUSION® for RECIPROC® Obturators, 18 × R25, 6 × R40, 6 × R50
 - 180 RECIPROC® Paper Points, assorted, sterile, 96 × R25, 24 × R40, 24 × R50
 - Obturation Practice Block suitable for GUTTAFUSION® for RECIPROC® Obturators R25
 - User card, directions for use
- > **GUTTAFUSION® for RECIPROC® Starter Kit** _____ V04 1535 000 000
- GUTTAFUSION® Oven (230 V)
 - GUTTAFUSION® for RECIPROC® Basic Kit
- > **GUTTAFUSION® Basic Kit for Mtwo®** _____ V04 1540 000 000
- 24 GUTTAFUSION® Obturators, 12 × size 25, 6 × size 30, 6 × size 35
 - 6 GUTTAFUSION® Size Verifiers, assorted, sizes 25, 30, 35
 - 144 Mtwo® Paper Points assorted, sterile, 48 × 25/.06, 24 × 30/.05, 35/.04, 40/.04, 25/.07 each
 - Obturation Practice Block suitable for GUTTAFUSION® Obturators size 25
 - User card, directions for use
- > **GUTTAFUSION® Starter Kit for Mtwo®** _____ V04 1545 000 000
- GUTTAFUSION® Oven (230 V)
 - GUTTAFUSION® Basic Kit for Mtwo®
- > **GuttaMaster®PREPI® Burs** _____ V04 0515 000 000
- Burs for quick and easy cutting of the handle of GuttaMaster® obturators
- Available in different diameters: 1 × 0.7 mm / 0.9 mm each, 2 × 1.2 mm / 1.5 mm each; assortment 6 pack
 - Use for high speed turbine contra-angle 150,000 up to 200,000 rpm

RECIPROC® *blue* Gutta-Percha

Suitable for the RECIPROC® *blue* NiTi system

- Multi-variable taper for increased precision and consistency to match corresponding file system
- Latex-free
- Heat Extension < 4 mm
- Flip pack of 60 pieces

	Size	28 mm
●	R25	V04 0258 028 025
●	R40	V04 0258 028 040
●	R50	V04 0258 028 050
	36 × R25, 12 × R40, 12 × R50	V04 0258 028 237



RECIPROC® Gutta-Percha

Suitable for the RECIPROC® NiTi system

- Branded system solution for simple integration
- Slide cassette of 60 pieces

	Size	28 mm
●	R25	V04 0214 028 025
●	R40	V04 0214 028 040
●	R50	V04 0214 028 050
	40 × R25, 10 × R40, 10 × R50	V04 0214 028 237



VDW.ROTATE™ Gutta-Percha

Precise fit to canals shaped with VDW.ROTATE™ NiTi Instruments

- All cold and warm obturation techniques
- Injection moulded
- Flip pack of 60 pieces

	Size/Taper	28 mm
●	25.04	M00 VRGP F00 425
●	30.04*	M00 VRGP F00 430
●	35.04*	M00 VRGP F00 435
●	40.04*	M00 VRGP F00 440
●	50.04*	M00 VRGP F00 450



	Size/Taper	28 mm
●	25.06	M00 VRGP F00 625
●	30.06*	M00 VRGP F00 630
●	35.06*	M00 VRGP F00 635
●	40.04*	M00 VRGP F00 640
	24 × 25.06 12 × 30.04 12 × 35.04 12 × 25.04*	M00 VRGP F00 AST

* coming soon, not available for sale yet

Mtwo® Gutta-Percha

Suitable for the Mtwo® NiTi system

- α -phase with low melting point for cold and warm obturation techniques
- Slide cassette of 60 pieces

Size/Taper	28 mm
 35/.04	V04 0220 428 035
 40/.04	V04 0220 428 040
 45/.04	V04 0220 428 045
 50/.04	V04 0220 428 050
 60/.04	V04 0220 428 060
 30/.05	V04 0220 528 030
 25/.06	V04 0220 628 025
 30/.06	V04 0220 628 030
 35/.06	V04 0220 628 035
 40/.06	V04 0220 628 040
 25/.07	V04 0220 728 025
20 × 25/.06, 10 × 30/.05, 35/.04, 40/.04, 25/.07 each	V04 0220 028 457







Standardised Gutta-Percha Cones

Best plasticity for lateral compaction and high radiopacity

Gutta-Percha Taper .02







- Sizes 15-80 slide cassette of 120 pieces
- Sizes 90-140 slide cassette of 60 pieces

Size/Taper	28 mm
 15/.02	0525 028 015
 20/.02	0525 028 020
 25/.02	0525 028 025
 30/.02	0525 028 030
 35/.02	0525 028 035
 40/.02	0525 028 040
15-40/.02	0525 028 230
 45/.02	0525 028 045
 50/.02	0525 028 050
 55/.02	0525 028 055
 60/.02	0525 028 060
 70/.02	0525 028 070
 80/.02	0525 028 080
45-80/.02	0525 028 240
90-140/.02	0525 028 260

Gutta-Percha Taper .04

For fast obturation of tapered canals







- Slide cassette of 60 pieces

Size/Taper	28 mm
 15/.04	0528 028 015
 20/.04	0528 028 020
 25/.04	0528 028 025
 30/.04	0528 028 030
 35/.04	0528 028 035
 40/.04	0528 028 040
15-40/.04	0528 028 230

Gutta-Percha Taper .06

For fast obturation of tapered canals

- Slide cassette of 60 pieces

Size/Taper	28 mm
 15/.06	0529 028 015
 20/.06	0529 028 020
 25/.06	0529 028 025
 30/.06	0529 028 030
 35/.06	0529 028 035
 40/.06	0529 028 040
15-40/.06	0529 028 230

alpha Gutta-Percha Taper .04

For thermoplastic obturation

- Ideal for use with BeeFill®2in1, BeeFill® Pack etc.
- With low melting point
- Slide cassette of 60 pieces

	Size/Taper	28 mm
○	15/.04	V04 0521 028 015
●	20/.04	V04 0521 028 020
●	25/.04	V04 0521 028 025
●	30/.04	V04 0521 028 030
●	35/.04	V04 0521 028 035
●	40/.04	V04 0521 028 040
	15-40/.04	V04 0521 028 230

alpha Gutta-Percha Taper .06

	Size/Taper	28 mm
○	15/.06	V04 0522 028 015
●	20/.06	V04 0522 028 020
●	25/.06	V04 0522 028 025
●	30/.06	V04 0522 028 030
●	35/.06	V04 0522 028 035
●	40/.06	V04 0522 028 040
	15-40/.06	V04 0522 028 230

Conventional Gutta-Percha

Additional cones for the masterpoint technique

- Sizes XXF-L, slide cassette of 100 pieces

Size	20 mm
xxfine	0542 020 431
xfine	0542 020 441
fine	0542 020 451
medium	0542 020 461
large	0542 020 471
xf-l	0542 020 477



Silver Points

- Approx. 99.85% pure silver
- Max. 0.12-0.13% nickel content
- Practical slide cassette of 30 pieces

	Size	30 mm
●	10	V04 0098 030 010
○	15	V04 0098 030 015
●	20	V04 0098 030 020

BeeFill® 2in1

Obturation device for Downpack and Backfill technique

- Excellent visibility of the root canal entrance thanks to slim handpieces and extra long canulas
- Light-weight handpieces (20.1 g and 127.4 g)
- Steady application thanks to precise and micromotor controlled release of gutta-percha
- Safe use due to visual and audible signals



› BeeFill® 2in1 _____ V04 0541 000 000

› BeeFill® 2in1 Obturation Kit _____ V04 0545 000 000

- 1 × BeeFill® 2in1 device
- 3 × BeeFill® heat pluggers: standard 40/.03, soft 50/.05, soft 60/.06
- 1 × BeeFill® thermal response tip
- 30 × BeeFill® cartridges, 10 pieces each size:
20G = Ø 0.80 mm | 23G = Ø 0.60 mm | 25G = Ø 0.45 mm
- 3 × Machtou hand pluggers, size: 0 (NiTi), 1-2 and 3-4
- 1 × 2Seal easymiX® Starter Kit
- 2 × alpha Gutta-Percha, assorted ISO 15-40, taper .04 and .06

BeeFill® Heat Pluggers

- For Downpack and searing off gutta-percha
- Continuous Wave or Schilder technique
- Fast heating and cooling down
- Autoclavable

Heat plugger standard 40/.03	V04 0547 000 040
Heat plugger soft 50/.05	V04 0546 000 050
Heat plugger soft 60/.06	V04 0546 000 060



› BeeFill® Thermal Response Tip _____ V04 0548 000 000

Pulp sensitivity tester

BeeFill® Cartridges

Injection of warm gutta-percha

- Flexible and extra long canula – also for curved root canals
- One cartridge fills 4-6 root canals
- Matching cartridge for each canal anatomy:
25G = Ø 0.45 mm | 23G = Ø 0.60 mm | 20G = Ø 0.80 mm
- 10 cartridges per blister pack

Size	
20G / 0.80 mm	V04 0532 053 080
23G / 0.60 mm	V04 0532 053 060
25G / 0.45 mm	V04 0532 053 045



› 2Seal® _____ V04 1020

Root canal sealer on epoxy-amine resin basis

- Excellent biocompatibility
- Very low shrinkage
- Good sealing properties
- For all obturation methods: thermostable up to 250°C
- For manual mixing: 2-tube pack with 4 ml paste A and B



2Seal easymiX®

Root canal sealer on epoxy-amine resin basis in convenient double-chamber mixing syringe. Easy application with interchangeable, flexible intra oral tips.

- Mixes in an ideal ratio
- Can be applied directly into the root canal
- Precise application even in canals with difficult access



› 2Seal easymiX® Starter Kit _____ V04 1025 000 000

- 1 × 2Seal easymiX® Mixing Syringe, 15 g
- 20 × Mixing Tips with Intra Oral Tips
- 1 × Mixing Block
- 1 × Illustrated Manual
- 1 × Organiser



› 2Seal easymiX® Mixing Syringe _____ V04 1025 000 001

- 2 × 2Seal easymiX® Mixing Syringe, 15 g



› 2Seal easymiX® Mixing Tips _____ V04 1025 000 002

- 40 × Mixing Tips with Intra Oral Tips



RECIPROC® *blue* Paper Points

STERILE

Suitable for the RECIPROC® *blue* NiTi system

- Fully saturated points retain good material consistency
- Sterilized points in blister cells to support infection control
- Part of a system based solution for RECIPROC® *blue*
- 180 pieces

	Size/Taper	29 mm
●	R25	V04 0259 029 025
●	R40	V04 0259 029 040
●	R50	V04 0259 029 050
	60 × R25, 60 × R40, 60 × R50	V04 0259 029 237



RECIPROC® Paper Points

STERILE

Suitable for the RECIPROC® NiTi system

- Fully saturated points retain good material consistency
- Sterilised points in blister cells to support infection control
- 144 pieces: 4 paper points per blister cell

	Size/Taper	29 mm
●	R25	V04 0216 029 025
●	R40	V04 0216 029 040
●	R50	V04 0216 029 050
	96 × R25, 24 × R40, 24 × R50	V04 0216 029 237



VDW.ROTATE™ Paper Points

STERILE

Sizes adapted to canals shaped with VDW.ROTATE™ NiTi instruments

- Sterilised points in blister cells to support infection control
- 180 pieces

	Size/Taper	29 mm
●	25.04	MST VRPP 000 425
●	30.04*	MST VRPP 000 430
●	35.04*	MST VRPP 000 435
●	40.04*	MST VRPP 000 440
●	50.04*	MST VRPP 000 450
●	60.04*	MST VRPP 000 460
●	25.06	MST VRPP 000 625
●	30.06*	MST VRPP 000 630
●	35.06*	MST VRPP 000 635
●	40.06*	MST VRPP 000 640
	60 × 25.06; 60 × 30.04; 30 × 35.04; 30 × 25.04*	MST VRPP 000 AST

Mtwo® Paper Points

STERILE

Suitable for the Mtwo® NiTi system

- Fully saturated points retain good material consistency
- Sterilised points in blister cells to support infection control
- 144 pieces: 4 paper points per blister cell

	Size/Taper	29 mm
●	35/.04	V04 0225 429 035
●	40/.04	V04 0225 429 040
●	45/.04	V04 0225 429 045
●	50/.04	V04 0225 429 050
●	60/.04	V04 0225 429 060
●	30/.05	V04 0225 529 030
●	25/.06	V04 0225 629 025
●	30/.06	V04 0225 629 030
●	35/.06	V04 0225 629 035
●	40/.06	V04 0225 629 040
●	25/.07	V04 0225 729 025
	48 × 25/.06; 24 × 30/.05, 35/.04, 40/.04, 25/.07 each	V04 0225 029 457


* coming soon, not available for sale yet



Paper Points sterile Taper .02

- Sterile packed in blister cells to support infection control
- Sizes 15-80, 180 pieces: 5 paper points per blister cell
- Sizes 90-140, 144 pieces: 4 paper points per blister cell
- Assortments: 6 blister cells of each size

	Size/Taper	29 mm
○	15/.02	0560 029 015
●	20/.02	0560 029 020
●	25/.02	0560 029 025
●	30/.02	0560 029 030
●	35/.02	0560 029 035
●	40/.02	0560 029 040
	15-40/.02	0560 029 230
○	45/.02	0560 029 045
●	50/.02	0560 029 050
●	55/.02	0560 029 055
●	60/.02	0560 029 060
●	70/.02	0560 029 070
●	80/.02	0560 029 080
	45-80/.02	0560 029 240
	90-140/.02	0560 029 260



Paper Points Taper .02



- Sizes 15-80, slide cassette of 200 pieces
- Sizes 90-140, slide cassette of 90 pieces

	Size/Taper	29 mm
○	15/.02	0550 029 015
●	20/.02	0550 029 020
●	25/.02	0550 029 025
●	30/.02	0550 029 030
●	35/.02	0550 029 035
●	40/.02	0550 029 040
	15-40/.02	0550 029 230
○	45/.02	0550 029 045
●	50/.02	0550 029 050
●	55/.02	0550 029 055
●	60/.02	0550 029 060
●	70/.02	0550 029 070
●	80/.02	0550 029 080
	45-80/.02	0550 029 240
	90-140/.02	0550 029 260

Paper Points Taper .04



- Sizes 15-40, slide cassette of 120 pieces

	Size/Taper	29 mm
○	15/.04	0558 029 015
●	20/.04	0558 029 020
●	25/.04	0558 029 025
●	30/.04	0558 029 030
●	35/.04	0558 029 035
●	40/.04	0558 029 040
	15-40/.04	0558 029 230

Paper Points Taper .06



- Sizes 15-40, slide cassette of 120 pieces

	Size/Taper	29 mm
○	15/.06	0559 029 015
●	20/.06	0559 029 020
●	25/.06	0559 029 025
●	30/.06	0559 029 030
●	35/.06	0559 029 035
●	40/.06	0559 029 040
	15-40/.06	0559 029 230

Machtou Hand Pluggers

For warm, vertical compaction

- Ergonomic silicone handle
- Stainless steel pluggers with length markings
- Autoclavable
- Flexible NiTi hand plugger (size 0) for narrow and curved canals

Size/ISO	
0/40 (NiTi)	V04 1063 000 040
1-2/50+60	V04 1063 001 002
3-4/80+100	V04 1063 003 004



VDW®STERILE Root Filler “L”

STERILE

NON
STERILE

For filling root canals with paste, cement or sealer

- Blister of 4 pieces

Size	21 mm ●	25 mm ●	21 mm ▲	25 mm ▲
25	V04 0393 021 025	V04 0393 025 025	0093 021 025	0093 025 025
30	V04 0393 021 030	V04 0393 025 030	0093 021 030	0093 025 030
35	V04 0393 021 035	V04 0393 025 035	0093 021 035	0093 025 035
40	V04 0393 021 040	V04 0393 025 040	0093 021 040	0093 025 040
25-40	V04 0393 021 290	V04 0393 025 290	0093 021 290	0093 025 290



VDW®STERILE NiTi Finger Spreaders

STERILE

NON
STERILE

For lateral condensation in curved canals

- Blister of 6 pieces (steril)
- Cassette of 6 pieces (non-steril)

Size	25 mm ●	25 mm ▲
15	V04 0392 025 015	V04 0295 025 015
20	V04 0392 025 020	V04 0295 025 020
25	V04 0392 025 025	V04 0295 025 025
30	V04 0392 025 030	V04 0295 025 030
35	V04 0392 025 035	V04 0295 025 035
40	V04 0392 025 040	V04 0295 025 040
15-40	V04 0392 025 230	V04 0295 025 230



VDW®STERILE Finger Spreaders

STERILE

NON
STERILE

For lateral condensation of gutta-percha cones (with pointed tip)

- Stainless steel
- Length of tapered section 16 mm
- Blister of 6 pieces

Size	25 mm ●	25 mm ▲
15	V04 0395 025 015	0095 025 015
20	V04 0395 025 020	0095 025 020
25	V04 0395 025 025	0095 025 025
30	V04 0395 025 030	0095 025 030
35	V04 0395 025 035	0095 025 035
40	V04 0395 025 040	0095 025 040
15-40	V04 0395 025 230	0095 025 230



VDW®STERILE Finger Pluggers

STERILE

NON
STERILE

For vertical condensation of gutta-percha cones (with blunt tip)

- Stainless steel
- Blister of 6 pieces

Size	25 mm ●	25 mm ▲
15	V04 0399 025 015	0099 025 015
20	V04 0399 025 020	0099 025 020
25	V04 0399 025 025	0099 025 025
30	V04 0399 025 030	0099 025 030
35	V04 0399 025 035	0099 025 035
40	V04 0399 025 040	0099 025 040
15-40	V04 0399 025 230	0099 025 230







Post-Endo



Safe post-endo

Achieve even more safety in post-endodontic treatment by using root canal posts.

The result: the ideal prerequisite for long-term treatment success.

- **DT Posts** are used for the fixation of filling material where remaining dental tissue is insufficient.
- The quartz fibre posts have a high level of bending strength, fracture resistance and excellent radiopacity.
- The double taper shape of **DT Posts** helps to preserve as much dentine as possible while at the same time adapting easily to the shape of the prepared canal.

DT LIGHT®



Clinically tried and tested quartz fibre posts

- Double Taper Design for preserving more dentine
- Root-friendly: elasticity modulus similar to dentine
- Aesthetics: high translucency
- Clinical control: radiopaque

› DT LIGHT® Basic Kit _____ V04 0931 000 500

- 12 posts: 3 per size: #0 / #1 / #2 / #3
- 4 DT Finishing Drills: 1 per size: #0 (Universal Drill) / #1 / #2 / #3

DT LIGHT® Refill Blister Pack

- Individually packed for convenience
- 6 posts of one size in each blister pack

Size	
DT LIGHT® #0	V04 0931 000 000
DT LIGHT® #1	V04 0931 000 001
DT LIGHT® #2	V04 0931 000 002
DT LIGHT® #3	V04 0931 000 003



DT Accessories

› DT Universal Drill (Finishing Drill #0) _____ V04 0935 000 000

Drill for removing the root canal filling

- Pack of 2 pieces



DT Finishing Drill #1 V04 0935 000 001

DT Finishing Drill #2 V04 0935 000 002

DT Finishing Drill #3 V04 0935 000 003



› DT Finishing Drill _____ V04 0935 000 002

Drill for post fitting in the root canal

- Pack of 2 pieces

› Composibrush _____ V04 0936 000

Endo brush for applying bonding material to the root canal

- Pack of 50 pieces



› DT Post Removal Kit _____ V04 0938 001

For the fast, safe removal of DT Posts with no unnecessary dentine removal

- Cassette of 2 drills





› **Endo Training Model Castillo** _____ V04 0247 000 000

Training model for root canal preparation and electronic length determination

- Plastic model of an upper jaw (11-17)
- Position 16: Endo Training Tooth
- Position 17: Plastic Training Block
- Fixture for electronic length determination
- Integrated Minifix Measuring Gauge



› **Plastic Training Blocks** _____ V04 0245

- 3 pieces



› **Endo Training Tooth** _____ V04 0246 000 500


Plastic tooth for endodontic training

- Replica of a maxillary first molar with accessed pulp chamber
- 4 root canals, 3 canals with stained pulp, MB2 pulp unstained



› **Minifix Measuring Gauge** _____ V04 0179

For precise adjustment of the working length of endo instruments, gutta-percha and paper points



› **LavEndo®** _____ V04 0479


Patented box for convenient wash-disinfection of root canal instruments

- Without module, without instruments



› **LavEndo® with Mini Step Module** _____ V04 0477

- For stainless steel instruments
- Without instruments



› **LavEndo® with FlexMaster® Module** _____ V04 0478

- For FlexMaster® instruments
- Without instruments



› **Interim Stand** _____ V04 0495

For storing of root canal instruments during treatment

- Foam disc autoclavable for one single use
- Interim Stand sterilisable without foam disc, resistant to temperatures up to 200°C/390°F
- Without instruments



› **Refills for the Interim Stand** _____ V04 0496

- Foam discs autoclavable for one single use
- 55 foam discs



MiniBox 2100

Box with lid

With Mini Step Module

- Holds 24 instruments
- Replaceable plates for marking each instrument row

or

With Mini Socket Module

- With 8 color coded sockets for obturation points

MiniBox 2100, perforated

Box with Mini Step Module	V04 0471
Mini Step Module	V04 0403
Box with Mini Socket Module	V04 0472
Mini Socket Module	V04 0404

**BasicBox 2100**

Box with lid

With Step Module

- Holds 48 instruments
- Replaceable plates for marking each instrument row

or

With Socket Module

- With 18 color coded sockets for obturation points

BasicBox 2100, perforated

Box with Step Module	V04 0441
Step Module	V04 0401
Box with Socket Module	V04 0442
Socket Module	V04 0402

**SemiBox 2000**

Box with lid

With 2 Step Modules

- Holds 48 instruments each
- Replaceable plates for marking each instrument row

or

With Step Module and Socket Module

- Step Module holds 48 instruments and has replaceable plates for marking each instrument row
- Socket module has 18 color coded sockets for obturation points

SemiBox 2000, perforated

Box with 2 Step Modules	V04 0421
Box with Step Module and Socket Module	V04 0422
Step Module	V04 0401
Socket Module	V04 0402

**Autoclave Paper**

- Box of 250 sheets

For MiniBox 2100, FlexMaster® SystemBox, FlexMaster® AccessoryBox and M _{two} ® SystemBox	V04 0191
For BasicBox 2100 and FlexMaster® CombiBox	V04 0192
For SemiBox 2000	V04 0193



Product Index

2Seal®	47	K-Reamers (VDW®STERILE)	19
2Seal easymiX® Mixing Syringe	47	LavEndo®	56
2Seal easymiX® Mixing Tips	47	LavEndo® with FlexMaster® Module	56
2Seal easymiX® Starter Kit	47	LavEndo® with Mini Step Module	56
6:1 Contra-Angle	29	Machtou Hand Pluggers	49
alpha Gutta-Percha	45	MAXI Tip	16
Autoclave Paper	57	MC Hedstroem Files	24
Barbed Broaches (VDW®STERILE)	21	MC K-Files	24
BasicBox 2100	57	MiniBox 2100	57
BeeFill®2in1	46	Mtwo®	12
BeeFill®2in1 Obturation Kit	46	Mtwo® Basic Kit	13
BeeFill® Cartridges	46	Mtwo® Control Stickers	13
BeeFill® Heat Pluggers	46	Mtwo® Gutta-Percha	44
BeeFill® Thermal Response Tip	46	Mtwo® Modul	13
Beutelrock Enlargers	17	Mtwo® Paper Points	48
Beutelrock Reamers	17	Mtwo® Retreatment Files	13
C-PILOT® Files (VDW®STERILE)	18	Mtwo® SystemBox	13
CAVI Tips	16	NiTi Finger Spreaders (VDW®STERILE)	46
Composibrush	54	NiTi K-Files	21
DT Finishing Drill	54	NiTi K-Files (VDW®STERILE)	21
DT LIGHT® Basic Kit	54	Paper Points	49
DT LIGHT® Refill Blister Pack	54	Peeso Enlargers	17
DT Post Removal Kit	54	Plastic Training Blocks	56
DT Universal Drill (Finishing Drill #0)	54	R-PILOT™	9
EDDY®	36	Raypex® 4 Accessories	26
EDDY® 100 Plus Kit	36	Raypex® 5 Accessories	26
EDDY® Starter Kit	36	RAYPEX® 6	26
Endo Training Model Castillo	56	RAYPEX® 6 Accessories	26
Endo Training Tooth	56	RECIPROC®	9
FileCare® EDTA	15	RECIPROC® blue	8
Finger Pluggers (VDW®STERILE)	50	RECIPROC® blue Gutta-Percha	43
Finger Spreaders (VDW®STERILE)	50	RECIPROC® blue Paper Points	48
Flexicut® Files	23	RECIPROC® blue System Kit 24	8
Flexicut® Files (VDW®STERILE)	20	RECIPROC® direct Starter Kit	33
FlexMaster®	14	RECIPROC® direct Starter Kit with RECIPROC® blue	33
FlexMaster® AccessoryBox	15	RECIPROC® Gutta-Percha	43
FlexMaster® Basic Kit	15	RECIPROC® Paper Points	48
FlexMaster® CombiBox	15	RECIPROC® System Kit 24	9
FlexMaster® IntroFile	14	REDO Tips	16
FlexMaster® SystemBox	15	Root Filler "L" (VDW®STERILE)	50
Gates Enlargers (VDW®STERILE)	17	SemiBox 2000	57
Gutta-Percha Cones (Conventional)	45	Silicone Stoppers	25
Gutta-Percha Cones (Standardised)	45	Silver Points	45
GUTTAFUSION® Basic Kit for Mtwo®	42	VDW.CONNECT Accessories for iPad	30
GUTTAFUSION® for RECIPROC® Basic Kit	32	VDW.CONNECT Drive®	30
GUTTAFUSION® for RECIPROC® blue Basic Kit	32	VDW.CONNECT Drive® Accessories	29
GUTTAFUSION® for RECIPROC® blue Starter Kit	32	VDW.CONNECT Drive® Set	29
GUTTAFUSION® for RECIPROC® blue Obturators	40	VDW.CONNECT Drive® Set Medium	29
GUTTAFUSION® for RECIPROC® Obturators	40	VDW.CONNECT Drive® Set Medium blue	29
GUTTAFUSION® for RECIPROC® Starter Kit	42	VDW.CONNECT Locate®	30
GUTTAFUSION® Obturators	41	VDW.CONNECT Locate® Kit	30
GUTTAFUSION® Oven	41	VDW.CONNECT Locate® Kit blue	30
GUTTAFUSION® Size Verifiers	41	VDW.GOLD®RECIPROC®	31
GUTTAFUSION® Starter Kit for Mtwo®	42	VDW.GOLD®RECIPROC® + RECIPROC® System Kit	31
GuttaMaster®PREPI® Burs	42	VDW.GOLD®RECIPROC® blue 24	31
Hedstroem Files	23	VDW.GOLD®RECIPROC® Accessories	32
Hedstroem Files (for contra-angle)	25	VDW.ROTATE™	10
Hedstroem Files (VDW®STERILE)	20	VDW.ROTATE™ Retreatment file	11
Interim Stand	56	VDW.ROTATE™ System Kit 30 ..	11
Interim Stand (Refills)	56	VDW.ROTATE™ Gutta-Percha	43
IRRI Files	37	VDW.ROTATE Paper Points	48
K-Files	22	VDW.SILVER®RECIPROC®	31
K-Files (VDW®STERILE)	19	VDW.SILVER®RECIPROC® + RECIPROC® System Kit	32
K-Reamers	22	VDW.ULTRA®	16, 37
K-Reamers (for contra-angle)	25		



For further information please contact your preferred distributor or visit www.vdw-dental.com.

 **VDW GmbH**
Bayerwaldstr. 15
81737 Munich
Germany
Tel +49 (0) 89 62734-0
Fax +49 (0) 89 62734-304
info@vdw-dental.com

